Subject Index

A

A3C protein, 304–310
 ADAR RNA editing enzymes, alteration of gene silencing pathways by, 285–290
S-Adenosylmethionine (SAM-1) riboswitch and metabolic signal sensing, 231–237
 structural studies of, 259–267
A/Piwi protein, 85–86
A/Piwi–RNA complex, 45–49
 AGO1 and DNA methylation, 499–500
 and repression of protein expression, 523–529
 AGO2, in RISC assembly, 39, 42
 AGO4 and DNA methylation, 499–500
 and RNA-directed chromatin modification, 461–469
 ALG-1/ALG-2, 189–193
 biochemistry, 190–193
 genetics, 190
 overview, 189–190
alg-1/alg-2 mutants, 190–193
 Alternative splicing, regulation by snoRNAs, 329–333
 Amino acid-related gene regulation, 231–235
 Aminoacyl site of ribosome, 545–546
 Aminoglycoside antibiotics, effects on tRNA selection and peptide release, 548
 Animal cells, Polycomb-mediated silencing in, 501
 Animals, small cytoplasmic RNAs of, 556–561
 Antibody-based RNAi screens, 144–145
 Antisense regulation, of polyomavirus life cycle, 295
 Antisense transgenes, 481–484
 Aplastic anemia, 225–228
 APOBEC3C protein, 301–310
Arabidopsis thaliana genetic analyses of DNA methyltransferases in, 439–446
 nuclear siRNA pathway for RNA-directed chromatin modification, 473–478
 RNA-directed DNA methylation and pol IVb, 449–457
 RNAi function in plant development, 165–170
 short silencing RNA in, 14–15
 ta-siRNAs in organ polarity of, 157–163
 Argonaute-guide complexes, target RNA transcript recognition by, 45–49
 Argonaute PAZ domain function of, 189–190, 193
 and siRNA 3′-overhang recognition, 83–84

structure of, 67–69
 Argonaute PIWI domain in catalysis, 497
 crystallographic analysis of, 45–49
 function of, 189–190, 193
 structure of, 67–69
 Argonaute proteins AGO1, 499–500, 523–529
 AGO2, 39, 42
 AGO4, 461–469, 499–500
 ALG-1 and ALG-2, 189–193
 catalytic activity of, 497–501
 as catalytic core of RISC, 67–69, 87–91
 and DNA methylation, 499–500
 domain and function of, 189
 localization of, 34–36
 in Polycomb-mediated silencing in animal cells, 501
 in production of siRNAs and heterochromatic silencing, 487
 and repression of protein expression, 523–529
 in RISC assembly, 39, 42
 and RNA-dependent heterochromatin assembly, 461–469
 and slicing cycle, 69–71
 structure of, 87–88, 558
 and transcriptional silencing in human cells, 500–501
armitage (armi) gene, 171–178
 ASE gustatory neurons, differentiation in, 181–188
 as bistable system, 183–185
 genetic analysis of, 181–183
 left/right bias in, 185–187
 ATR/Chk2-dependent DNA damage, 171–173, 177–178
aubergine (aub) gene, 171–178
 Auxin-related transcription factors, 166–167

B

B2–dsRNA complex viral suppressor, 83
Bacillus subtilis *cis*-acting regulatory RNAs in, 239–248
glyQS leader RNA, 235–237
 metabolic signal sensing in, 231–236
 structural studies of, 236
tyrS gene, 231–233
yitJ gene, 235–236
 Bacteria. *See also names of specific bacteria*
cis-acting regulatory RNAs in, 239–248
 magnesium ion transporter in, 251–257
 metabolic signal sensing in, 231–236
 noncoding RNA quality control in, 508–509
 regulatory small RNAs in stress response of, 1–9

RNA regulation in, 552–553
 small RNA regulation of transcription in, 269–272
 Barr body, 419, 422–423
 Base-pairing, termination of transcription by, 270–271
 β -heterochromatin, 335
 BLAST analysis, 118–119, 122
 Box C/D RNPs, human, biogenesis and intranuclear trafficking of, 407–414
 Box C/D snoRNAs, 329–333
 Box H/ACA RNPs, biogenesis, trafficking, and function of, 395–402, 407–414. *See also* H/ACA RNPs

C

C/D box snoRNAs, 329–333
 C/D RNPs, human, biogenesis and intranuclear trafficking of, 407–414
 C/EBP α transcriptional factor, 207–208
Caenorhabditis elegans Argonautes ALG-1 and ALG-2, 189–193
 cell-type-specific gene expression in neuronal cells, 181–188
 misexpression of *let-7* in, 21–26
 systemic RNAi in, 95–100
 Cajal bodies box C/D and H/ACA RNAs and, 407–408, 412–414
 H/ACA RNAs, and pre-mRNA splicing, 395–396
 H/ACA RNP maturation at, 401
 and RNA-directed chromatin modification, 473–474, 477–478
 Cancer cellular telomerase requirement, 226
 leukemia, miRNAs expressed during, 206–207
 and neurologic syndrome, 321–326
 telomerase in, 211–215
 Catalysis, Argonaute in, 497–499
 Cation-responding riboswitch, 251–257
 Cationic amino acid transporter 1 (CAT-1) derepression of, 513–521
 miR-122 down-regulation of, 373–374
 CDK9 kinase, inhibition by HEXIMI, 303–304
 cDNA cloning and sequencing, for ncRNA identification, 136
 C/EBP α transcriptional factor, 207–208
 Cell division, telomerase requirement for, 226
 Cell-type-specific gene expression in neuronal cells, 181–188
 Cellular differentiation in ASE gustatory neurons, 181–188
 in hematopoietic cell lines, 205–209
 in neutrophils, 111–112, 115

- Cellular mRNA, modulation of by
liver-specific miR-122,
369–375
- Centromeres, heterochromatin assembly
at, 461–469
- CG10011 reporter, 525–526
- Chalcone synthase (Chs)* transgene,
481–483
- Chaperone proteins
in noncoding RNA biogenesis,
505–510
trans-encoded sRNAs and, 269–270
- Chaperones
in noncoding RNA biogenesis,
505–510
and sRNA–mRNA pairing, 1–5
- Chemical sequencing, for ncRNA
identification, 135–136
- Chimeric RNA–protein enzymes,
137–138
- Chromatin immunoprecipitations (ChIPs),
of MSL complex, 386
- Chromatin modification
in biology of higher plants, 481–484
RNA-directed, nuclear siRNA
pathway for, 473–478
RNAi-dependent heterochromatin
assembly, mechanism of,
461–469
RNAi-mediated heterochromatin
assembly in fission yeast,
487–494
- Chs* transgene, 481–483
- cis*-Acting regulatory RNAs in *Bacillus subtilis*, 239–248
genetic mechanisms, 241–242
location, 241
- cis*-Encoded sRNAs, 270
- CLRC (Clr4-Rik1-Cul4) complex,
466–467
- Co-transcriptional gene silencing (CTGS),
461–469
- Computational analysis of RNAs,
117–127, 553
improved memory usage and
parameterization, 124
local structural alignment, 125
Rfam database, 126
SCFG-based RNA similarity
searching, 122–124
sequence analysis, 118–120
speed improvements, 125–126
- Computer programs, v-miR, 351–352
- Conformational analysis. *See* Structural
analysis
- Constitutive heterochromatin, 335
- Context-free grammars, 122–124
- CorA transporter, 251
- Covariance models, 122–166
- Crystallographic analysis
of Argonaute PIWI domain, 45–49
of purine and SAM binding
riboswitches, 259–267
- CTGS (co-transcriptional gene silencing),
461–469
- Cytoplasmic localization of target
mRNAs, 34–36
- Cytoplasmic processing bodies (P bodies)
miRNA localization in, 33–36
reversal of mRNA localization to,
513–521
- Cytotoxic T lymphocytes, viral defenses
against, 352
- D**
- Dark matter metaphor, 13, 101
- Databases
BLAST, 118–119
Patrocles, 347–349
Rfam, 126
- Deadenylation, miRNA induction of,
198–200, 525–528
- Decapping mechanisms, 525–528
- Decoding center of small ribosomal
subunit, conformations of,
545–549
- Demethylation, RNA-directed, 449
- Development, early, Dicer activity
changes during, 64–65
- Developmental regulation
in *Caenorhabditis elegans*, *let-7*
misexpression and, 21–26
DNA methylation in, 439–443
embryonic axis specification in
Drosophila, 171–179
evolution of regulatory networks,
149–156
miRNA biogenesis in, 51–56, 59–65
miRNA function and mechanism in,
195–200
neuronal cell diversification, 181–188
of organ polarity in plants, 157–163
of plants, RNAi in, 165–170
RNAi pathway in *Drosophila*, 39–43
timing of Xist action in X-
chromosome inactivation,
419–420
- DGCR8, in miRNA processing, 51–56
- DGCR8/Pasha, 53–54
- Dicer
accessory domains of, 75–78
-deficient zebra fish embryos,
195–200
double-stranded RNA processing by,
91
structure of, 73–80, 558
substrate selectivity of, 59–65
- Dicer-1, RISC assembly and, 39–43
- Dicer-2* gene, 40–41
- Dicer-2, RNAi pathway initiation by,
39–43
- Differentiation, cellular
in ASE gustatory neurons, 181–188
in hematopoietic cell lines, 205–209
in neutrophils, 111–112, 115
- DNA damage suppression by rasiRNA
pathway, 171–179
- DNA methylation
AGO1/AGO4 and, 499–500
high-resolution mapping of, in
Arabidopsis, 445–446
nuclear siRNA pathway for RNA-
directed chromatin
modification, 473–478
in regulation of plant development,
439–443
RNA-directed, and pol IVb in
Arabidopsis, 449–457
RNAi and histone methylation in,
443–445
siRNA-directed pathway of, 461–469
- DNA methyltransferases, genetic
analyses of, in *Arabidopsis*,
439–446
- DNA provirus, as escape of host defenses,
367–368
- DNA viruses
expression and function of miRNAs
in, 351–355
life cycle regulation in, 293–298
- Double-stranded RNA (dsRNA)
coexistence of pathways, 289–290
intercellular transport of, in
Caenorhabditis elegans,
95–100
mediation of gene silencing by,
285–290
processing of, in *Giardia intestinalis*,
73–80
in regulation of life cycle of murine
polyomavirus, 293–298
RNA-dependent RNA polymerase
generation of, 13–18
- Double-stranded RNA-binding proteins
(dsRBPs), 285–290
- Double-stranded RNA complex viral
suppressor, 82–83
- DRD1 chromatin remodeling factor,
449–457
discovery of, 450–452
endogenous targets of, 452–454
mechanism of DNA methylation,
454–456
- Drosha
domains of, 52–53
in miRNA processing, 195
in primary miRNA processing, 51–56
- Drosha–DGCR8 complex
(Microprocessor complex),
52–55
- Drosophila melanogaster*
Dicer-2 initiated RNAi pathway,
39–43
embryonic axis specification in,
171–179
genome-wide RNAi screens of,
141–147
measurement of rates of
transcriptional elongation by
nuclear run-on, 335–340
MSL complex association with male
X chromosome, 385–393
noncoding RNA of, 104–105, 107
- Drosophila* RNAi Screening Center
(DRSC), 141–143
- dsRBD domain, of Drosha, 52–53
- dsRBPs (double-stranded RNA-binding
proteins), 285–290
- dsRNA (double-stranded RNA)
coexistence of pathways, 289–290
intercellular transport of, in
Caenorhabditis elegans,
95–100
mediation of gene silencing by,
285–290
processing of, in *Giardia intestinalis*,
73–80
in regulation of life cycle of murine
polyomavirus, 293–298
RNA-dependent RNA polymerase
generation of, 13–18
- dsRNA complex viral suppressor, 82–83
- Dyskeratosis congenita, 225–228, 395, 398
- Dyskerin, 407–411
- E**
- EBERs 1 and 2, 377–378
- EBV. *See* Epstein-Barr virus (EBV)

SUBJECT INDEX

569

- EED-EZH2 (Polycomb repressive complex 2), 423–426
- eIFs (eukaryotic translation initiation factors), 537–541
- Embryonic axis specification, repeat-associated small interfering RNAs and, 171–179
- Embryonic morphogenesis, regulation of by miRNAs, 195–200
- ENE element of PAN RNA, 377, 380–382
- Enterobacteria, RyhB homologs in, 6–7
- Enzymatic sequencing, for ncRNA identification, 135–136
- Epigenetic gene silencing
 RNA-mediated, 13, 17–18
 RNA polymerase II and, 457
 role in biology of higher plants, 481–484
- Epstein-Barr virus (EBV)
 miRNA identification in, 354–355
 nuclear noncoding RNAs of, 377–378
- ESC-E(Z) (Polycomb repressive complex 2), 423–426
- Escherichia coli*, short RNAs of, 1–9
- Eukaryotes
 H/ACA RNP assembly and trafficking in, 400–402
 molecular chaperones in RNA biogenesis, 505–510
 transcription regulation in, 271–272
- Eukaryotic translation initiation factors (eIFs), 537–541
- Exportin5 (Exp5), substrate selectivity of, 59–65
- F**
- Facultative heterochromatin, 335
- Fibrillarin, 407–411
- Fission yeast
 heterochromatin assembly in, 487–494
 siRNA-dependent gene silencing in, compared to plants, 474–475
- Flexible scaffold model of RNPs, 217–222
- Flies, conservation of miRNA target relationships and 3'UTR motifs in, 149–156
- Fly genome, nonlinear and multifunctional modular model of transcriptomes, 101–109
- Fur repressor, in iron homeostasis, 6
- G**
- GATA1 transcriptional factor, 207–208
- GDF8* gene mutation, and muscular hypertrophy in Texel sheep, 343–349
- Gemins, 313–318
- Gene expression
 in hematopoietic differentiation, 207–209
 temporal regulation of, in DNA viruses, 293–298
- Gene silencing
 co-transcriptional, 461–469
 comparison of, in yeast and plants, 474–475
 dsRNA-mediated, RNA editing and, 285–290
 heterochromatic, by RNAi, 497–501
 in higher plants, 481–484
 mechanisms of, by miRNAs, 523–529, 531–534
- Gene silencing pathways, overview, 189–190
- Genome mapping, of DNA methylation in *Arabidopsis* genome, 445–446
- Genome-wide RNAi screens of *Drosophila*, 141–147
- Genomes
 fission yeast, 487–489
 human, 101–109, 111–115
 Texel sheep, 343–345
 unannotated transcripts, model for, 101–109
- Genomic SELEX, for ncRNA identification, 136–137
- Genomic tiling arrays, 111–115, 385–393
- Giardia intestinalis*, structural model of dsRNA processing in, 73–80
- glmS* regulatory RNA, 242–244
- glyQS* leader RNA, 235–237
- Guide complexes, Argonaute, target RNA transcript recognition by, 45–49
- Guide RNAs, 135–139
- GW182 protein, and repression of protein expression, 523–529
- gypsy* retrotransposon, 335–336, 338–339
- H**
- γ -H2Av histone variant, 175–176, 178–179
- H/ACA RNAs, 395–402
 anatomy of, 396–397
 functions of, 395–396
- H/ACA RNPs
 assembly and trafficking in eukaryotes, 400–402
 biogenesis, trafficking, and function of, 395–402, 407–414
 of Cajal bodies, 395–396, 401
 in dyskeratosis congenita, 395, 398
 organization and function of, 398–400
 protein subunits of, 398
 vertebrate telomerase, 395–396
- H3K9me, 487–491
- hAgo2 protein, 500–501
- Hairpin RNA. *See* Pre-mRNA
- Hairpin transgenes (inverted repeat transgenes), 481–484
- HBII-52 snoRNAs, 329–333
- HCV (hepatitis C virus), miR-122 and mRNA regulation in, 369–375
- HDACs (histone deacetylases), 488–491, 493
- HeLa cells, subcellular distribution of miRNAs, 531–534
- Hematopoietic differentiation, microRNAs and, 205–209
- Hepatitis C virus (HCV), miR-122 and mRNA regulation in, 369–375
- Herpesvirus saimiri*, small nuclear ribonucleoproteins of, 377–379
- Herpesviruses
 expression and function of miRNAs in, 351, 354–355, 357–363
 Kaposi's sarcoma-associated, 357–363
 small nuclear ribonucleoproteins of, 377–382
- HESIM1 protein, 301–310
- Heterochromatic regions, in fission yeast genome, 487–489
- Heterochromatic silencing by RNAi, 497–501
- Heterochromatin assembly
 mechanism of RNAi-dependent, 461–469
 ncRNAs in, 555
 RNAi-mediated, in fission yeast, 487–494
- Heterochromatin proteins, 487–494
- Heterochromatin types, 335
- Heterochromatinization in plants, RNA-directed, 483–484
- HEXIMI protein, 303–304
- Hfq RNA chaperone
 and quality control in noncoding RNA biogenesis, 509–510
 and sRNA-mRNA pairing, 1–5
 trans-encoded sRNAs and, 269–270
- Hidden Markov models, 120–121
- Histone deacetylases (HDACs), 488–491, 493
- Histone methylation, in establishment and maintenance of non-CG methylation, 443–445
- Histone modification
 in heterochromatic silencing, 487–494, 497–501
 role of siRNA-mediated silencing in, 500–501
- HIV (human immunodeficiency virus), 365–367
- Hiwi protein, 500–501
- HOXA locus, novel transcribed regions in, 111–115
- HSURs 1-7, 377–379
- 5-HT_{2C} serotonin receptor, 330–333
- hTER/hTR
 box H/ACA domain of, 407, 413–414
 expression and suppression of, 211–215
- hTERT, 211–215
- Human cells
 Argonaute proteins and transcriptional silencing in, 500–501
 RNA-directed DNA methylation in, 456–457
- Human Dicer, structural model for, 73–80
- Human genome
 nonlinear and multifunctional modular model of transcriptomes, 101–109
 novel transcribed regions, 111–115
- Human hepatoma cells, reversal of miRNA repression and mRNA P-body localization in, 513–521
- Human immunodeficiency virus (HIV), 365–367
- Human telomerase RNA (hTER, hTR)
 box H/ACA domain of, 407, 413–414
 expression and suppression of, 211–215
- HuR protein, and derepression of CAT-1 mRNA, 513–521
- I**
- Intergenic ncRNA transcripts, turnover and function of, 281–282
- Internal ribosome entry site (IRES) elements, 221–222
- Intragenic ncRNA, 275–283. *See also* Pre-mRNA
- Inverted repeat transgenes, 481–484
- IRES (internal ribosome entry site) elements, 221–222

Iron homeostasis, by small RNAs, 6–9
 Iron starvation, and RyhB expression, 1

K

KAN family of transcription factors, 167
 Kaposi's sarcoma-associated herpesvirus (KSHV)
 expression and function of miRNAs encoded by, 357–363
 miRNA identification in, 354–355
 small nuclear ribonucleoproteins of, 377, 379–382
 KRAS, down-regulation of, 531–534
 KSHV. *See* Kaposi's sarcoma-associated herpesvirus (KSHV)

L

La protein, 505–506
 Lac repressor-like domain of PIWI, 45
 Large noncoding RNAs, gene regulation mechanisms of, 385–393
 Leaf polarity in *Arabidopsis*, 157–163
let-7
 identification of targets of, 129–131
 misexpression of, 21–26
 Leukemia, miRNAs expressed during, 206–207
 Life cycle regulation in DNA viruses, 293–298
lin-4 gene, 21–26, 129–131
lin-14 gene, 129, 131
lin-41 gene, 129–130
lin-42 gene, 25–26
 Lineage-specific transcriptional factors, and hematopoietic differentiation, 205–209
 Liver-specific miR-122, mRNA regulation by, 369–375
 Long terminal repeats (LTRs), as targets for DRD1/pol IV-dependent methylation/demethylation, 449, 453–456
 LTRs (long terminal repeats), as targets for DRD1/pol IV-dependent methylation/demethylation, 449, 453–456

M

MAFB transcriptional factor, 207
 Magnesium ion transporter, expression of, 251–257
 Magnesium ion–responding RNA, 251–257
 Male-specific lethal (MSL) complex, association with *Drosophila* male X chromosome, 385–393
Male-specific transcript 40 (mst40), 335–336, 339
 Mammalian cells, miRNA function and localization in, 29–36
 Maternal-zygotic *dicer* mutant zebra fish embryos, 195–200
mei-41 gene, 171–178
 Metabolite-sensing RNAs, 239–240, 242–244
 Methylation. *See* DNA methylation
 MgtA/B magnesium transporters, 251–257
mgtA gene, 252–255
 Microarray analysis
 for ncRNA identification, 136–137
 RNA interference microarrays, 146
 tiling microarrays, 102, 111–115

Microprocessor complex (Drosha-DGCR8 complex), 52–55
 MicroRNA-mediated repression, stress-induced reversal of, 513–521
 MicroRNA pathway, ALG-1/ALG-2 in, 189–193
 MicroRNA–target interactions, polymorphic, 343–349
 MicroRNA–target relationship, conservation of, 149, 154–156
 MicroRNAs (miRNAs). *See also* Pre-miRNA
 ADAR effect on, 288–289
 biogenesis of, 51–56, 91, 557–558
 biological functions of, 560–561
 conservation of families of, 151
 deadenylation and decapping promoted by, 525–526
 Drosha in primary processing of, 51–56
 Exp5 and Dicer substrate selectivity in biogenesis of, 59–65
 expression and function in viruses, 351–355
 expression in leukemia, 206–207
 function and expression in herpesviruses, 357–363
 function and localization of in mammalian cells, 29–36
 function and mechanism, 195–200
 and gene regulatory network control in neuronal cell diversification, 181–188
 and hematopoietic differentiation, 205–209
 let-7 misexpression, 21–26
 mechanisms of gene silencing by, 523–529, 531–534
 modulation of viral and cellular mRNA by, 369–375
 modulatory roles of, 199–200
 mRNA degradation by, 524–525
 in organ polarity during plant development, 157–163
 in plant development, 165–170
 regulatory target identification, 129–132
 secondary production of, 13–18
 subcellular distribution of, 531–534
 transcription of, in KSHV, 359–361
 translational repression by, 524, 559
 in virus-infected cells, 555–556
 Microscopy-based RNAi screens, 145–146
 miR-122 RNA
 mRNA regulation by, 369–375
 reversal of repression by, in human hepatoma cells, 513–521
 miR-430 RNA family, 195–200
 in maternal mRNA clearance, 197–198
 morphogenesis regulation by, 196
 and target mRNA deadenylation, 198–199
 target RNAs of, 196–198, 200
 miR166, 157–163
 miRNAs. *See* MicroRNAs (miRNAs)
mnk gene, 171–178
 Molecular chaperones
 in noncoding RNA biogenesis, 505–510
 and sRNA–mRNA pairing, 1–5
 Morphogenesis, regulation of by miRNAs, 195–196, 199–200

Mouse polyomavirus. *See* Polyomavirus mRNA. *See also* Pre-mRNA splicing
 clearance of maternal, by miR-430, 197–198
 mgtA, magnesium response of, 252
 miRNA acceleration of degradation of, 523–529
 miRNA degradation of, in mammalian cells, 31–32
 miRNA regulation of translation of, 531–534
 modulation of by liver-specific miR-122, 369–375
 small RNA regulator pairing, 1–5
 stress-induced reversal of P-body localization of, 513–521
 target, deadenylation of, 198–200
 target, localization of, 33–34
 target, miRNA regulation of, 195–197, 200
 MSL (male-specific lethal) complex, association with *Drosophila* male X chromosome, 385–393
mst40 repetitive sequence, 335–336, 339
 Muscular hypertrophy of Texel sheep, 343–349
MZdicer mutant zebra fish embryos, 195–200

N

ncRNAs. *See* Noncoding RNAs (ncRNAs)
 Nematodes, conservation of miRNA target relationships and 3'UTR motifs in, 149–156
 Nerfin reporter, 525–526
 Network motifs, 187
 Neurologic disease, RNA-binding proteins in, 321–326
 Neuronal cells
 miRNA-controlled diversification of, 181–188
 RNA-binding proteins in, 321–326
 Neutrophils, intronic transcription in, 111–112
 NFI-A protein, 207–209
 Noncoding repressor of NFAT (NRON), as flexible scaffold, 222
 Noncoding RNAs (ncRNAs). *See also* Large noncoding RNAs; *specific types of small noncoding RNAs*
 in bacteria, 552–553
 and bacterial stress response regulation, 1–9
 bacterial transcription regulation by, 269–272
 cytoplasmic, in animals and plants, 551–552
 diversity of, 557
 in *Drosophila melanogaster*, 104–105, 107
 in eukaryotic transcription regulation, 271–272
 folding of, quality control in, 505–510
 H/ACA family, 395–402, 407–414
 in herpesviruses, 377–382
 historical overview, 551–552
 identification and function of, 135–139
 intragenic ncRNA, 275–283
 molecular chaperones in biogenesis of, 505–510

SUBJECT INDEX

571

- and nuclear functions, 553–555
secondary production of, 13–18
Symposium review, 551–561
turnover and function of, 275–283
in virus-infected cells, 555–556
in X-chromosome inactivation, 429–435
- Nopp 140 protein, 410
- Nova RNA-binding protein, 321–326
- Nova target RNAs, 321, 324
- NRON (noncoding repressor of NFAT), as flexible scaffold, 222
- Nuclear compartmentalization, in X-chromosome inactivation, 419, 421–422
- Nuclear noncoding RNAs
7SK, functions of, 301–310
functions of, 553–555
in herpesviruses, 377–382
and snRNP assembly, 313–318
- Nuclear run-on, for measurement of rates of transcriptional elongation, 335–340
- Nuclear siRNA pathway for RNA-directed chromatin modification, 473–478
- Nucleolus, 7SK localization in, 306
- Nucleotides, conserved decoding center of, 545–547
- O**
- ODN oligonucleotide, 365–368
- Oligodeoxynucleotide cleavage of viral RNA, 365–366
- Organ polarity, ta-siRNAs in, 157–163
- P**
- P bodies (cytoplasmic processing bodies)
miRNA localization in, 33–36
reversal of mRNA localization to, 513–521
- P-TEFb transcription elongation factor, 301–310
- p19–siRNA complex viral suppressor, 81–83
- p21 viral suppressor, 83
- PABP-interacting proteins (Paips), 538–541
- PABP (Poly[A]-binding protein), regulation of, 537–541
- Paips (PABP-interacting proteins), 538–541
- PAN RNA, 377, 379–382
- Paragenetic functions of chromosomes, 481–484
- Paraneoplastic neurologic disorders (PNDs), 321–326
- Patrocles database, 347–349
- PAZ domain
in catalysis, 497
function of, 189–190, 193
and siRNA 3'-overhang recognition, 83–84
structure of, 67–69
- PcG (Polycomb group) genes, 419, 423–426
- Peptidyl transferase center, 545
- Petunias, integration of RNA silencing into epigenome, 481–484
- PFV-1 (primate foamy virus type 1), 369–375
- Phenotypic variation, polymorphic miRNA–target interactions as source of, 343–349
- PhoP/PhoQ regulatory system, 251–257
- piRNAs (Piwi-associated RNAs), 189
- Piwi-associated RNAs (piRNAs), 189
- PIWI domain
in catalysis, 497
crystallographic analysis of, 45–49
function of, 189–190, 193
structure of, 67–69
- PIWI enzyme, relationship to RNase H, 365–368
- Piwi-like protein, 497–501
- Piwi protein, and siRNA 5'-phosphate recognition, 45–48, 84–86
- Plant development
DNA methylation in regulation of, 439–443
RNAi in, 165–170
small regulatory RNAs in, 157–163
- Plant epigenome, integration of RNA silencing into, 481–484
- Plants. *See also names of specific plants*
RNA-directed DNA methylation in, 456
siRNA-dependent gene silencing in, 474–475
small cytoplasmic RNAs of, 556–561
- PNDs (paraneoplastic neurologic disorders), 321–326
- Poly(A)-binding protein (PABP), regulation of, 537–541
- Poly(A)-site editing
in small RNA virus life cycle, 293–298
and turnover and function of ncRNA transcripts, 275–282
- Polycomb group (PcG) genes, in X-chromosome inactivation, 419, 423–426
- Polycomb-mediated silencing in animal cells, Argonaute proteins in, 501
- Polycomb repressive complex 1 (PRC1), 423–426
- Polycomb repressive complex 2 (PRC2; ESC-E[Z]; EED-EZH2), 423–426
- Polymerase. *See* RNA polymerase
- Polymorphic miRNA–target interactions, 343–349
- Polyomavirus
expression and function of miRNAs in, 351–354
genome organization, 293
life cycle regulation in, 293–298
- Polysomes, miRNA association with, 531–534
- Posttranscriptional gene silencing (PTGS), 551–552
in hematopoietic differentiation, 205–209
in plant development, 165–170
of repetitive elements in *Drosophila* ovaries, 339–340
- Prader-Willi syndrome (PWS), 329–330, 332–333
- PRC1 (Polycomb repressive complex 1), 423–426
- PRC2 (Polycomb repressive complex 2), 423–426
- Pre-miRNA
cleavage by Dicer in vitro, 61–62
in miRNA biogenesis, 357, 361–362
-related export substrates, 59–60
- Pre-mRNA splicing
- Cajal body H/ACA RNAs and, 396
roles and turnover of ncRNA in, 275–276, 279–281
- Pre-tRNA folding, La protein and, 506
- Precocious adult development, in *Caenorhabditis elegans*, 21–26
- Primary miRNA (pri-miRNA), 195, 357–360, 362–363
- Primate foamy virus type 1 (PFV-1), 369–375
- Processing bodies
miRNA localization in, 33–36
reversal of mRNA localization to, 513–521
- Prokaryotes, molecular chaperones in RNA biogenesis, 505–510
- Promoter competition, in regulation of transcription, 270
- Protein-determined RNP structures, 221
- Protein expression, repression of by miRNAs, 523–529
- Proteins
7SK-associated, 303–310
H/ACA RNP subunits, 398
RNA-binding, in folding of RNAs, 505–510
telomerase RNA as flexible scaffold for, 217–222
in X-chromosome inactivation, 419–426
- Pseudomonad bacteria, RyhB homologs in, 6–8
- PTGS (posttranscriptional gene silencing), 551–552
in hematopoietic differentiation, 205–209
in plant development, 165–170
of repetitive elements in *Drosophila* ovaries, 339–340
- PU.1 transcriptional factor, 207–208
- Purine riboswitch, structural studies of, 259–267, 553
- PWS (Prader-Willi syndrome), 329–330, 332–333
- Q**
- Quantitative trait loci (QTL), 343–344
- R**
- R2D2 gene and R2D2 protein, 41
- R2D2–initiator (RDI), 41–43
- rasiRNAs (repeat-associated small interfering RNAs), 189
and embryonic axis specification, 171–179
silencing of retroposons and repetitive sequences, 335–336
- RBP (RNA-binding protein)
double-stranded, 285–290
Nova, 321–326
RNA regulation and, 321–326
- RDI (R2D2–initiator), 41–43
- RDRC (RNA-directed RNA polymerase complex), and RNAi-dependent heterochromatin assembly, 461, 464–466
- RdRPs (RNA-dependent RNA polymerases), in *Arabidopsis* nuclear pathway for chromatin modification, 473–478
- Regulatory targets of miRNAs, 129–132
- Regulons, stress response, bacterial, 1

- Release factors, and small ribosomal subunit conformation, 545–549
- Repeat-associated small interfering RNAs (rasiRNAs), 189
- and embryonic axis specification, 171–179
- silencing of retroposons and repetitive sequences, 335–336
- Repetitive sequence *mst40*, 335–336, 339
- Retrotransposon *gypsy*, 335–336, 338–339
- Retroviral replication, relationship to RNA interference machineries, 365–368
- Rfam database, 126
- RFN element, 259
- Ribosome biogenesis, small nucleolar RNPs and, 395–396
- Ribosome, small subunit, conformations of RNA-rich decoding center, 545–549
- Riboswitches
- magnesium ion-responding, 251–257
- overview, 553
- purine binding, structural studies of, 259–267
- SAM binding, structural studies of, 259–267
- T box and S box, and metabolic signal sensing, 231–233
- thiamine pyrophosphate binding, 259–267
- Ribozyme
- glmS* regulatory RNA, 242–244
- telomerase RNA knockdown, 214–215
- RISC (RNA-induced silencing complex)
- in *Arabidopsis* siRNA pathway, 473–474, 476–478
- Argonaute proteins and, 67–71
- assembly of, 39–43
- RISC loading complex. *See* RISC-loading complex (RLC)
- RISC-loading complex (RLC), 42
- Dicer-1 and formation of, 42–43
- structural model for, 78–79
- RITS (RNA-induced transcriptional silencing complex)
- and RNAi-dependent heterochromatin assembly, 461–464, 467–468
- in RNAi-mediated heterochromatic silencing, 490–491, 493
- RLC. *See* RISC-loading complex (RLC)
- RNA-*A*/Piwi binding assays, 45–49
- RNA-binding proteins (RBPs)
- double-stranded, 285–290
- Nova, 321–326
- RNA regulation and, 321–326
- RNA catalysis, 551
- RNA, computational analysis of, 117–127, 553
- improved memory usage and parameterization, 124
- local structural alignment, 125
- Rfam database, 126
- SCFG-based RNA similarity searching, 122–124
- sequence analysis, 118–120
- speed improvements, 125–126
- RNA-dependent RNA polymerase and dsRNA production, 13–18
- in RNAi-mediated heterochromatic silencing, 490, 493
- RNA-dependent RNA polymerases (RdRPs), in *Arabidopsis*
- nuclear pathway for chromatin modification, 473–478
- RNA-determined RNP structures, 221
- RNA-directed chromatin modification, nuclear siRNA pathway for, 473–478
- RNA-directed DNA methylation in *Arabidopsis*, 449–457
- RNA-directed RNA endonuclease, specificity of, 45–49
- RNA-directed RNA polymerase complex (RDRC), and RNAi-dependent heterochromatin assembly, 461, 464–466
- RNA editing
- and dsRNA-mediated gene silencing, 285–290
- in small RNA virus life cycle, 293–298
- RNA guiding, 135–139
- RNA-induced silencing complex (RISC)
- in *Arabidopsis* siRNA pathway, 473–474, 476–478
- Argonaute proteins and, 67–71
- assembly of, 39–43
- RISC loading complex. *See* RISC-loading complex (RLC)
- RNA-induced transcriptional silencing complex (RITS)
- and RNAi-dependent heterochromatin assembly, 461–464, 467–468
- in RNAi-mediated heterochromatic silencing, 490–491, 493
- RNA interference (RNAi)
- ADAR effect on, 287–288
- Dicer-2 initiated pathway in *Drosophila*, 39–43
- effector complexes, 67
- in establishment and maintenance of non-CG methylation, 443–445
- genome-wide screens, on *Drosophila*, 141–147
- and heterochromatin assembly, RNAi-dependent, 461–469
- mechanistic implications of Dicer structure, 73–80
- in plant development, 165–170
- posttranscriptional gene splicing linked to, 551–552
- retroviral replication compared to, 365–368
- role in biology of higher plants, 481–484
- and slicing/spreading of heterochromatic silencing, 497–501
- systemic, in *Caenorhabditis elegans*, 95–100
- RNA interference microarrays, 146
- RNA polymerase II
- and epigenetic gene silencing, 457
- measurement of rate of transcription by, 335, 338–339
- noncoding transcripts turnover and function, 275–283
- and telomerase RNA expression, 211
- transcription of, and box H/ACA snoRNP, 409–410
- RNA polymerase III, 211
- RNA polymerase pol IV b, 449–457
- discovery of, 450–452
- endogenous targets of, 452–454
- mechanism of DNA methylation, 454–456
- RNA polymerase pol IV, nomenclature and function of, 473, 475–476
- RNA recognition motifs, of PABP, 537–538
- RNA regulation
- in bacteria, 552–553
- RNA-binding proteins and, 321–326
- RNA silencing, structural biology and functional implications of, 81–92
- RNA viruses, mechanisms for escaping host defenses, 367–368
- RNAi. *See* RNA interference (RNAi)
- RNAi microarrays, 146
- RNAi screens, genome-wide, of *Drosophila*, 141–147
- as functional gene discovery platform, 143–146
- methodology, 141–143
- research potential of, 146–147
- RNase H, compared to PIWI, 365–368
- RNase H-like domain of PIWI, 45–46
- RNase III domains, of Drosha, 52–53
- RNase III protein, in miRNA processing, 52–53
- RNomics
- functions of ncRNAs, 137–139
- future challenges, 139
- methods for identification of ncRNAs, 135–137
- RNPs (ribonucleoproteins)
- box C/D and H/ACA, biogenesis and intranuclear trafficking of, 407–414
- classes of, 221–222
- H/ACA family, 395–402
- SMN complex in assembly of, 313–318
- telomerase, structural analysis of, 217–222
- Ro protein, 505, 509–510
- ROS1, 454, 456
- roX* RNAs
- as flexible scaffolds, 222
- MSL complex interactions of, 385–393
- RyhB, 1, 6–9

S

- S box riboswitch, 553
- biochemical analysis of, 236
- genetic analysis of, 235–236
- and metabolic signal sensing, 231, 235–237
- structural studies of, 236, 259–267
- Saccharomyces cerevisiae*
- La protein in ncRNA folding, 505–506
- noncoding RNA quality control in, 509
- Salmonella enterica* serovar Typhimurium, magnesium ion transporter in, 251–257
- SAM-binding riboswitches, 553
- biochemical analysis of, 236
- genetic analysis of, 235–236
- and metabolic signal sensing, 231, 235–237
- structural studies of, 236, 259–267
- SCFG-based RNA similarity searching, 117, 122–124
- Schizosaccharomyces pombe*, RNAi-dependent heterochromatin assembly in, 461–469, 497–501

- Secondary structure of RNA,
 computational analysis of. *See*
 Computational analysis of
 RNAs
- SELEX, for ncRNA identification,
 136–137
- Sense transgenes, 481–484
- Sequence analysis of RNA, 118–120
- Serotonin receptor 5-HT_{2C}, 330–333
- Sheep, Texel, muscular hypertrophy of,
 343–349
- Short hairpin RNAs (shRNAs), Dicer
 cleavage of, 62–63
- Short silencing RNA, 13–18
- shRNAs (short hairpin RNAs), Dicer
 cleavage of, 62–63
- SID-1 protein, 95–100
- SID-2 protein, 95, 98–99
- “siDNA,” 365–367
- Signal recognition particle (SRP), 222
- Single-nucleotide polymorphisms (SNPs),
 343–347
- siRNAs. *See* Small interfering RNAs
 (siRNAs)
- 7SK small nuclear RNA, regulation of
 enzymatic activities by,
 301–310
- Slicer, active site of, 69–71
- Slicing cycle, minimal RISC and, 69, 71
- Sm core assembly, 313–318
- Sm-like proteins, 506–508
- Sm proteins, 313–318
- SMA (spinal muscular atrophy), 313, 318
- Small interfering RNAs (siRNAs). *See*
 also *trans*-Acting short-
 interfering RNAs (ta-siRNAs)
 ADAR effect on, 288–289
 Arabidopsis nuclear pathway for
 chromatin modification,
 473–478
 in eukaryotic transcription regulation,
 271–272
 production of, in heterochromatin
 assembly, 487–494
 retroviral escape mechanism, 365–368
 telomerase RNA knockdown, 214–215
- Small non-protein-coding RNAs. *See*
 Noncoding RNAs (ncRNAs)
- Small nuclear ribonucleoproteins
 (snRNPs)
 in herpesviruses, 377–382
 SMN complex in assembly of,
 313–318
- Small nuclear RNA (snRNA)
 7SK, functions of, 301–310
 functions of, 553–555
 in herpesviruses, 377–382
 in intron incision, 551
 and snRNP assembly, 313–318
- Small nucleolar RNAs (snoRNAs)
 box C/D and H/ACA, biogenesis and
 intracellular trafficking of,
 407–414
 C/D box, 329–330
 mechanism of action, 551
 regulation of alternative splicing by,
 329–333
 SNURF-SNRPN locus derived, 330
- Small nucleolar RNPs (snoRNPs)
 H/ACA family, 395–402
 and ribosome biogenesis, 395–396
- Small ribosomal subunit, conformations of
 RNA-rich decoding center,
 545–549
- Small RNAs (sRNAs). *See also*
 Noncoding RNAs (ncRNAs);
 specific small RNA classes
 and bacterial stress response
 regulation, 1–9
 bacterial transcription regulation by,
 269–272
 secondary production of, 13–18
 Symposium review, 552–553
- SMN complex, and RNP assembly,
 313–318
- snoRNAs (small nucleolar RNAs)
 box C/D and H/ACA, biogenesis and
 intracellular trafficking of,
 407–414
 C/D box, 329–330
 mechanism of action, 551
 regulation of alternative splicing by,
 329–333
 SNURF-SNRPN locus derived, 330
- snoRNPs (small nucleolar RNPs)
 H/ACA family, 395–402
 and ribosome biogenesis, 395–396
- snRNA (small nuclear RNA)
 7SK, functions of, 301–310
 functions of, 553–555
 in herpesviruses, 377–382
 in intron incision, 551
 and snRNP assembly, 313–318
- snRNPs. *See* Small nuclear
 ribonucleoproteins (snRNPs)
- SNURF-SNRPN locus, chromosome 15,
 329–333
- Spinal muscular atrophy (SMA), 313, 318
- spindle-E* (*spn-E*) gene, 171–178
- Spot 42 RNA, 8–9
- Squamosa promoter-binding family of
 transcription factors, 168
- sRNAs (small RNAs). *See also*
 Noncoding RNAs (ncRNAs);
 specific small RNA classes
 and bacterial stress response
 regulation, 1–9
 bacterial transcription regulation by,
 269–272
 secondary production of, 13–18
 Symposium review, 552–553
- SRP (signal recognition particle), 222
- Stochastic context-free grammar (SCFG)
 algorithms, 117–127
- Stress granules, repressed mRNAs and,
 34–36
- Stress-induced reversal of P-body
 localization of mRNA,
 513–521
- Stress response regulation in bacteria,
 1–9
- Structural analysis
 of Argonaute PAZ domain, 67–69
 of Argonaute PIWI domain, 45–49,
 67–69
 computational analysis of RNAs. *See*
 Computational analysis of
 RNAs
 of Dicer, 73–80, 558
 folding of noncoding RNAs, 505–510
 of H/ACA RNP complexes, 398–400
 of *mga* 5'UTR, 252–254
 model of dsRNA processing in
 Giardia intestinalis, 73–80
 of purine-binding riboswitch, 259–267
 of purine SAM-binding riboswitches,
 236, 259–267
 of RISC-loading complex, 78–79
- RNA-rich decoding center of small
 ribosomal subunit, 545–549
 of T box riboswitch, 234–235
 of telomerase, 217–222
 of yeast telomerase, 218–219
- Structural biology of RNA silencing,
 81–92
- Survival of motor neurons (SMN)
 complex, and RNP assembly,
 313–318
- SV40 virus, 351–354
- Swi6 heterochromatin protein, 487–494
- Swi6/HP1 protein, 487, 490, 492–493
- Systemic RNAi in *Caenorhabditis*
 elegans, 95–100
- Systemic RNAi, in higher plants, sense-
 transgene duplication and, 483

T

- T antigens, 352
- T box riboswitch, 553
- biochemical analysis of, 233–234
 genetic analysis of, 232–233
 and metabolic signal sensing, 231–235
 structural studies of, 234–235
- ta-siRNAs (*trans*-acting short-interfering
 RNAs)
 biogenesis of, 166–167
 function of, 167
 identification of, 165–166
 in organ polarity during plant
 development, 157–163
 in plant development, 165–170
- Target mRNA
 deadenylation of, 198–200
 localization of, 33–34
 miRNA regulation of, 195–197, 200
- Target RNA
 miR-430, 196–198, 200
 Nova, 321, 324
- Target RNA transcript recognition by
 Argonaute-guide complexes,
 45–49
- Target strand recognition, by Argonaute-
 guide complexes, 45–46
- Targets of microRNA
 conservation of, 149–156
 cytoplasmic localization of, 33–36
 identification of, 129–132
 polymorphic interactions with,
 343–349
 regulatory, 129–132
- TAS3* ta-siRNAs, in determination of
 organ polarity, 157–163
- Telomerase
 in cancer progression, 211–215
 cellular requirements for, 226–227
 structure and function of, 217–222
 vertebrate, function of, 395–396
- Telomerase RNA
 box C/D and H/ACA domains,
 407–414
 eukaryotic diversity of, 211
 human, expression and suppression of,
 211–215
 knockdown of, 214–215
 regulation of levels of, 225–228
 yeast, functions of, 217–222
- Telomere length equilibrium, and
 telomerase RNA levels,
 225–228
- Telomeres, localization of hTR to, 407,
 413–414

Texel sheep, muscular hypertrophy of, 343–349
 thi box, 259
 Thiamine pyrophosphate (TPP)
 riboswitch, 259–267
 Tiling microarrays, 102, 111–115
 Tip48/49 proteins, 410
 TLC1 telomerase RNA, 217–221
 tmRNA, as flexible scaffold, 222
 TPP (thiamine pyrophosphate) riboswitch, 259–267
trans-Acting factors, in snoRNP
 biogenesis, 410–411
trans-Acting noncoding RNAs, H/ACA
 family, 395–402
trans-Acting short-interfering RNAs
 (ta-siRNAs)
 biogenesis of, 166–167
 function of, 167
 identification of, 165–166
 in organ polarity during plant
 development, 157–163
 in plant development, 165–170
trans-Encoded sRNAs, 269
trans-Sensing, in X-chromosome
 inactivation, 429
 Transcribed regions, novel, in human
 genome, 111–115
 Transcription
 small RNA regulation of, in bacteria,
 269–272
 termination of, by base-pairing,
 270–271
 unannotated, biological function of,
 105–107
 Transcription factors regulated by gene
 silencing, 165–170
 Transcriptional elongation, rates measured
 by nuclear run-on, 335–340
 Transcriptional gene silencing, Slicer
 requirement of, 67, 69
 Transcriptional reported screens, 143–144
 Transcriptomes, nonlinear and
 multifunctional modular model
 of, 101–109
 Transgenes, role in biology of higher
 plants, 481–484
 Translation
 mRNA regulation at level of, 531–534
 PABP-interacting proteins in
 regulation of, 537–541
 repression of, by microRNAs, 29–30,
 559
 repression of, in gene silencing, 524
 small ribosomal subunit conformations
 during, 545–549

tRNA
 amino acid-related gene regulation by,
 231–235
 molecular mechanism of selection,
 546–549
 tRNA, and small ribosomal subunit
 conformation, 545–549
 tRNA-sensing RNAs, 239–241, 244–245,
 247
Tsix gene, 429–435
tyrS gene, 231–233

U

3'UTR motifs, conservation of, 149,
 151–156
 3'UTR–protein interactions, and miRNA
 repression of gene expression,
 513–521

V

v-miR computer program, 351–355
 Vertebrates
 conservation of miRNA target
 relationships and 3'UTR
 motifs in, 149–156
 telomerase of, 395–396
 Viral mRNA, modulation of by liver-
 specific miR-122, 369–375
 Viral suppression of RNA silencing,
 81–83
 Virus-infected cells, ncRNA production
 in, 555–556
 Viruses, 551–552. *See also names of*
 specific viruses
 DNA, expression and function of
 miRNAs in, 351–355
 DNA, life cycle regulation in,
 293–298
 function and expression of miRNAs
 by, 351–355, 357–363
 herpesviruses, 351–355, 357–363,
 377–382
 life cycle regulation in, 293–298
 miR-122 and mRNA regulation in
 hepatitis C virus, 369–375
 retroviral replication, compared to
 RNA interference machineries,
 365–368
 RNA, mechanisms for escaping host
 defenses, 367–368
 small nuclear ribonucleoproteins of,
 377–382
 snRNPs of, 377–382

W

white gene, 40–43

X

X-Chromosome inactivation (XCI)
 RNA and protein actors in, 419–426
 trans-sensing mechanism in, 429–435
 X-Chromosome inactivation center (*Xic*),
 429–434
 X chromosome, MSL complex association
 with, 385–393
 X-ray crystallography
 of Argonaute PIWI domain, 45–49
 of purine and SAM binding
 riboswitches, 259–267
 XCI. *See* X-Chromosome inactivation
 (XCI)
Xenopus laevis, microRNA biogenesis in,
 59–65
Xic (X-chromosome inactivation center),
 429–434
Xist gene
 developmental timing of expression
 of, 419–420
 expression and repression of, 429–435
Xist RNA
 functional domains of, 420–421
 in nuclear compartmentalization,
 421–422
 in X-chromosome inactivation,
 419–426
Xist RNA, as flexible scaffold, 222
Xite gene, 429–435

Y

Yeast. *See also names of specific yeasts*
 fission, heterochromatin assembly in,
 487–494
 fission, siRNA-dependent gene
 silencing in, compared to
 plants, 474–475
 noncoding RNA quality control in,
 508–509
 telomerase RNA functions in,
 217–222
yitJ gene, 235–236

Z

Zebra fish, miRNA function and
 mechanism in, 195–200

Cold Spring Harbor Symposia on Quantitative Biology

Subject Index

Cold Spring Harb Symp Quant Biol 2006 71: 567-574

Access the most recent version at doi:[10.1101/sqb.2006.71.070](https://doi.org/10.1101/sqb.2006.71.070)

License

Email Alerting Service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or [click here](#).

To subscribe to *Cold Spring Harbor Symposia on Quantitative Biology* go to:
<http://symposium.cshlp.org/subscriptions>