Subject Index

A

Aanat (arylalkylamine *N*-acetyltransferase mRNA), 148
 AC (adenylyl cyclase), 88
Acetabularia, 59
Acomys sp. (spiny mice), 616
 ACTR, 107
 Adenosinergic system, 574
 Adenylyl cyclase (AC), 88
 Adrenal gland and SCN, 553–554
 Advanced sleep disorders (ASD), 42–43, 98, 100
 Advanced sleep phase syndrome (ASPS), 274, 630
 Affymetrix ATH1 GeneChip data sets, 354
 Aftereffect, 2
 After hours (*Afh*), 86–87
 Age and circadian clock in humans, 295
 Aging and circadian rhythms. *See* Clock proteins, aging, and tumorigenesis; RNAi screen to identify longevity genes
 Aging and disease. *See* Sirtuins in aging and disease
 Agomelatine, 638, 640
 5'-AMP as a mediator of procolipase expression, 288–289
Andante (*And*), 218
 Animal cryptochromes. *See* Structure and function of animal cryptochromes
Apis mellifera (honeybee), 615
 Apnea, 590
Arabidopsis thaliana
 AtGRP7, 147–148
 blue light photoreceptor research, 16–17, 119–121
 CRY1 and CRY2 interactions, 125–126
 cryptochrome photocycle, 127
 cryptochromes, 134–135
 F-box proteins in, 258
 flowering pathway, 17
 input, 16–17
 microarray data analysis (*see* DIURNAL project)
 mRNA levels in, 15–16
 oscillator, 15–16
 output, 17
 phosphorylation in, 197–198
 photoentrainment in, 194–195
 ARAS (ascending reticular activating system), 40
Arctocephalinae, 38
 Arcuate nucleus (Arc), 30–31
 Arginase and *Period* 2 gene, 101
 Arginine vasopressin (AVP), 26, 529, 530
 Arginine vasopressin mRNA poly(A) length, 146
 ArrayExpress, 353
 Arrhythmicity, 29
 Arylalkylamine *N*-acetyltransferase mRNA (*Aanat*), 148

Ascending reticular activating system (ARAS), 40
 Aschoff's Rule, 2, 36, 334
 ASD (advanced sleep disorders), 42–43, 98, 100
 Asperger syndrome, 645
 ASPS (advanced sleep phase syndrome), 274, 630
 AtGenExpress, 353
 AtGRP7, 147–148
 ATPase activity of KaiC, 50–52
 Autism spectrum disorders (ASD)
 atypical sleep and circadian rhythms, 649–650
 atypical synapses, 647–648
 background, 645
 circadian rhythms and, 648
 clock genes and, 648–649
 genetic causes of, 645–646
 melatonin treatment in, 648–649, 650
 pathways involved, 650–651
 study conclusions, 651–652
 synaptic genes and, 646–647
 AVP (arginine vasopressin), 26, 529, 530

B

Bacterial circadian programs
 adaptive significance of circadian timing, 397–398
 cell division vs. circadian oscillators, 397
 circadian orchestration of global gene expression, 396–397
 discovery of circadian clocks in bacteria, 395–396
 mechanism and evolution/ecology study, 402–403
 structural biology of clock proteins, 398–399
 validity of TTFL model, 399–400
 in vitro clockwork, 400
 in vitro oscillator modeling, 400–402
band (*bd*), 204–205
 Basal forebrain (BF), 40
 Bats (*Hipposideros speoris*), 616
 Beavers (*Castor canadensis*), 615
 Benzer, Seymour, 75
 BFRs (blind free-runners), 626–628
 Bioluminescence model
 background to studies, 405–406
 balance of stability, coupling, and noise, 406
 coculture experiment, 408–409
 correspondence between phase and rate equation models, 409–410
 envelope analysis, 408
 interaction of phase oscillators, 407–408
 intercellular coupling, 406
 mathematics of phase model, 406–407
 observation of self-sustained oscillators, 406

statistical properties, 407
 study results, 410
 Bipolar disorder. *See* Clock and bipolar disorder
bizarre, 235
 Black-box experimental designs, 2
 Blind free-runners (BFRs), 626–628
 Blindness and biological clock, 42–43, 294, 583, 586, 623–624, 626–628
 Blue light photoreceptor, 63, 119–121.
 See also Structure and function of animal cryptochromes
 Blue light responses, 16–17, 119–121
 BLUF, 123–124
 BMAL1 (brain and muscle ARNT-like protein). *See also* CLOCK/BMAL1
 acetylation by CLOCK, 108
 circadian rhythmicity and acetylation of, 109–110
 clock and cellular proliferation interactions, 468
 FEO and (*see* Food-entrainable oscillator)
 in mammals, 12–14
 in mice, 85–87, 254–258
 negative feedback loop and, 414
 role in premature aging, 478–479
 specificity of acetylation by CLOCK, 108–109
Bmal1 gene
 impact of retina-specific deletion on clock function, 312–315
 retinal, and circadian rhythm responses, 315–316
 retinal electrical activity in response to light, 311–312
 retinal gene expression rhythms and, 310–311
 Body temperature (*Tb*), 607. *See also* Hibernation
Bombyx mori (silkworm), 434
 Borbély-Daan model, 41–42
 Botany Array Resource, 353
 Brain and muscle ARNT-like protein. *See* BMAL1
 Breast cancer, 462
 Bright-light therapy, 638
Bulla gouldiana, 22
 Bünning, Erwin, 1
 Butterflies' circadian clock. *See* Time-compensated sun compass orientation
 Butyrate response factor (BRF1), 163

C

Caenorhabditis elegans
 anti-aging genes in (*see* Sirtuins in aging and disease)
 longevity genes identification (*see* RNAi screen to identify longevity genes)

- Calbindin (CalB), 529, 532, 533
 Calcium/calmodulin-dependent protein kinase (CAMK), 14–17
 Calcium ions (Ca^{2+}) and hibernation, 607–608, 611
 Calorie restriction (CR), 483. *See also* Sirtuins in aging and disease
 Calretinin, 529
 cAMP response element-binding (CREB) protein, 24
 Cancer biology and therapeutics
 chronotherapeutics and, 472–473
 circadian gating of cell division, 465–466
 circadian rhythms and (*see* Circadian-cancer connection)
 clinical studies, 466–467
 clock and cellular proliferation interactions, 468–469
 clock proteins and (*see* Clock proteins, aging, and tumorigenesis)
 down-regulation of tumor growth by circadian timing system, 466
 model of timing system and tumor proliferation interactions, 471–472
 Period 2 gene and, 100
 tumor growth rate experiments, 467
 tumorigenesis (*see* Clock proteins, aging, and tumorigenesis)
 CAR (constitutive androstane receptor), 390
 Cardiovascular system and *Period 2* gene, 101
 Casein kinase (CK) 1 and 2
 in *A. thaliana*, 16
 biology of *tau* mutation and (*see tau* mutation in hamsters)
 CK1 role in *N. crassa* clock (*see* CK1 α -dependent phosphorylation of *N. crassa*)
 in *Drosophila* clock model (*see* Molecular clock in *Drosophila*)
 human circadian clock and (*see* Genetics of human clocks)
 phosphorylation in *Drosophila* and, 168–174
 temperature-compensation and, 65–67
Casein kinase 2 (CK2), 70
Castor canadensis (beavers), 615
 Catastrophes theory, 445
Cavia porcellus (guinea pigs), 38
 CCA1 (CIRCADIAN CLOCK ASSOCIATED 1), 15–16
 Ccgs. *See* Clock-controlled genes
 CDD (childhood disintegrative disorder), 645
 Cellular redox state, prokaryotic systems, 8–10
 Cetaceans and sleep, 38
 Chemotherapy and circadian clock, 413. *See also* Cancer biology and therapeutics
 Chicks oscillator, 446
 Childhood disintegrative disorder (CDD), 645
 Chk2 (checkpoint kinase-2), 206
 CHLAMY1, 149
Chlamydomonas reinhardtii, 149
 Cholinergic system, 574
 Chromatin remodeling
 BMAL1 acetylation and circadian rhythmicity, 109–110
 circadian-cancer connection and, 461–462
 enzymatic function of CLOCK, 107–108
 histone acetyltransferase activity and, 105–106
 peripheral vs. central clocks, 106–107
 plasticity in circadian regulation and, 107
 specificity of BMAL1 acetylation by CLOCK, 108–109
 Chronic jet lag (CJL), 467–469
 Chronobiology
 central molecular loops and, 656
 circadian defined, 1
 circadian organization modeling, 658
 circadian rhythmicity in cyanobacteria, 656
 circadian rhythmicity in eukaryotes, 656
 clock concept, 4
 clocks distribution within multicellular organisms, 657
 of cohabitation (*see* Chronobiology of cohabitation)
 historical perspective, 655–656
 historical time line, 1–2
 humans as experimental subjects, 658–659
 increase in understanding of mechanisms, 655–656
 interaction of sleep and circadian rhythms, 657–658
 limitations to mice studies, 657
 links between central and peripheral clocks, 657
 long time constant of circadian clock, 62
 mutations in humans, 658
 phase shifting and phase response, 3–4
 properties of a circadian rhythm, 3
 social costs of fatigue, 659
 Symposium synopsis, 655–659
 temperature-compensation, 4
 terminology and methods, 2–3
 Chronobiology of cohabitation
 cohousing and changes in τ values, 616–618
 focus of research, 618–619
 studies distinguishing individual activity under social conditions, 615–616
 study conclusions, 619–620
 temporal coupling between hamsters, 616
 Chronogenetics
 disconnected gene, 216–217
 genetic background related to clock outputs, 221–225
 implications of genotypic variants of *per*, 225–229
 inputs to *Drosophila* pacemaker, 219–221
 isolation of abnormalities, 221–222
 in mice, 216
 rhythm mutants in *Drosophila*, 215
 sleep/wake cycles and, 221
 Chronopharmacology, 43
 Chronotypes, 41–42, 294–295
 CHX10-Cre transgene, 312–315
 CikA (circadian input kinase) protein, 8, 334–335
 Circadian-cancer connection
 background, 459
 cell cycle and, 459–460
 chromatin remodeling and, 461–462
 DNA-damage response and, 460–461
 hormones and, 462
 CIRCADIAN CLOCK ASSOCIATED 1 (CCA1), 15–16
 Circadian clockwork of mice
 circadian organization and synchronization, 91–93
 entrainment in *Vipr2*^{−/−} mice, 89–90
 neuropeptide signaling and circadian synchronization, 87–89
 phase shifts of liver clockwork, 89–90
 Prok2 signaling and circadian output control by SCN, 90–91
 proteasomal degradation and circadian period, 85–87
 question of clock period setting, 86
 transcriptional cascades related to protein expressions, 92
 Circadian gene expression regulation in the liver
 background to studies, 319–320
 feeding/fasting cycles as zeitgeber oscillators, 320–321
 signaling pathways, 324, 327–328
 signals impacting synchronization of fibroblast oscillators, 321–322
 study conclusions and perspectives, 328
 systemically and oscillator-driven genes, 323–324, 325–326
 transgenic mouse model of system- and oscillator-driven genes, 322–323
 Circadian input kinase (CikA) protein, 8, 334–335
 Circadian photoreception in vertebrates
 background to research, 499
 contribution of the eyes to circadian entrainment, 501
 contribution of the eyes to free-running period changes, 501–502
 evidence of extraretinal photoreceptors in sparrows, 500
 eyes and LL-induced arrhythmicity, 502
 lack of eye involvement in photoperiodic photoreception, 502
 location of extraretinal photoreceptors in sparrows, 500–501
 mammalian photoentrainment, 502–503
 rod pathways and control of temporal niche, 503, 505
 rods and ipRGC interactions, 503, 504
 study conclusions, 505–506
 Circadian rhythms
 aging and (*see* Clock proteins, aging, and tumorigenesis)
 ASD and, 648, 649–650
 cancer biology and therapeutics and (*see* Circadian-cancer connection)
 characteristics in *Neurospora* clock, 57–58
 cohabitation and (*see* Chronobiology of cohabitation)
 evolution from 8-hour day, 421–422
 genetics in humans (*see* Genetics of human clocks)
 hibernation and, 611

SUBJECT INDEX

665

- interaction of sleep and, 42–43, 657–658
 mood and, 637
Period 2 gene and, 99–100
 retinal responses to light and (*see* Retinal responses to light and circadian rhythms)
- Circadian systems of single cells
 alternative oscillators, 206–207
 ancillary oscillators effects, 209–210
 background to research, 201–202
 clock-controlled gene, 203–205
 clock in *Neurospora*, 202
 FRQ-less oscillators, 207–209
 molecular basis of circadian oscillator, 202
 molecular output effect on clock mechanisms, 206
 molecular output feedback to input, 205–206
 noncircadian oscillators, 202–203
 spectrum of clock-controlled genes and growth conditions, 204–205
 study results, 210–211
- CJL (chronic jet lag), 467–469
- CK. *See* Casein kinase 1 and 2
- CK1a-dependent phosphorylation of *N. crassa*
 biochemical properties of CK1a, 178–179
 constitutive active and dominant-negative casein kinase effects, 181
 interaction of CK1a with clock proteins, 179–181
 isoforms of CK1a, 177–178
 study results, 181–182
- CK1δ, 274–275, 275–276
- CK1ε mutation in mice. *See* *tau* mutation in hamsters
- CK2 (casein kinase 2), 10, 70
- Clock (CLK) protein
 clock and cellular proliferation interactions, 468
 in *Drosophila* clock model (*see* *Drosophila* circadian oscillator; Molecular clock in *Drosophila*)
 enzymatic function of, 107–108
 FEO and (*see* Food-entrainable oscillator)
 in mammals, 12–14
 in mice, 85–87, 254–258
 mood disorders and (*see* Clock and bipolar disorder)
 negative feedback loop and, 414
 specificity of BMAL1 acetylation by CLOCK, 108–109 (*see also* CLOCK/BMAL1)
- Clock* and bipolar disorder
 circadian gene expression outside of SCN, 640–642
 circadian rhythms and mood, 637
 CLOCK/BMAL1 complex role, 638–640
 clock-related treatments for mood disorders, 637–638
 hippocampus and, 640
 mood and the SCN and, 639–639
 regulation of rhythms by SCN, 640
 study conclusions, 642
- CLOCK/BMAL1
 activation of clock-controlled genes by, 107
 mammalian cryptochromes and, 135–138
 oscillator loops, 348
 quantitative model of mammalian circadian clock, 414–415
 regulation of NR transcripts, 390–391
 response to genotoxic stress, 477–478
 role in bipolar disorder, 638–639
- Clock Box, 59–61
- Clock-controlled genes (ccgs), 203–205, 346, 657
- Clock* gene, 22. *See also* *Clock* and bipolar disorder
- Clock neurons of *Drosophila*. *See* *Drosophila* clock neurons
- Clock proteins, aging, and tumorigenesis
 circadian rhythms and human disease, 477
 CLOCK/BMAL1 response to genotoxic stress, 477–478
 premature aging after low-dose radiation, 479–480
 premature aging in BMAL1-deficient mice, 478–479
 study conclusions, 480–481
- clockwork orange* (*cwo*), 77–80
- CLP (procolipase), 287–290
- Cocaine, 639
- Cohabitation and circadian rhythms. *See* Chronobiology of cohabitation
- Colipase, 287–288
- Colorectal cancer, 472
- Congenital scoliosis, 447–448
- Conidial banding rhythms, 209–210
- CONSTANS (CO), 17
- Constant darkness (DD), 2
 hibernation and (*see* Hibernation and DD)
 rest/activity cycle in animals, 36
 temperature entrainment in, 239–240
- Constant light (LL), 2, 28
 contribution of the eyes to free-running period changes in, 501–502
 eyes and LL-induced arrhythmicity, 502
 rest/activity cycle in animals, 36
 temperature entrainment in, 239–240
- Constitutive androstane receptor (CAR), 390
- Coordination theory of RNA operons and regulons. *See* PTRO theory
- COP1 (CONSTITUTIVELY PHOTO-MORPHOGENIC 1), 16
- COSPOT and gene expression study, 382–384
- Coupling signal, 2
- COUP-TFIII, 388–389
- COX-1, 101
- CREB (cAMP response element-binding) protein, 24
- CRE-binding protein (CREB), 651
- CRY/photolyase (FADH), 123–124
- Cryptochrome (CRY) protein
 in animals (*see* Structure and function of animal cryptochromes)
 in *A. thaliana*, 16–17, 125–127, 134–135
 BMAL1 acetylation and circadian rhythmicity, 110
 in butterflies, 114–117 (*see also* Time-compensated sun compass orientation)
 chronogenetics and, 219–220
 in *Drosophila* clock model, 12, 245
 interaction with PER2, 98
 in mammals (*see* Structure and function of mammalian cryptochromes)
 in mice, 85–87, 254–258
 negative feedback loop and, 414
 origin of word, 119
 temperature cycles and the circadian clock, 233–235
- Cryptochrome2 (CRY2) protein
 discovery, 114–116
- Cryptochrome* gene in mammals, 12
- cwo* (*clockwork orange*), 77–80
- Cyanobacteria
 central oscillator (*see* Bacterial circadian programs)
 circadian rhythmicity in, 656
 clock system (*see* Prokaryotic circadian clock systems)
 Kai oscillator (*see* KaiC phosphorylation cycle)
 oscillators in (*see* Bioluminescence model)
 phase models of (*see* Bioluminescence model)
S. elongatus model, 336–337
 temperature-compensation and, 396
 TTFL model validity, 399–400
- Cyanothece*. *See* *Synechococcus elongatus*
- Cycle (CYC), 10, 70. *See also* Molecular clock in *Drosophila*

D

- D-box (DBP/E4BP4-binding element), 96
- DBT. *See* Doubletime
- dbt* (*doubletime*), 70
- DD. *See* Constant darkness (DD)
- Deer mice (*Peromyscus maniculatus*), 615
- De-etiolated 1 (DET1), 16
- Delayed sleep disorders (DSP), 42–43
- Delayed sleep phase syndrome (DSPS), 274, 624, 630, 637
- DeltaC*, 446
- DeMairan, Jean-Jacques d'Ortois, 1
- Desynchrony, 28
- Developmental timing. *See* Oligodendrocyte precursor cells
- Dim light melatonin onset (DLMO), 623. *See also* Melatonin and the circadian clock
- disconnected* (*disco*) gene, 216–217, 518. *See also* Clock neurons of *Drosophila*
- DIURNAL project
 background, 353
cis-regulatory elements identification with ELEMENT, 359–360
 conclusions and future directions, 360–361
 HAYSTACK, 356, 358–359
 interface design, features, and navigation, 354
 use and attributes, 354–356, 357
- DMH. *See* Dorsomedial hypothalamus
- Dmp18, 600–601
- DN (dorsal groups of clock neurons). *See* Clock neurons of *Drosophila*
- DNA damage and cancer, 460–461
- Dopamine, 574
- Dopaminergic system in sleep and arousal, 567–569
- Dorsal and medial raphe nuclei (DR), 40

- Dorsal groups of clock neurons (DN). *See* Clock neurons of *Drosophila*
- Dorsomedial hypothalamus (DMH), 30–31, 530, 543, 544–545. *See also* Food-entrainable oscillator
- doubletime (*dbt*), 70, 218
- Doubletime (DBT) protein
in *Drosophila* clock model, 10, 244, 439
Drosophila homolog (*see* CK1a-dependent phosphorylation of *N. crassa*)
functional role in circadian system, 168
- Doxycycline (Dox), 322–324
- DPER and phosphorylation, 168–170
- DR (dorsal and medial raphe nuclei), 40
- Driving while drowsy, 591
- Drosophila* circadian oscillator, 10–12
feedback loop oscillator function, 437–438
key regulatory events governing transcription, 438–439
PDP1 function within clock, 440–441
regulation of *Clk* spatial expression, 442
regulation of rhythmic transcription within *Clk* feedback loop, 439–440
significance of rhythmic transcription, 438–439
study conclusions, 442–443
- Drosophila* clock neurons
anatomical organization, 517–518
DN role, 519
dual oscillator model, 520
E cells, 524
LN as master clocks, 518–519
LPNs function, 519
M cells, 520–524
PDF role as internal synchronizer, 520
- Drosophila melanogaster*
activity rhythms and social interaction, 615
anti-aging genes in (*see* Sirtuins in aging and disease)
chronogenetics of, 215, 219–221
circadian pacemaker (*see* Transcriptional feedback and circadian pacemaker)
clock mutants and temperature entrainment, 235–236
clock neurons (*see* *Drosophila* clock neurons)
clock workings (*see* Molecular clock in *Drosophila*)
control of sleep (*see* Sleep control in *Drosophila*)
genetic variants of circadian clocks (*see* Chronogenetics)
input, 12
intracellular clock mechanism, 114
mRNA levels in, 77
oscillator (*see* *Drosophila* circadian oscillator)
output, 12
period mRNA, 148
PER/TIM/DBT interval timer in (*see* PER/TIM/DBT interval timer)
phosphorylation in, 168–169, 197
photoentrainment in, 193
sleep/wake cycles analysis (*see* Sleep/wake cycle in *Drosophila*)
temperature and (*see* Temperature cycles and clock synchronization; Temperature effects on clock function)
- Drowsy driving, 591
- Drug metabolism and circadian clock, 413
- DSP (delayed sleep disorders), 42–43
- DSPS (delayed sleep phase syndrome), 274, 624, 630, 637
- dusky* (*dy*), 218
- E**
- EARLY FLOWERING 4 (ELF4), 16–17
- ebony* (*e*), 222, 224
- Edinger Westphal nuclei, 513
- EE (evening element), 15–16
- EGFR pathway, 565
- ELAV/Hu RBP family, 159, 161
- ELEMENT, 353, 359–360
- ELF4 (EARLY FLOWERING 4), 16–17
- Endocrine system and circadian-cancer connection, 462
- Enterostatin (VPDPR), 289–290
- Entrainment, 2
aftereffects, 36–37
of circadian oscillators, 54
eating cycles and (*see* Food-entrainable oscillator)
G. polyedra clock and, 293
of human clock (*see* Entrainment of human clock)
molecular explanations for, 62
of *Neurospora* (*see* Entrainment of *Neurospora crassa*)
phase angle, 36
- Entrainment of human clock
background, 293–294
chronotype, sex, and age, 295
natural daylight as predominant zeitgeber, 295–297
phase of entrainment and chronotype, 294–295
temporal environment and, 297
- Entrainment of *Neurospora crassa*
background, 279
circadian system properties, 280
feedback loops and oscillator network evidence, 282–283
masking and, 283
at the molecular level, 280–282
study results and discussion, 283–284
zeitgebers in the circadian system, 279
- Epidermal growth factor receptor (EGFR). *See also* Sleep control in *Drosophila*
- ER-Per2 interaction, 462
- Estrous cycle, 462
- Eukaryotic circadian clock systems
A. thaliana, 15–17
compartmentalization and translocation, 10–12
mRNA levels in, 10
N. crassa, 14–15
prokaryotic versus, 10
S. cerevisiae (*see* Yeast metabolic cycle)
- European Working Time Directive, 592
- Evening cells (E), 520–524. *See also* *Drosophila* clock neurons
- Evening element (EE), 15–16
- Evolution of circadian clock. *See* Period-doubling folds in cellular oscillator
- Eyes of vertebrates. *See* Blindness and biological clock; Circadian photoreception in vertebrates
- F**
- FAD, 15, 63, 122, 134
- FADH (CRY/photolyase), 123–124
- Familial advanced sleep phase syndrome (FASPS), 170–174, 273, 274, 303, 637
- Fast-delayed rectifier (FDR) potassium channel, 24
- F-box proteins, 257–258
- Fbx13, 87. *See also* Genetics of mouse clocks
- FEO. *See* Food-entrainable oscillator
- Fibroblast growth factor 21 (FGF-21), 324, 327
- Fisher's G-test and gene expression study, 382–384
- Flavin adenine dinucleotide (FAD), 194
- Flip-flop model of sleep and wakefulness, 40–41
- FLO (FRQ-less oscillator), 15–17, 207–209, 346–347, 348–349
- Fluoxetine, 638, 641
- Food-entrainable circuit, 29
- Food-entrainable oscillator (FEO)
afferent and efferent pathways, 546–547
background, 543
DMH role in, 548
future directions, 548
interaction with SCN, 545–546
molecular basis of function, 547
Period 2 gene and, 101
search for locus, 543–545
- FOXO proteins, 483, 559
- Free-running period (FRP), 2
rest/activity cycle in animals, 36
S. elongatus, 10
- Frequency* (*frq*) gene, 1, 58, 63
- Frequency (FRQ) protein
clock feedback loops (*see* Posttranslational control of *Neurospora* clock)
interaction with CK1a, 179–181
mRNA splicing and, 602–603
in *N. crassa*, 14–15, 59–62 (*see* *Neurospora* clock)
temperature effects on *Neurospora* clock and, 64–67
transcriptional activator (*see* White collar complex)
- FRP (free-running period), 2
- FRQ/FRH complex (FFC), 14–17, 185. *See also* Posttranslational control of *Neurospora* clock
- FRQ-interacting RNA helicase (FRH), 14–17, 61
- FRQ-less oscillator (FLO), 15–17, 207–209, 346–347, 348–349
- Funambulus pennanti* (palm squirrels), 615
- Fundulus heteroclitus* (killifish), 615
- FWD-1 in *Neurospora*, 59–62
- G**
- G₂ phase of cell division, 465
- GABA (γ-amino-*n*-butyric acid), 26, 573, 574
- GABAergic system, 651
- Gap 1 phase of cell division, 465

SUBJECT INDEX

667

- GAPDH (glyceraldehyde-3-phosphate dehydrogenase), 142, 204, 205
 Gastrin-releasing peptide (GRP), 26, 529, 530
 Gating of light responses, 205
 GCMS (gas chromatographic–negative chemical ionization mass spectrometric) assay, 623
 Gender and chronotherapeutics, 472
 Genetics of human clocks
 advanced sleep phase syndrome, 274, 630
 behavioral genetics and, 273
 circadian molecular clock model, 273
 CK1 δ and FASPS mutations, 274–275
 CK1 δ dosage experiments, 275–276
 effects of S662G mutation, 275
 FASPS, 273, 274, 303, 637
 future directions and perspectives, 276
 human chronotypes and, 276
 PER2 and FASPS mutations, 274
 phosphorylation downstream from PER2 S662, 275
 Genetics of mouse clocks
 effects of *Ovtm* mutation on clock gene expression, 254–255
 effects of *Ovtm* on CRY degradation, 256–257
 interaction of *Ovtm* with clock proteins, 255–256
 prtm and *Ovtm* genes, 251–254
 study results, 257–258
 tau mutation (see *tau* mutation in hamsters)
 Genetic variants of circadian clocks. *See* Chronogenetics
 GENEVESTIGATOR, 353
 Geniculohypothalamic tract (GHT), 26, 529
 Genotoxic treatments. *See* Clock proteins, aging, and tumorigenesis
 GEO, 353
 GET effect, 206
 GHT (geniculohypothalamic tract), 26, 529
 Gigantea (GI) protein, 16, 194–195
 Glucocorticoids, 389
 Glutamate, 26
 Glyceraldehyde-3-phosphate dehydrogenase (GAPDH), 142, 204, 205
 Glycogen synthase kinase (GSK), 168
 Glycogen synthase kinase 3 β (GSK3 β), 640
 Gonadotropin-releasing hormone neurons (GnRH), 27
Gonyaulax polyedra clock
 cellular communication, 143–144
 circadian-regulated RBPs in, 149
 entrainment and, 293
 GET effect, 206
 loss of rhythmicity at low temperature, 143
 translational control, 141–143
 GRP (gastrin-releasing peptide), 26, 529, 530
 gsk3 β , 98, 640
 Guinea pigs (*Cavia porcellus*), 38
- H**
- Halberg, Franz, 1
 HAT (histone acetyltransferase) activity, 13–14, 105–106
 HAYSTACK, 353, 356, 358–359, 360
 Heat shock proteins (HSPs), 324
 Hepatocyte nuclear factor 4 α (HNF4 α), 92
Her1, 446
Hes7 oscillations. *See* Somite segmentation clock
 Hibernation
 circannual and circadian rhythms, 611
 circannual HP rhythm and life span, 611
 and constant darkness (see Hibernation and DD)
 essential role of circannually increased brain HP20c, 610
 hibernation complex and circannual rhythms, 608–609
 increase in HP complex in CSF during, 610
 proposed role of HP complex, 610
 sleep and, 612
 study conclusions, 612
 Hibernation and DD
 5'-AMP as a mediator of procolipase expression, 288–289
 endogenous metabolic rhythm and, 289–290
 peripheral organ genes activation by DD environment, 287–288
 study results, 290
 Hibernation-specific proteins (HP) complex, 608–609
 HIOMT, 649
 Hippocampus and bipolar disorder, 640
Hipposideros speoris (microchiropteran bats), 616
 Histaminergic system, 574
 Histone acetyltransferase (HAT) activity, 13–14, 105–106
 Histones
 modification in mammals, 13–14
 PTRO theory and, 161
 HNF4 α (hepatocyte nuclear factor), 92
 Honeybee (*Apis mellifera*), 615
 Hormones and circadian-cancer connection, 462
 Horne-Ostberg questionnaire, 274
 HP. *See* Hibernation-specific proteins complex
 hPVN (hypothalamic paraventricular nucleus), 27, 30–31
 HSPs (heat shock proteins), 324
 Humans. *See also* Mammals
 age and circadian clock, 295
 circadian clock entrainment (see Entrainment of human clock)
 endogenous melatonin production in, 632–633
 as experimental subjects, 658–659
 genetic and molecular characterization of clock (see Genetics of human clocks)
 mutations in humans, 658
 photoreceptors (see Circadian photoreception in vertebrates)
 rest/activity cycle in, 37
 sleep and ASD (see Autism spectrum disorders [ASD])
 sleep/wake cycle (see Sleep/wake cycle in humans)
 Humoral release of signaling molecules, 27
 Hypometabolic state. *See* Hibernation and DD
 Hypothalamic paraventricular nucleus (hPVN), 27, 30–31
- I**
- IGL (intergeniculate leaflet), 26, 529
 IkB, 454
 Immune system and *Period 2* gene, 100–101
 Interpersonal and Social Rhythm Therapy, 637
 Intracellular developmental timers. *See* Oligodendrocyte precursor cells
 IpRGCs (intrinsically photosensitive retinal ganglion cells), 503, 504. *See also* Melanopsin-containing retinal ganglion cells
- J**
- Jak-Stat3-Socs3 negative feedback loop, 454
 JETLAG (JET), 12
- K**
- KaiC phosphorylation cycle
 ATPase activity and, 50–52
 cellular circadian system, 53–54
 entrainment of oscillators and, 54
 experimental results, 54–55
 importance of circadian regulation of transcription, 76
 Kai protein complex dynamics, 48–49
 sequential program, 49–50
 synchronization of cycle rhythm, 52–53
 thermal sensitivity, 50–52
 Kai gene and protein complex
 cyanobacterial central oscillator, 7–10
 KaiC phosphorylation cycle (see KaiC phosphorylation cycle)
 phosphorylation of KaiC, 604
 in *S. elongatus*, 332–334
 structural biology of (see Bacterial circadian programs)
 Kanner, Leo, 645
 Killifish (*Fundulus heteroclitus*), 615
 Kondotron screening, 331–332
 Konopka, Ron, 75
 Kramer, Gustav, 4
 Kuramoto model, 407–408
- L**
- LabA (low-amplitude and bright) protein, 9–10
LabA gene, 54
 LATE ELONGATED HYPOTCOTL (LHY), 15–16
 Lateral clock neurons (LN). *See* Clock neurons of *Drosophila*
 Lateral hypothalamus (LH), 31, 40
 Laterodorsal tegmental (LDT), 40
 LBP (luciferin [substrate]-binding protein). *See* *Gonyaulax polyedra* clock
 LC (locus coeruleus), 40
 LCF (luciferases). *See* *Gonyaulax polyedra* clock
 LD (light/dark cycle), 35
 LdpA (light-dependent period) protein, 8, 334
 LDT (laterodorsal tegmental), 40
 Leporidae, 38
 LH (lateral hypothalamus), 31, 40
 LH (luteinizing hormone), 27, 262
 LHY (LATE ELONGATED HYPOTCOTL), 15–16
 LHY/CCA1, 348

Life-span regulation. *See* RNAi screen to identify longevity genes
 Light, oxygen, and voltage sensing (LOV), 122–124
 Neurospora clock and, 63
 photomodulation and, 194
 single-cell circadian systems and, 205–206
 Light and clock reset, 63–64
 Light/dark cycle (LD), 35
 Light-dependent period (LdpA) protein, 8
 Light therapy, 638
Lingulodinium polyedrum. *See* *Gonyaulax polyedra* clock
 Lithium, 245, 425–426, 638, 639
 Liver and the circadian clock
 clock synchronization, 91–93, 657
 entrainment and, 279
 phase shifts of, 89–90
 regulation of circadian gene expression in (*see* Circadian gene expression regulation in the liver)
 LL (constant light), 2, 28, 239–240
 LN (lateral clock neurons). *See* Clock neurons of *Drosophila*
 Locus coeruleus (LC), 40
 Longevity genes. *See* RNAi screen to identify longevity genes
 LOV. *See* Light, oxygen, and voltage sensing
 Low-amplitude and bright (LabA) protein, 9–10
 Luciferases (LCF). *See* *Gonyaulax polyedra* clock
 Luciferin (substrate)-binding protein (LBP). *See* *Gonyaulax polyedra* clock
 Luteinizing hormone (LH), 27, 262

M

Magnetoreception, 128
 Mammals. *See also* Humans
 cryptochromes (*see* Structure and function of mammalian cryptochromes)
 hibernation and (*see* Hibernation)
 intracellular clock mechanism, 114
 molecular components model, 13
 mouse chronogenetics, 216 (*see also* Genetics of mouse clocks)
 mTim factor, 217–218
 oscillator, 12
 output via histone modification, 13–14
 pacemaker in mice (*see* Circadian clockwork of mice)
 phosphorylation and (*see* Phosphorylation)
 photoreceptors (*see* Circadian photoreception in vertebrates)
 quantitative model of mammalian circadian clock, 414–415
 regulation of clock output (*see* Posttranscriptional regulation of mammalian clock output)
 SCN master pacemaker (*see* SCN master pacemaker)
 MAPk (mitogen-activated protein kinase) signaling pathways, 15
 Masking, 283, 293–294
 MB (mushroom bodies), 560, 569
 MCH (melanin-concentrating hormone), 574
mCry1 and *mCry2*, 135. *See also* Structure and function of

mammalian cryptochromes
 MCTQ. *See* Munich Chronotype questionnaire
 Median eminence (ME), 378
 Medical applications of sleep cycle studies, 589–591
 Melanin-concentrating hormone (MCH), 574
 Melanopsin, 26, 502–503
 Melanopsin-containing retinal ganglion cells
 background to research, 509–510
 circadian oscillator in aDTA animals, 513
 decoding of light information, 512
 inadequacies of current models on the contribution of photoreceptors, 510–512
 maintainence of prolonged responses to light, 513–514
 for nonimage-forming functions, 512
 photoentrainment without, 513
 photoreceptor types contributing to nonimage-forming functions, 510
 PLR signal and, 513
 rods and ipRGC interactions, 503, 504
 Melatonin and the circadian clock
 ASD and, 648–649, 650
 average τ and human τ phenotypes, 628–630
 circadian disorders in sighted people, 630
 circadian phase-shifting effects of light, 624
 clock-gate model and the DLMO, 624–626
 entrainment of blind people to melatonin, 626–628
 function of endogenous melatonin production in humans, 632–633
 GCMS assay, 623
 melatonin suppression test, 623–624
 nighttime suppression by light, 623
 phase-shift hypothesis, 630–632
 pineal melatonin secretion, 262–263, 462
 plasma melatonin profiles in blind people, 624
 relative coordination to weak zeitgebers and τ entrainment phase, 628
 retinal function and, 309–310
 sleep and, 588–589
 women and sensitivity to zeitgebers, 630
 Melatonin suppression test (MST), 623–624
 MEQ (Morningness-Eveningness Questionnaire), 294
Mesocricetus auratus (Syrian hamster), 38, 616
 Mesp2 transcription factor, 447
 Metabolism and *Period 2* gene, 101
 Mice
 biology of *tau* mutation (*see tau* mutation in hamsters)
 chronogenetics, 216
 clockwork analysis (*see* Circadian clockwork of mice)
 genetics and neurobiology of circadian clocks (*see* Genetics of mouse clocks)
 limitations to studies, 657

oscillator, 446
 premature aging after low-dose radiation, 479–480
 premature aging in BMAL1-deficient mice, 478–479
 retinal processes and circadian clock (*see* Retinal responses to light and circadian rhythms)
 transgenic model of system- and oscillator-driven genes in hepatocytes, 322–323
 microRNA
 regulation of gene expression by (*see* PTRO theory)
 in the SCN, 92
 Mid-sleep on free days (MSF), 294–295
 Migration of butterflies. *See* Time-compensated sun compass orientation
 Mitogen-activated protein kinase (MAPk) signaling pathways, 15
 MO (DLMO for blind people), 625. *See also* Melatonin and the circadian clock
 Molecular basis of rhythms generation
 ATPase activity of KaiC, 50–52
 D. melanogaster, 10–12
 eukaryotic circadian clock systems, 10–12
 mammals, 12–14
 N. crassa, 14–15
 prokaryotic circadian clock systems, 7–10
 Molecular clock in *Drosophila*, 10
 background to studies, 243
 cell-autonomous clocks, 247–248
 neurobiological focus of study, 246–247
 neuropeptides as signals in brain clock neurons, 248
 photoreceptors, 245
 second clock loop and antiphase rhythms, 245–246
 status of PDP1 in the second loop, 246
 TIM protein, 439
 transcriptional regulation in the first loop, 243–244
 Monarch butterflies. *See* Time-compensated sun compass orientation
 Monophasic sleep, 37, 38
 Morning cells (M), 520–524. *See also* Clock neurons of *Drosophila*
 Morningness-Eveningness Questionnaire (MEQ), 294
 M phase of cell division, 465
 mRNA
 ccgs and in *N. crassa*, 346
 CK1a isoforms (*see* CK1a-dependent phosphorylation of *N. crassa*)
 coordination of groups of (*see* PTRO theory)
 FRQ in *Neurospora* and mRNA splicing, 602–603
 levels and period shortening in *Drosophila*, 77
 levels in *A. thaliana*, 15–16
 levels in eukaryotic oscillators, 10
 levels in *N. crassa*, 14, 63
 mammalian clock output and (*see* Posttranscriptional regulation of mammalian clock output)
 MSF (mid-sleep on free days), 294–295
 MST (melatonin suppression test),

SUBJECT INDEX

669

- 623–624. *See also* Melatonin and the circadian clock
MTim factor, 217–218
 Munich ChronoType questionnaire (MCTQ), 274, 294, 295–296
 Mushroom bodies (MB), 560, 569
 Mycelial carotenogenesis, 63
 MYST family of HATs, 106, 108
- N**
- NAD-dependent protein deacetylase, 483
 NADP(H) redox state, 26
 NASC Arrays, 353
 National Highway Transportation Safety Administration (NHTSA), 591
 NER (nucleotide excision repair), 134
 Nervous system and *Period 2* gene, 101–102
 Neuroligins (*NLGN3,4*), 646–647
Neurospora clock
 background to study, 345
 blue light photoreceptor, 63
 characteristics of circadian rhythms, 57–58
 circadian system, 64–67
 CK1 role (*see* CK1 α -dependent phosphorylation of *N. crassa*)
 components roles, 59
 evidence of FRQ-independent oscillators, 34–349
 frq gene and its regulation, 59–61
 FRQ protein role, 61–62
 gating of light responses, 64
 interlocked FRQ/WCC feedback loops, 345–346
 light and clock reset, 63–64
 molecular explanations for entrainment, 62
 multiloop clock model, 348
 posttranslational control (*see* Posttranslational control of *Neurospora* clock)
 study conclusions, 349–350
 temperature and, 60, 64–67
 transcription-translation feedback loop, 58–59
Neurospora crassa
 CK and, 14–17, 62
 intracellular oscillators (*see* Circadian systems of single cells)
 molecular basis of negative feedback loop (*see* Posttranslational control of *Neurospora* clock)
 mRNA levels in, 14, 63
 oscillator, 14–15
 phosphorylation in, 197
 photoentrainment in, 193–194
 posttranslational control of circadian clock (*see* CK1 α -dependent phosphorylation of *N. crassa*; Posttranslational control of *Neurospora* clock)
 Neurotensin, 529
 NF- κ B, 454
 NHTSA (National Highway Transportation Safety Administration), 591
NLGN3,4 (neuroligins), 646–647
NLGN/NRXN/SHANK3, 651
N-methyl-D-aspartic acid (NMDA), 532
no-action-potential (*nap*) mutant, 216–217
nocte and temperature entrainment, 236–237
Noctiluca miliaris, 143
Nocturnin
 discovery, 150–151
 in mice, 151
 mNOC and metabolism, 151–152
 regulation of biological clocks and, 163
 Nonrapid eye movement (NREM) sleep, 39
 Non-small-cell lung cancer (NSCLC), 461
 NORPA (no receptor potential A), 601
norpA and temperature entrainment, 237–238
 Notch pathway, 446–447, 452, 454
 NPAS2/BMAL1, 26
 NREM (nonrapid eye movement) sleep, 39
 NSCLC (non-small-cell lung cancer), 461
 Nuclear receptors (NRs)
 background, 387
 CAR, 390
 as circadian effectors of metabolism, 390
 complexity and specificity of circadian regulation by, 391
 function within core clockwork, 387–389
 glucocorticoids and, 389
 multiple loops with core clock, 391
 non-NR ligands, 389–390
 PPAR ligands, 389, 390
 retinoic acid, 389
 SHP, 390–391
 study conclusions, 391–392
 thyroid hormones, 389
 Nucleotide excision repair (NER), 134
- O**
- Obstructive sleep apnea, 590
 Oligodendrocyte precursor cells (OPCs)
 background to research, 431
 intracellular timer in, 431–432
 intrinsic maturation program, 433–434
 protein components of timer, 432–433
 timer protein in silkworm, 434
 Orexin, 574
 ORTHOMAP, 360
 Oscillators
 A. thaliana, 15–16
 communication between central and peripheral, 301–302
 cyanobacteria (*see* Bioluminescence model)
 D. melanogaster (*see* *Drosophila* circadian oscillator)
 eukaryotic versus prokaryotic, 10
 feeding/fasting cycles as zeitgeber oscillators in the liver, 320–321
 food-entrainable (*see* Food-entrainable oscillator)
 FRQ-less, 207–209
 hierarchical organization of body clocks, 29–30
 individual SCN cells as, 22
 intracellular (*see* Circadian systems of single cells)
 mammals, 12
 molecular basis of, 202
 N. crassa, 14–15
 noncircadian, 202–203
 peripheral oscillators as probes of clock function, 303
 SCN pacemaker and, 27–29
 S. elongatus, 7–8
 signals impacting synchronization of fibroblast oscillators, 321–322
 similarities and differences between central and peripheral, 302–303
 systemically and oscillator-driven genes, 322–326
 ultradian, in somite segmentation clock (*see* Somite segmentation clock)
 vertebrate segmentation clock, 445–446
Overtime (*Ovtm*)
 effects of mutation on clock gene expression, 251–254
 effects on CRY degradation, 255–256
 interaction with clock proteins, 255–256
 mutagenesis, screening, and identification of gene, 251–254
 study results, 257–258
 Overt outputs, 2
 Oxaliplatin, 472
 Oxidative, respiratory phase (OX), 339, 340
- P**
- P27 proteins, 432–433
 P53, 483
 PACAP (pituitary adenylate-cyclase-activating polypeptide), 26
 Pacemaker
 in animals (*see* SCN master pacemaker)
 in *Drosophila* (*see* Transcriptional feedback and circadian pacemaker)
 PAD (phase angle difference), 631
 Palm squirrels (*Funambulus pennanti*), 615
 Pancreatic-lipase-related protein 2 (PLRP2), 287–288
 PAR1 (pseudo-autosomal region 1), 649
 Pars lateralis (PL), 114
part-time (*prtm*) genes, 251–254
par tuberalis (PT), 264
 PAS (PER-ARNT-SIMS)
 in *D. melanogaster*, 10
 Neurospora clock and, 63
 PAX6, 80
 PCC 7942. *See* *Synechococcus elongatus*
 PCG1 α , 388
 PDD-NOS (pervasive development disorder not otherwise specified), 645
 PDF (pigment-dispersing factor), 12, 240, 247
 PDP1 in *Drosophila* clock. *See* *Drosophila* circadian oscillator; Molecular clock in *Drosophila*
 Pedunculopontine nuclei (PPT), 40
 PER. *See* Period (Per) protein
 PER1 (Period1) protein
 chromatin remodeling and, 461
 clock and cellular proliferation interactions, 468
 response to stress and, 460
Per1:Bmal1 mRNA expression, 29
 PER2 (Period2) protein
 chromatin remodeling and, 461
 clock and cellular proliferation interactions, 468

- PER2 (Period2) protein (*continued*)
 genetics of human clock and, 274, 275
 phosphorylation in mouse, 171–172
 protein stability control, 415–416
 response to stress and, 460
 PER2::luciferase (PER2::LUC), 267, 268, 269, 323, 324, 535–536
 PER-ARNT-SIMS (PAS)
 in *D. melanogaster*, 10
Neurospora clock and, 63
 PER/CRY, 348
period (per) gene
 in *Drosophila* clock model (*see* Molecular clock in *Drosophila*)
 FEO and (*see* Food-entrainable oscillator)
 implications of genotypic variants of, 225–229
 mutations in (*see* Chronogenetics)
 Period (Per) protein
 in *Drosophila* clock model (*see* Molecular clock in *Drosophila*)
 human circadian clock and (*see* Genetics of human clocks)
 interaction with CRY, 97–98
 in mammals, 12
 in mice, 85–87, 254–258
 negative feedback loop and, 414
 phosphorylation, 98–99, 168–169
 quantitative model of mammalian circadian clock, 414–415
 sleep/wake cycle in *Drosophila* (*see* Sleep/wake cycle in *Drosophila*)
 structural domains and functional motifs in PER2, 97–98
 turnover in *tau* mutant hamster, 265
period 2 gene
 cancer and, 100
 cardiovascular system and, 101
 circadian rhythms and, 99–100
 general features, 95
 immune system and, 100–101
 localization of PER2 in the cell, 98
 metabolism and, 101
 nervous system and, 101–102
 phosphorylation of PER2, 98
 regulation of expression, 95
 structural domains and functional motifs in PER2, 97–98
 Period-4 (PRD-4), 14–17
 Period-doubling folds in cellular oscillator
 circadian rhythms evolution from 8-hour day, 421–422
 clustering of periods, 426–427
 conservation and evolution of period, 427–428
 describing and reconstructing an attractor, 426
 effect of phenelzine on, 425–426
 evidence for TRAC folding, 422–423
 gating of cells, 423–424
 phenotypic change from, 427
 synchronization of TRAC, 423
 yeast as a stochastic tissue, 424–425
 Period extender (Pex) protein, 8
period gene, 1
 in mammals, 12
 SCN master pacemaker and, 24
period-luciferase (per-luc), 416, 417–418.
See also Temperature cycles and clock synchronization
- Periodosome, 8
 Peripheral clocks
 background, 301
 characterizations of human disorders using, 303–304
 communication between central and peripheral oscillators, 301–302
 peripheral oscillators as probes of clock function, 303
 similarities and differences between central and peripheral oscillators, 302–303
Peromyscus maniculatus (deer mice), 615
 PER/TIM/DBT interval timer
 cytoplasmic foci formation, 73
 DBT effect on PER stability, 72
 delays caused by mutations, 71–72
 in *Drosophila* clock model (*see* *Drosophila* circadian oscillator)
 interaction in nuclear translocation, 70–71
 nuclear accumulation profiles, 71
 PER and DBT in TIM-producing cells, 72–73
 S2 cells and nuclear translocation, 70
 TIM and temporal delays, 69
 Pervasive development disorder not otherwise specified (PDD-NOS), 645
 Pex (Period extender) protein, 8
 PGC proteins, 483
 Phase angle difference (PAD), 631
 Phase models of cyanobacteria. *See* Bioluminescence model
 Phase-response curve (PRC), 624, 625
 Phenelzine, 425–426
 Phosphatases (PP)
 in the circadian clock, 414
 regulation of mPER2 degradation, 418
 Phosphorylation
 in *A. thaliana*, 197–198
 circadian phenotypes with altered PER phosphorylation, 170–171
 in *D. melanogaster*, 168–169, 197
 kinases and phosphatases, 168
 mapping of sites in clock proteins, 171–172
 molecular processes altered in FASPS, 172–174
 in *N. crassa*, 197
 overview, 167–168
 period protein, 98–99, 168–169
 Photoadaptation in *Neurospora* clock, 64
 Photoentrainment
 in *Arabidopsis*, 194–195
 in *Drosophila*, 193
 in *Neurospora*, 193–194
 without image-forming visual cues (*see* Melanopsin-containing retinal ganglion cells)
 Photolyase, 119–121. *See also* Structure and function of animal cryptochromes; Structure and function of mammalian cryptochromes
 action spectra of, 124
 and CRY family proteins structure, 122, 133
 reaction mechanism of, 122
 Photomodulation. *See* Posttranslational photomodulation of circadian amplitude
 Photoperiodism, 377–378
 Photoreactivation, 133
 Photoreceptors
 blue light photoreceptor, 63, 119–121 (*see also* Structure and function of animal cryptochromes)
 melanopsin-containing RGC cells and, 510–512
 molecular clock in *Drosophila*, 245
 in vertebrates (*see* Circadian photoreception in vertebrates)
 PHR dimerization and evolution of the mammalian clock, 138
 Phytochrome (PHY) proteins, 16–17
 Phytochrome interacting factor (PIF), 16–17
 Pigment-dispersing factor (PDF), 12, 247
 Pineal gland, 27
 Pineal melatonin secretion, 262–263. *See also* Melatonin and the circadian clock
 Pituitary adenylate-cyclase-activating polypeptide (PACAP), 26
 Pituitary gene expression. *See* Time course analysis of pituitary gene expression
 PKA (protein kinase A), 560
 PL (pars lateralis), 114
 PlexDB/Barleybase, 353
 PLRE (proximal light regulatory element), 59
 PLRP2 (pancreatic-lipase-related protein 2), 287–288
 POA (preoptic area), 530
 Polyphasic sleep, 38
 Posterior hypothalamus, 40
 Posttranscriptional regulation of mammalian clock output
Anant mRNA, 148
 AVP mRNA poly(A) length, 146
 circadian-regulated RBPs in microalgae, 149
 circadian regulation of translation, 149
 examples involving mRNA decay, 148
 factors involved, 147
mNOC, 151–152
 mRNA decay pathways, 149–150
Nocturnin discovery, 150–151
 overview, 145–146
period mRNA, 148
 regulation of splicing variants, 147–148
 rhythmic posttranslational control by noncoding RNAs, 149
 Posttranscriptional RNA operon (PTRO) theory. *See* PTRO theory
 Posttranslational control of *Neurospora* clock
 activation of *frq* transcription, 186–187
 circadian feedback loops, 185–186
 CKII and repressor activity of FRQ, 187–188
 conservation of eukaryotic systems, 188–189
 FRQ-CK1a interaction domain, 187
 FRQ phosphorylation and degradation pathway, 188
 inhibition of WCC activity by FFC, 187
 overview, 185
 Posttranslational photomodulation of circadian amplitude
 control of clock elements without phosphorylation, 195–197
 phosphorylation, 197–198
 photoentrainment, 193–195
 Potassium conductance, 23–24, 24
 PP (phosphatases)

SUBJECT INDEX

671

in the circadian clock, 414
 in *Neurospora*, 59–62
 phosphorylation in mammalian clock
 and, 168
 regulation of mPER2 degradation, 418
 PPAR ligands/proteins, 389, 390, 483
 PPT (pedunculopontine nuclei), 40
 PRC (phase-response curve), 624, 625
Prd-4 mutation, 206
 Preoptic area (POA), 530
Presenilin2, 147–148
 Presomitic mesoderm (PSM), 445–448, 451
 Pretectum, 26
 Process C and S models, 41–42
 Process S model, 41–42
 Procolipase (CLP), 287–290
 Prok2 signaling and circadian output
 control in mice, 90–91
 Prokaryotic circadian clock systems, 7–10.
 See also Bacterial circadian
 programs
 Prokineticin 2 (Prok2), 90
 Prostate cancer, 462
 Protein kinase A (PKA), 560
 Protein phosphatase 1 and 2 (PP1 and PP2)
 in *Drosophila* clock model (*see*
 Molecular clock in *Drosophila*)
 sleep/wake cycle in *Drosophila* and,
 558
 Protein phosphatases (PP)
 in *N. crassa*, 14–17
 phosphorylation in mammalian clock
 and, 168
 Protein phosphorylation
 background to research, 413–414
 cell-based assay, 416
 experimental advances, 415
 inhibition of CKI ϵ , 416–417
 PER2 protein stability control, 415–416
 phosphatases in the clock, 414
 phosphatases regulation of mPER2
 degradation, 418
 proteasome inhibition effect on clock
 activity, 416
 quantitative model of mammalian
 circadian clock, 414–415
 regulation of negative feedback loop,
 414
 tau mutant gain of function, 417–418
 Proximal light regulatory element (PLRE),
 59
prtm (*part-time*) genes, 251–254
 Pseudo-autosomal region 1 (PAR1), 649
 Pseudo-response regulators (PRR), 16
 PSM (presomitic mesoderm), 445–448, 451
 PT (*par tuberalis*), 264
 PTRO theory
 gene expression regulation, 157–158
 multitargeting of mRNAs by
 microRNAs, 159–160
 multitargeting of mRNAs by RBPs,
 158–159
 overview, 157
 potential for horizontal transfer of, 162
 regulation of biological clocks and, 163
 ribonome concept, 162–163
 RIP-Chip multitargeting of mRNAs,
 160–162
 theory overview, 162
Pyrocystis lumula, 142

Q

Q₁₀ value, 4

R

Raphe nucleus, 26, 529
 Rapid eye movement (REM) sleep, 39
Ras-1, 204–205
 Rat-1, 416, 417–418
 Reactive oxygen species (ROS), 485–486
 Red light responses, 16–17
 Reductive, building phase (RB), 339, 340
 Reductive, charging phase (RC), 339, 340
 Regulator of phycobiliosome-associated
 (RpaA) protein, 9–10, 335
 Regulatory feedback loops. *See* Transcrip-
 tional/posttranslational
 regulatory feedback loops
Relish, 562
 REM (rapid eye movement) sleep, 39
 Restricted feeding schedule (RFS), 543,
 544–545. *See also* Food-
 entrainable oscillator
 Resveratrol, 486–487
 Retinal-hypothalamic tract (RHT), 26, 529
 Retinal responses to light and circadian
 rhythms
 background to studies, 307
 Bmal1 and retinal electrical activity in
 response to light, 311–312
 Bmal1 and retinal gene expression
 rhythms, 310–311
 daily rhythms of retinal gene
 expression, 309–310
 experimental procedures, 307–308
 impact of retina-specific deletion of
 Bmal1, 312–315
 retinal *Bmal1* and circadian rhythm
 responses, 315–316
 study results and discussion, 316
 Retinal-hypothalamic tract (RHT), 26,
 527, 529
 Retinoic acid, 389
 Rett syndrome, 645
 REV-ERB family of proteins, 12,
 387–388
 RFS. *See* Restricted feeding schedule
 RGCs (retinal ganglion cells). *See*
 Melanopsin-containing retinal
 ganglion cells
 Rhomboid protein, 565. *See also* Sleep
 control in *Drosophila*
 RHT (retinal-hypothalamic tract), 26, 527,
 529
 Rhythm-related genetic variants of
 circadian clocks. *See*
 Chronogenetics
 Rhythms generation. *See* Molecular basis
 of rhythms generation
 Ribonomics, 160–163
 RIP-Chip concept, 159–162
 RNA-binding proteins (RBD). *See* PTRO
 theory
 RNAi screen to identify longevity genes
 background to studies, 489–490
 discussion, 495–496
 materials and methods, 490–492
 study results, 492–495
 RNP-immunoprecipitation-microchip. *See*
 RIP-Chip concept
 Rod and cone cells and photoentrainment,
 510–512
 ROR family of proteins, 12, 387–388
 ROS (reactive oxygen species), 485–486
 RpaA (regulator of phycobiliosome-
 associated) protein, 9–10, 335
 RPE65, 503–505

S

S2 cell line, 70, 76–77
 S662, 275
Saccharomyces cerevisiae
 anti-aging genes in (*see* Sirtuins in
 aging and disease)
 evolution of circadian clock (*see*
 Period-doubling folds in
 cellular oscillator)
 metabolic cycle (*see* Yeast metabolic
 cycle [YMC])
 SAD (seasonal affective disorder), 624,
 630, 637
 Sargent, Malcolm, 58
 SasA (*Synechococcus* adaptive sensor),
 9–10, 54, 335
 SCN master pacemaker
 CJL and, 468–469
 communication with peripheral clocks
 (*see* Peripheral clocks)
 construction from oscillators, 27–29
 firing rate modulation by sleep, 36
 hierarchical organization of body
 oscillators, 29–30
 interaction with FEO, 545–546
 ionic basis for rhythm, 22–24
 liver cells and, 89–90, 91–93, 279
 location and function, 21
 in mammals, 12–13
 mood disorders and, 638–642
 neuropeptide signaling and circadian
 synchronization in mice, 87–89
Per2 expression of, 95
 physiological functions of clocks
 outside of (*see* Retinal responses
 to light and circadian rhythms)
 physiological significance, 30–31
 Prok2 signaling and circadian output
 control in mice, 90–91
 role of electrical activity and, 21–22
 sleep regulation by, 42
 spatiotemporal organization (*see*
 Spatiotemporal organization of
 SCN circuits)
 spike activity in neurons, 23
 spike-associated conductances, 24
 structural connectivity, 26–27
 subthreshold basal potassium
 conductance and, 23–24
 time generation mechanism (*see* SCN
 time generation mechanism)
 transcription-translation feedback loop
 perturbation, 24–26
 SCN time generation mechanism
 adrenal gland and, 553–554
 clock coordination of cell function,
 551–552
 intracellular molecular oscillator, 551
 regulation of peripheral organs, 553
 synchrony of clock cells, 552–553
 ubiquitin-proteasome system study, 555
 Seasonal affective disorder (SAD), 624,
 630, 637
 Seasonally regulated tolerance of hearts to
 low Tb. *See* Hibernation
 Serotonergic projections, 26
 Serotonin, 573–574, 649
 Sex and circadian clock, 295
 Shaggy (SGG) protein
 in *Drosophila* clock model, 10,
 244–245, 439
 phosphorylation in *Drosophila* and,
 168

- Shaggy* gene, 218
SHANK3, 647
 SHP (small heterodimeric partner), 390–391
 Siberian chipmunk (*Tamias sibericus*), 38
 Silkworm (*Bombyx mori*), 434
 Single cell circadian systems. *See* Circadian systems of single cells
 Sirtuins in aging and disease
 background, 483
 calorie restriction, 483
 CR pathway and mitochondria, 484–485
 metabolic and stress-sensing pathways regulated by SIRT1, 483–484
 metabolic syndrome mitigation by SIRT1 mechanisms, 486–487
 mitochondrial biogenesis and damage protection, 485–486
 Sleep and rhythms
 aftereffects of entrainment, 36–37
 chronopharmacology, 43
 chronotypes, 41–42
 circadian rhythms disorders, 42–43
 differences between species, 35–36
 flip-flop model of sleep and wakefulness, 40–41
 historical use of rest/activity cycle, 35
 locomotor activity effect on rest/activity rhythm, 36
 measurement of human sleep architecture, 38–40
 monophasic vs. polyphasic sleep, 38
 neuroanatomic and neurophysiologic basis of, 40–41
 phase angle of entrainment, 36
 regulation by circadian pacemaker, 42
 rest/activity cycle in humans, 37
 rest/activity in natural day, 35–36
 rest/activity-sleep/wake timing in animals, 36–37
 sleep as an altered behavioral state, 37–38
 sleep cycles, 38–40
 sleep regulation models, 41–42
 Sleep control in *Drosophila*
 dopaminergic system, 567–569
 EGFR pathway, 565
 integration of sleep signals, 569–570
 manipulation of EGFR pathway and, 565–566
 Sleep debt, 295
 Sleep deprivation, 36
 Sleep deprivation and performance/safety, 589–591
 Sleep disorders, 590–591
 Sleep inertia, 590
 Sleep/wake cycle
 background, 573
 in *Drosophila* (*see* Sleep/wake cycle in *Drosophila*)
 in humans (*see* Sleep/wake cycle in humans)
 molecular correlates of sleep need, 574–576
 neurochemistry of sleep, 573–574
 study conclusions, 576–577
 Sleep/wake cycle in *Drosophila*
 entrainment of the clock to light, 558–559
 mapping of sleep-regulating loci, 560–561
 molecular basis of clock, 557–558
 molecules that regulate sleep, 561–562
 neuromodulatory system (*see* Sleep control in *Drosophila*)
 non-light extrinsic factors affecting it, 559–560
 study conclusions, 562–563
 usefulness as a sleep model, 560
 Sleep/wake cycle in humans, 274
 background to research, 579
 chronic sleep restrictions effects, 590
 circadian amplitude, 580–581
 circadian phase, 580
 circadian rhythm realignment, 591–592
 circadian system overview, 579–580
 dose-dependent resetting, 582–583
 drowsy driving, 591
 entrainment to light, 581
 future initiatives, 591–592
 homeostatic and circadian interaction, 587–588
 medical applications, 589–591
 melatonin, sleep, and alertness, 588–589
 period of the circadian system, 584–586
 phase-dependent resetting, 581–582
 phase-resetting effects of intermittent light, 584
 photoc history effects on resetting light responses, 584
 regulation of sleep/wake rhythm, 586–587
 sleep deprivation and performance/safety, 589–590
 sleep disorders, 590–591
 sleep inertia, 590
 wavelength sensitivity of circadian response to light, 583–584
 Slow-wave sleep (SWS), 39
 Smad6, 454
 Small heterodimeric partner (SHP), 390–391
 Smith–Magenis syndrome (SMS), 649
 Social Zeitgeber Theory, 637
 Socs3, 454
 Sodium channels and SCN master pacemaker, 24
 Somite segmentation clock
 background, 451
 Hes1 oscillation in non-PSM cells, 454
 Hes7 oscillation mathematical simulation, 452–453
 Hes7 oscillation mechanism in, 452
 other ultradian oscillators, 454–455
 possible significance of ultradian oscillations, 455
 real-time monitoring of *Hes* oscillations, 453
 study conclusions, 455–456
 Somitogenesis process, 445–448
 SP (substance P), 529
 Sparrows and photoreception, 500–502, 505
 Spatiotemporal organization of SCN circuits
 afferent inputs, 529–530
 changes in photoperiods and, 532–533
 changes in response to bimodal light/dark cycle, 533–534
 changes in response to constant light, 533
 core and shell functions, 531–532
 core and shell organization, 529
 core and shell specializations, 530
 core's role in SCN oscillation, 532
 distribution of peptidergic phenotypes, 529
 function of SCN, 527
 gap junctions, 530
 gates and oscillators, 534
 gating of light in the core, 532
 network organization, 528
 optimization principle, 528–529
 outputs, 530–531
 phase dispersion of SCN oscillators, 534–536
 study conclusions, 540
 tides and waves of spatial change, 536–540
 S phase of cell division, 465
 Spike threshold/rate, 21–22, 23
 SPINDLY (SPY), 17
spineless, 235
 Spiny mice (*Acomys* sp.), 616
 Sprague-Dawley rats (*Rattus norvegicus*), 38
 sPVZ (subparaventricular zone), 30–31, 530, 545–546
 Star protein, 565. *See also* Sleep control in *Drosophila*
 Structure and function of animal cryptochromes
 action spectra of photolyases, 124
 ATP binding and autokinase activity, 126
 blue light photoreceptor research, 119
 cryptochrome photocycle, 127
 cryptochrome role in cycle regulation, 128
 cryptochrome role in magnetoreception, 128
 DNA binding, 124–125
 history of research into, 119–121
 overview, 119
 photolyase/CRY family proteins structure, 122
 phototropin-like model, 127
 phylogeny and functional classification, 121–122
 protein–protein interactions, 125–126
 quaternary structure, 124
 reaction mechanism of photolyase, 122
 spectroscopic properties, 124
 trp triad, 126–127
 Structure and function of mammalian cryptochromes
 analysis methods, 136–137
 circadian core clock and, 135–136
 mCRY-binding partners study, 137
 opposite phenotypes study, 137
 photolyase/CRY protein family, 133
 photolyases and DNA repair, 133–134
 phototransduction and, 134–135
 PHR dimerization and evolution of the clock, 138
 transcription repression study, 137–138
 Subparaventricular zone (sPVZ), 30–31, 530, 545–546
 Substance P (SP), 529
 6-sulphatoxymelatonin (6-SM), 649
 SUMOylation, 108–109
 Suprachiasmatic nucleus (SCN). *See* SCN master pacemaker
 SWS (slow-wave sleep), 39
 Symposium synopsis, 655–659
Synechococcus adaptive sensor (SasA), 9–10, 335
Synechococcus elongatus
 clock basis (*see* KaiC phosphorylation cycle)

SUBJECT INDEX

673

- clock studies (*see* Bacterial circadian programs)
- connections between clock and cellular activities, 335–336
- emergence as a model organism, 331–332
- input, 8, 9f
- Kai oscillator, 332–334
- oscillator, 7–8
- oscillator connection with clock-controlled processes, 335
- oscillator connection with environmental cues, 334–335
- output, 9–10
- usefulness as a model for cyanobacteria, 336–337
- Syrian hamster (*Mesocricetus auratus*) biology of *tau* mutation (*see tau* mutation in hamsters)
- sleep cycle, 38
- temporal coupling between, 616
- Systems biology
- analysis of clocks, 367, 369–371
- as “biology after identification,” 365
- control of clocks, 371–373
- delay in feedback repression, 375–376
- design of clocks, 373–374
- development of approaches and their application to clocks, 365–366
- identification of clocks, 366–367, 368, 369
- mammalian circadian clock as a model system, 365
- nonlinearity of molecular mechanisms, 376
- perfect adaptation, 377
- photoperiodism, 377–378
- synchronization of clocks, 376–377
- temperature-compensation and, 376
- T**
- TAIR, 353
- Tamias sibericus* (Siberian chipmunk), 607. *See also* Hibernation
- Tan* mutants, 222, 223
- τ entrainment phase (TEP), 628–630
- Tau* mutation in hamsters
- accelerated clock’s impact on metabolism and activity, 269–270
- acceleration of period in CK1 ϵ mutation, 269
- action in peripheral tissues, 267–268
- background to research, 261
- CK1 ϵ action models, 265–266
- discovery in the Syrian hamster, 261–262
- endogenous protein degradation studies, 268–269
- gain of function, 417–418
- inhibition of CK1 ϵ , 416–417
- mouse model, 266–267
- Per 1* and *Per 2* expression, 170–171
- PER turnover, 265
- reversible protein phosphorylation in (*see* Protein phosphorylation)
- seasonal and photoperiodic time measurement, 263–265
- targeted clock proteins, 268
- ultradian and daily endocrine rhythms, 262–263
- Tb (body temperature), 607. *See also* Hibernation
- T cycles, 280
- Temperature
- clock synchronization by temperature cycles (*see* Temperature cycles and clock synchronization)
- compensation (*see* Temperature-compensation)
- loss of *Gonyaulax* rhythmicity at low temperature, 143
- Neurospora* clock and, 60
- Temperature-compensation
- chronobiology, 4
- cyanobacterial central oscillator and, 396
- effects on *Neurospora* clock, 65–67
- systems biology and, 376
- Temperature cycles and clock synchronization
- clock mutants and temperature entrainment, 235–236
- location of thermal receptors, 235
- neural substrates, 240
- nocte* and temperature entrainment, 236–237
- norpA* and temperature entrainment, 237–238
- overview, 233–235
- PDF neurons, 240
- role of transcriptional and posttranscriptional mechanisms, 238–239
- study results, 241
- temperature entrainment in LL and DD, 239–240
- temperature receptors in the fly, 235
- Temperature effects on clock function
- background to research, 599–600
- basis for temperature-dependent splicing of *dmp18*, 601–602
- Drosophila* as a model system, 600
- FRQ in *Neurospora* and mRNA splicing, 602–603
- light-induction of *tim* expression, 603–604
- study conclusions, 604–605
- thermal-sensitive splicing of *dmp18*, 600–601
- thermosensitive splicing, 603
- Temperature effects on *Neurospora* clock
- physiological limits for rhythmicity, 65
- temperature-compensation, 65–67
- temperature resetting, 64–65
- TEP (τ entrainment phase), 628–630
- Tetrodotoxin (TTX), 21–22
- Theory of mind, 645
- Thyroid hormones, 389, 432
- Thyroid-stimulating hormone (TSH), 649
- TIM. *See* Timeless (TIM) protein
- Time-compensated sun compass orientation
- ancestral clock of monarch butterfly, 116
- clock-compass neural connections, 116–117
- CRY2 discovery, 114–116
- focus for future studies, 117
- location of cellular clock in butterfly brain, 114, 115
- overview, 113–114
- Time course analysis of pituitary gene expression
- background to research, 381–382
- bioinformatics research, 383–384
- cycling transcripts analysis, 384–385
- statistical analysis, 383
- transcriptional profiling, 382–383
- TIME FOR COFFEE (TIC), 17
- Timekeeper* (*Tik*), 219
- Timeless (TIM) protein
- in *Drosophila* clock model, 439 (*see also* Molecular clock in *Drosophila*)
- interval timer (*see* PER/TIM/DBT interval timer)
- posttranslational mechanism and, 238–239
- sleep/wake cycle in *Drosophila* (*see* Sleep/wake cycle in *Drosophila*)
- timeless* gene
- interaction with checkpoint proteins, 461
- light-induction of *tim* expression, 603–604
- TIMING OF CAB EXPRESSION 1 (TOC1), 196–197, 258, 348
- TMN (tuberomammillary neurons), 40
- Total sleep deprivation (TSD), 638
- TRAC (transcription redox attractor cycle), 421. *See also* Period-doubling folds in cellular oscillator
- Transcriptional and translational levels regulation. *See* PTRO theory
- Transcriptional feedback and circadian pacemaker
- CLK role in clock cell specification, 80–81
- complexity in *Drosophila*, 76
- correlation between CLK-CYC complex activity and period length, 76–77
- CWO rhythmicity and, 77–80
- CYC-VP16 characterization, 76–77
- in *Drosophila* clock model (*see Drosophila* circadian oscillator)
- evolution of circadian clock, 81
- importance of phosphorylation, 76
- noncircadian cell CLK function, 78
- per* mRNA levels and period shortening, 77
- regulation of mammalian clock output (*see* Posttranscriptional regulation of mammalian clock output)
- research background, 75–76
- UAS-PER and, 77
- validity of TTFL model for cyanobacteria, 399–400
- Transcriptional/posttranslational regulatory feedback loops. *See also* Posttranscriptional regulation of mammalian clock output; Posttranslational control of *Neurospora* clock; Posttranslational photomodulation of circadian amplitude; PTRO theory
- A. thaliana*, 15–16
- in *D. melanogaster* (*see* PER/TIM/DBT interval timer)
- eukaryotic system oscillators, 10–12
- mammal oscillator, 12
- N. crassa*, 14–15
- Transcription redox attractor cycle (TRAC), 421. *See also* Period-doubling folds in cellular oscillator

- Transcription-translation feedback loop (TTFL)
D. melanogaster, 58–59
 mammals, 58–59
Neurospora clock, 58–59
 β TrCP, 258
 Trp triad, 126–127
 TSD (total sleep deprivation), 638
 TSH (thyroid-stimulating hormone), 649
 TTX (Tetrodotoxin), 21–22
 Tuberomammillary neurons (TMN), 40
 Tumor growth rate, 467
 Tumorigenesis. *See* Clock proteins, aging, and tumorigenesis
- U**
- UAS-PER, 77
UAS-vri transgene, 245
 Ultradian oscillators in somite segmentation clock. *See* Somite segmentation clock
- V**
- Valproate, 638, 641
 Vascular endothelial growth factor (VEGF), 101
 Vasoactive intestinal polypeptide (VIP), 25, 87–89, 377, 529
 Ventral tegmental area (VTA), 640
 Ventrolateral preoptic area (VLPO), 40, 591
 Ventromedial nucleus of the hypothalamus (VMH), 544
- Vertebrate segmentation clock
 amniote oscillators, 446
 clock and wave-front model, 445
 congenital scoliosis and, 447–448
 fish oscillator, 445–446
 synchronization of oscillations in PSM, 446–447
 wave front, 447
 Vesicular glutamate transporter 1 (vGLUT1), 101
 VIP (vasoactive intestinal polypeptide), 25, 87–89, 377, 529
Vipr2^{−/−} mice, 89–90
 VirtualPlant, 353
vivid (*vvd*), 64
 VIVID (VVD) protein, 15, 205–206
 VLPO (ventrolateral preoptic area), 40, 591
 VMH (ventromedial nucleus of the hypothalamus), 544
 Von Linne, Carl, 1
 VP16, 76–77
 VPAC2 receptor, 87–89, 377
 VPDPR (enterostatin), 289–290
 VRI. *See* *Drosophila* circadian oscillator
vrille (*vri*), 245
 VTA (ventral tegmental area), 640
- W**
- Wasabi, 384
 WCC. *See* White collar complex
 WC-FLO oscillator, 15–17
Wee-1, 91, 468
 White collar complex (WCC)
 blue light photoreceptor, 63
 CK1 α and FRQ-dependent phosphorylation, 180–181
 clock feedback loops (*see* Posttranslational control of *Neurospora* clock)
frq gene in *Neurospora* and, 59–62
 in *N. crassa*, 14–15
Widerborst (*Wdb*), 244
- X**
- Xenopus*, 150–151
- Y**
- Yeast metabolic cycle (YMC). *See also* *Saccharomyces cerevisiae*
 absence of oscillations in common yeast strains, 342
 background to study, 339
 biological function predictions based on temporal expression pattern, 340–341
 log-phase vs. continuous chemostat growth, 342–343
 metabolic phases of yeast cells, 340
 periodic transcription of genes, 341
 similarities to circadian cycle, 341–342
- Z**
- Zebra fish, 446–447
 Zeitgebers, 2, 279
 ZEITLUPE (ZTL), 16, 194–197, 258

Cold Spring Harbor Symposia on Quantitative Biology

Subject Index

Cold Spring Harb Symp Quant Biol 2007 72: 663-674
Access the most recent version at doi:[10.1101/sqb.2007.72.071](https://doi.org/10.1101/sqb.2007.72.071)

License

Email Alerting Service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or [click here](#).

To subscribe to *Cold Spring Harbor Symposia on Quantitative Biology* go to:
<http://symposium.cshlp.org/subscriptions>