Subject Index

A

AAVs (adeno-associated viruses), 203
AAVSI, 206
 AEBP2, 13–14. *See also* PRC2
 Ago1 (Argonaute), 260, 263, 264
 AGO5 and AGO9, 271–272
 Alternative splicing and chromatin
 chromatin modifications and
 recruitment of splicing factors,
 108–109
 chromatin remodelers and, 105–106
 conclusions, 109–110
 DNA replication and, 104–105
 factors regulating, 103–104
 kinetic coupling model, 104
 neuron depolarization, intragenic
 chromatin changes and, 106–
 107
 nucleosome positioning in exons, 109
 Pol II elongation role, 104
 recruitment model, 104
 region-specific silencing histone
 marks creation, 107–108
 AMPK, 25
 Anaphase-promoting complex/cyclosome
 (APC/C)
 functions during anaphase, 380
 identification as the anaphase trigger,
 377
 securins destruction during triggering
 phase, 377–378
 sister chromatid disfunction and, 379
 Aneuploidy
 cell proliferation defect origins, 448
 cellular-level effects, 445
 defined, 445
 evidence against a role in
 tumorigenesis, 448–449
 evidence supporting a role in
 tumorigenesis, 449
 future directions and conclusions, 450
 increased need for energy origins,
 447–448
 origins of phenotypes shared by
 aneuploid cells, 446
 protein stoichiometry imbalances,
 446–447
 shared phenotypes in aneuploid cells,
 445–446
 single chromosome model, 449
 tumorigenesis promotion model, 449–
 450
 APC/C. *See* Anaphase-promoting
 complex/cyclosome
 Apollo nuclease, 173
Arabidopsis thaliana and Pol IV and V. *See*
 RNA polymerases IV and V
 ARE-mediated decay pathway, 322
 Argonaute (Ago1), 260, 263, 264
 Asf1, 161, 265

ATM (ataxia telangiectasia mutated)
 kinase, 167, 170–172. *See also*
 Telomeric shelterin complex
 ATP-dependent chromatin-remodeling
 enzymes, 35. *See also* INO80
 family
 ATR (ataxia telangiectasia and Rad3
 related) kinase, 167, 170–172.
 See also Telomeric shelterin
 complex
 ATRX, 31–32
 AURKB regulation of XIST RNA, 347f,
 348
 Aurora B kinase
 Bub1-dependent H2A phosphorylation
 and shugoshin localization,
 420–421
 CDK1-dependent CPC
 phosphorylation and
 centromere targeting, 420
 conclusions, 422
 Haspin-dependent H3 phosphorylation
 and CPC targeting to
 centromeres, 421–422
 requirement of shugoshin for CPC
 targeting, 419–420
 role in destabilizing kinetochore MTs,
 380
 shugoshin-dependent centromeric
 protection, 419

B

baf-1, 562
 Barr body, 345–346, 347, 348, 351–352
 β -catenin, 229
 BER (base excision repair) pathway, 211,
 214–216. *See also* Epigenetic
 reprogramming of mouse germ
 cells
 β -globin gene, 502
 BGPI, 81–82. *See also* Insulator element
 (IE)
 Biorientation problem
 APC/C
 functions during anaphase, 380
 identification as the anaphase
 trigger, 377
 securins destruction during
 triggering phase, 377–378
 sister chromatid disfunction and,
 379
 artificial mitosis and, 379–380
 chromosome segregation, 375–376
 cohesin ring model, 380–381
 cohesin rings during S phase, 384
 cohesins' role in sister chromatid
 cohesion, 378–379
 indirect nuclear division significance,
 375

loss of cohesion and, 377
 mechanism for how DNAs enter the
 tripartite ring, 383–384
 ring model discussion, 382–383
 SCC2/4 complex and cohesin-loading
 reaction, 384–385
 sister chromatid cohesion's role in
 biorientation, 376–377
 sister separation triggering by cleavage
 of SCC1 subunit, 379
 summary, 385
 tripartite ring model testing, 381–382
 Bir1, 420
 Blebbed nuclei, 529, 530
 Blimp1/Prdm1, 212–213
 Bmi1, 63. *See also* Polycomb repressive
 complex 1 (PRC1)
 Bone morphogenetic proteins (BMPs), 44,
 229
 Brahma (Brm), 105
 BRCA1, 348
 Bub1-dependent H2A phosphorylation,
 420–421
 Budding yeast. *See* Yeast

C

Caenorhabditis elegans
 chromatin positioning during
 development
 accumulation of heterochromatic
 marks by high-copy transgenes,
 558–559
 conclusions, 562, 563f
 investigation into peripheral
 chromatin anchoring in *trans*,
 559–560
 lacO-tagged transgene used to
 monitor, 556
 materials and methods, 562, 563t,
 564
 pha-4 transgene, 556–558
 results of mutations of lamin-
 interacting factors, 562
 stochastic derepression at array-
 borne promoters, 560–562
 structure of chromatin's
 contribution to gene regulation,
 555
 8E stage in embryos, 557
 Cajal bodies (CBs) and histone locus
 bodies (HLBs)
 CB cross talk and heterogeneity, 368
 CBs and snRNP biogenesis, 365–367
 CBs function and organization, 313
 chromatin folding and, 468–469
 coilin protein and, 313, 314–316
 compartmentalization in cells, 365
 conclusions, 319, 372–373
 distinction between, 313

- Cajal bodies (CBs) and histone locus bodies (HLBs) (*continued*)
 distribution in *Drosophila* tissues and cell types, 318–319
 functional relationship between, 368
 histone pre-mRNA processing's regulation of CB organization, 372
 lack of CB in *Drosophila* mutants, 317–318
 materials and methods, 314
 nuclear SMN, coilin, and HLBs, 367–368
 self-assembly model, 368–369
 self-organization of nuclear bodies, 368–372
 transcription machinery and the HLB, 316–317
- cAMP (cyclic adenosine monophosphate), 227
- Cancer
 aneuploidy and
 evidence against a role in tumorigenesis, 448–449
 evidence supporting a role in tumorigenesis, 449
 tumorigenesis promotion model, 449–450
 epigenetics
 conclusions, 256
 in the context of the cancer stem cell model, 254–256
 differentiation programs in cancer, 252–253
 etiology of cancer and, 251–252
 iPSCs and reprogramming lessons, 253
 nuclear architecture role (*see* Nuclear architecture in cancer epigenetics)
 perinucleolar compartment and (*see* Perinucleolar compartment)
 H3K27 demethylases in, 46–47
- Catabolite activator protein (CAP), 227
- Catenation, 389–391
- CBP80-promoted mRNP rearrangements
 binding of IMP β to IMP α and promotion of replacement CBC by eIF4E, 129–130
- CBP80-supported translation and EJC constituents removal, 128–129
- conclusions, 132
- steps in remodeling, 127–128
- SURF formation during NMD, 130–132
- CBs. *See* Cajal bodies and histone locus bodies
- CD44* gene, 105
- CDEI, II, and III, 395–396, 397
- CDK (cyclin-dependent kinase), 135. *See also* DNA replication control
- Cell signaling via histone phosphorylation
 AMPK chromatin-based role, 25
 conclusions and future directions, 25–26
 histone modification, 23
 JAK2 kinase phosphorylation of histone H3, 24–25
 signal transduction into the nucleus via kinase recruitment, 23–24
- Cell-to-cell variability
 affect on transcription, 88–89
 conclusions and future directions, 91–92
 gene activation–transcription model evaluation, 87–88
- gene copy number, 90
 quantifying transcript heterogeneity, 90–91
 transcriptional elongation and variation in gene expression, 89–90
- cenH*, 260
- CenH3 nucleosomes. *See* Epigenetic inheritance of centromeres
- CENP-A assembly complexes, 54, 404–406. *See also* Centromeres
- Centriole life cycle
 birth and engagement, 425–426
 centriole number regulation
 consequences of too few or too many centrosomes, 427–428
 number control and Plk4, 428
 processes not requiring centrioles, 427
 processes requiring centrioles, 427
 spatial control, 428–429
 temporal control, 428
 consequences of centriole age
 asymmetry, 429
 end of the cycle, 429
 future directions and conclusions, 429–430
 pericentriolar material, 425
 structure, 425
- Centromeres
 activation of centromeric chromatin replication, 415
 Aurora B kinase and
 Bub1-dependent H2A phosphorylation and shugoshin localization, 420–421
 CDK1-dependent CPC phosphorylation and centromere targeting, 420
 conclusions, 422
 Haspin-dependent H3 phosphorylation and CPC targeting to centromeres, 421–422
 requirement of shugoshin for CPC targeting, 419–420
 role in destabilizing kinetochore MTs, 380
 shugoshin-dependent centromeric protection, 419
 cell cycle coupling of centromeric chromatin replication, 407–408
 CENP-A centromere targeting model, 413–414
 centromeric chromatin stability across mitotic divisions, 407
 conclusions, 415
 defined, 403
 epigenetic inheritance
 assembly of CenH3 nucleosomes, 54
 CenH3 nucleosomes, 51–52
 CenH3 nucleosomes induction of positive DNA supercoils, 55–56
 conclusions, 58
 discovery that *Drosophila* CenH3 nucleosomes are hemisomes, 54–55
 epigenetic mode explanation, 52–53
 modes of inheritance, 53–54
 neocentromeres, 51
 right-handed hemisomes controversies, 56–58
- epigenetic marking by CENP-A, 404–406
 epigenetic mechanism for centromere identity, 403–404
 epigenetic propagation of centromere identification and CENP-A, 406–407
 hemisome model and, 411–413
 heterochromatin at mouse pericentromeres
 centric and pericentric organization, 155–156, 157f
 conclusions, 163
 conservation of centromere organization and structure, 155
 contribution to centromere function, 155
 duplication of domains, 158
 duplication of pericentric heterochromatin, 161, 162f, 163
 formation during development, 156–158
 replication of pericentric heterochromatin, 158–161
 identification of a CENP-A-specific histone chaperone, 409–411
 implications of G₁ CENP-A assembly, 414–415
 recruitment of the constitutive centromere, 408–409
 RNAi and heterochromatin connection at
 conclusions, 280–281
 feedback of H3K9me on RNAi, 276–277
 heterochromatin induction by artificial sources of siRNAs, 277–278
 mechanisms contributing to heterochromatin assembly, 275–276
 Stc1mediation of RNAi-directed heterochromatin formation, 280
 tethering of Ctr4 to DNA, 279–280
 targeting of Aurora B kinase to
 Bub1-dependent H2A phosphorylation and shugoshin localization, 420–421
 CDK1-dependent CPC phosphorylation and centromere targeting, 420
 conclusions, 422
 Haspin-dependent H3 phosphorylation and CPC targeting to centromeres, 421–422
 requirement of shugoshin for CPC targeting, 419–420
 role in destabilizing kinetochore MTs, 380
 shugoshin-dependent centromeric protection, 419
 temporal control of CENP-A assembly, 408
- Cep3p homodimer, 396
- Charged domain. *See* Polycomb repressive complex 1 (PRC1)
- ChIP (chromatin immunoprecipitation), 24
- Chp2, 264
- Chromatin
 alternative splicing and chromatin modifications and

- recruitment of splicing factors, 108–109
- chromatin remodelers and, 105–106
- conclusions, 109–110
- DNA replication and, 104–105
- factors regulating, 103–104
- kinetic coupling model, 104
- neuron depolarization, intragenic chromatin changes and, 106–107
- nucleosome positioning in exons, 109
- Pol II elongation role, 104
- recruitment model, 104
- region-specific silencing histone marks creation, 107–108
- architecture and replication timing and control
 - biological significance of nuclear compartments, 150–151
 - conclusions, 151–152
 - developmental control of, 146
 - domains and foci, 143–144
 - epigenetic distinctions among cell types, 149
 - histone modifications' relationship with, 147–148
 - late replication as a barrier to reprogramming, 149–150
 - link to 3D chromatin architecture, 148–149
 - question of order of replication vs. transcription, 147
 - relationship with chromatin structure, 144
 - 3D organization and replication decision point, 144–146
 - transcription and the promoter-specific relationship, 146–147
- classifications, 11–12
- compaction
 - conservation in mouse PRC1 complex, 63–64, 65f
 - decompaction due to histone deacetylation, 73–77
 - evidence that histone ubiquitination by Ring1B is not required, 73
 - histone acetylation and, 73
 - histone deacetylation in the Polycomb pathway, 77
 - at *HOX* loci due to PRC, 71, 72f
 - mechanisms of transcriptional repression, 77
 - PRC1 role in compacting, 68–69
- facultative heterochromatin
 - ancillary PRC2 enzymatic subunits, 13–14
 - H3K27me3 role, 12
 - introduction to MBT domains, 14–16
 - L3MBTL1 complex, 16–17
 - L3MBTL2 complex, 17
 - phosphorylation of PRC2, 14
 - PRC2, 12–13
 - PR-Set7 and PCNA during DNA damage, 17
 - PR-Set7 degradation during DNA damage and the cell cycle, 17–19
 - PR-Set7 introduction, 17
 - recruitment of PRC2, 14
 - SIRT1, 19
- fiber density and pluripotency
 - chromosome territories, 245
 - conclusions, 249
 - electron spectroscopic imaging used to study, 245–246
 - global chromatin changes in development, 247–248
 - nuclear organization variation between cell types, 246–247
 - open chromatin formation, 248–249
- folding
 - conclusions, 470
 - genome interactomes, 465–466
 - genome regulation via local chromatin loops, 462–464
 - hub model, 453
 - insulator and PcG bodies, 466–467
 - interchromosomal interactions, 464–465
 - intranuclear movement of chromatin and nuclear bodies, 468–469
 - long-range intrachromosomal interactions, 464
 - mechanisms of nonrandom localization and, 461–462
 - modeling localization inside the cell nucleus, 469–470
 - models, 453
 - motifs, 458–459
 - nuclear compartments and protein kinetics, 467–468
- future directions and conclusions, 19–22
- H3.3 assembly pathways model
 - alternate pathways for deposition, 33
 - Daxx and ATRX assembly of chromatin, 31–32
 - deposition at regulatory elements, 32–33
 - HIRA complex and histone deposition, 31
- histone PTMS and, 11
- INO80 family of remodeling enzymes
 - description and function, 35–38
 - mechanisms for transcriptional regulation role, 39
 - regulatory and replicator roles, 39–41
 - SWR-C and H2A.Z catalysis, 38–39
- insulator element
 - condensed chromatin domain structure, 82, 83f
 - DNA methylation, 81–82
 - histone modifications, 80–81
 - other types of barriers, 82
- lamins' role in chromatin
 - modifications and organization, 529, 538–539
- mitotic chromosome structure
 - conclusions, 443
 - dynamic melted polymer chains, 443
 - explanation for EM viewing of 30-nm chromatin fibers, 441–442
 - implications of interphase chromatin structure, 442–443
 - model of, 442
 - nucleosome and 30-nm chromatin fiber, 439–440
 - observation of mitotic chromosomes in living cells, 440–441
 - polymer melt state, 442
- modifications
 - cofactors for Xist-RNA-mediated, 334–336
 - importance in the establishment or maintenance of Xist RNA, 341
 - lamins' role in, 529
 - recruitment of splicing factors and, 108–109
- pioneer factors in nuclear
 - conclusions, 224–225
 - correlation between nucleosome-binding affinity and nuclear mobility, 219–220
 - effect of deletions of CTD domain on nuclear mobility, 221–223
 - FoxA relationship to linker histones, 220–223
 - retention of Fox transcription factors and linker histone in mitotic chromatin, 223–224
 - salt elution profiles' relationship with FoxA1 and H1o mobility, 223
- positioning during *C. elegans* development (see Chromatin positioning during *C. elegans* development)
- primary regulators, 35
- replication's relationship with chromatin structure, 144, 148–149
- replication timing and control and biological significance of nuclear compartments, 150–151
 - conclusions, 151–152
 - developmental control of, 146
 - domains and foci, 143–144
 - epigenetic distinctions among cell types, 149
 - histone modifications' relationship with, 147–148
 - late replication as a barrier to reprogramming, 149–150
 - link to 3D chromatin architecture, 148–149
 - question of order of replication vs. transcription, 147
 - relation to chromatin structure, 144
 - 3D organization and replication decision point, 144–146
 - transcription and the promoter-specific relationship, 146–147
- sister (see Sister chromatin)
- structure, large-scale
 - conclusions, 459
 - correlations between transcriptional regulation and folding of interphase chromosomes, 453–454
 - demonstration of folding, 454–455
 - folding models, 453
 - folding motifs, 458–459
 - strategic approach to investigation of, 455–456
 - three generations of engineered chromosome regions, 456
 - transcriptional activation, 456–458
 - transcriptional activation and change in intranuclear positioning, 458
- structure, replication's relationship with, 144
- structure and etiology of cancer and, 251–252

- Chromatin (*continued*)
- structure and X inactivation
 - chromatin composition of inactive X chromosome, 337
 - DNA methylation, 338
 - heterogeneity of the inactive X chromosome's heterochromatin, 337–338
 - nuclear organization and high-order chromatin conformation, 338–339
 - three-dimensional organization
 - conclusions, 553
 - gene gating, 550–551
 - identification of lamins A, B, and C, 545–546
 - isolation of the NPC-lamina fraction, 545
 - nuclear envelope junctions, 552–553
 - nucleoporins, 546–548, 549f
 - structural observation using atomic resolution, 548–550
 - transport factors, 551–552
 - topography of transcription and splicing
 - chromatin domains functional
 - interactions with perichromatin region, 481, 484
 - conclusions and future directions, 488–489
 - current knowledge state, 475
 - function vs. structure in transcription and DNA replication, 487
 - interchromatin compartment and perichromatin region, 476
 - microscopic methods used, 476–477
 - perichromatin region and nuclear matrix, 485–487
 - perichromatin region functional
 - interactions with interchromatin compartment, 484–485
 - polymer melt and, 475–476
 - Ser5P-RNA Pol II and histone H2B-GFP, 479, 483f, 484f
 - 3D-SIM studies, 477–482, 485f, 486f
- Chromatin immunoprecipitation (ChIP), 24
- Chromatin positioning during *C. elegans* development
 - accumulation of heterochromatic marks by high-copy transgenes, 558–559
 - conclusions, 562, 563f
 - investigation into peripheral chromatin anchoring in *trans*, 559–560
 - lacO*-tagged transgene used to monitor, 556
 - materials and methods, 562, 563t, 564
- pha-4* transgene
 - copy-number dependency of peripheral attachments, 558
 - positions occupied in differentiated tissues, 557–558
 - random distribution in early embryos, 556–557
 - results of mutations of lamin-interacting factors, 562
 - stochastic derepression at array-borne promoters, 560–562
 - structure of chromatin's contribution to gene regulation, 555
- Chromosomal passenger complex (CPC), 419
- Chromosome conformation capture (3C), 461, 462, 493–494
- Chromosomes
 - cohesin and chromosome segregation
 - APC/C and, 377–380
 - artificial mitosis and, 379–380
 - chromosome segregation, 375–376
 - cohesin ring model, 380–381
 - cohesin rings during S phase, 384
 - cohesins' role in sister chromatid cohesion, 378–379
 - indirect nuclear division
 - significance, 375
 - loss of cohesion and, 377
 - mechanism for how DNAs enter the tripartite ring, 383–384
 - ring model problems, 383
 - ring model questions, 382–383
 - SCC2/4 complex and cohesin-loading reaction, 384–385
 - sister chromatid cohesion's role in biorientation, 376–377
 - sister separation triggering by cleavage of SCC1 subunit, 379
 - summary, 385
 - tripartite ring model testing, 381–382
 - interactomes
 - conclusions, 499
 - H19 ICR, 494–499
 - 3C method of study, 493–494
 - mitotic structure
 - conclusions, 443
 - dynamic melted polymer chains, 443
 - explanation for EM viewing of 30-nm chromatin fibers, 441–442
 - implications of interphase
 - chromatin structure, 442–443
 - model of, 442
 - nucleosome and 30-nm chromatin fiber, 439–440
 - observation of mitotic chromosomes in living cells, 440–441
 - polymer melt state, 442
 - segregation (*see* Sister chromatid, linkages and yeast chromosome segregation)
 - Smc5/6 complex
 - chromosome topology and, 183–185
 - components and structure, 179–180
 - nonrepair function, 183
 - repair function, 180–183
 - structure and transcriptional control (*see* Transcriptional control of cell state)
 - territories, 508
 - X-chromosome inactivation
 - architecture of (*see* XIST RNA)
 - chromatin structure and, 337–339
 - cofactors for XIST-RNA-mediated chromatin modifications and silencing, 334–336
 - heterogeneity in establishment of Xist-RNA-mediated silencing, 336–337
 - hierarchy in induction of chromatin changes during, 340–341
 - importance of chromatin modifications in the establishment or maintenance of, 341
 - transcriptional silencing by Xist, 333
 - Xist-mediated regulation of transcription and chromatin structure, 333–334
 - Xist RNA's role in altering chromatin states, 339–340
- Circular chromosome conformation capture (4C), 464, 496
- Clr4, 262, 263
- c-Myc transcription factor, 2, 238, 240–241, 252–253
- Cohesin
 - chromosome segregation and
 - APC/C and, 377–380
 - artificial mitosis and, 379–380
 - chromosome segregation, 375–376
 - cohesin ring model, 380–381
 - cohesin rings during S phase, 384
 - cohesins' role in sister chromatid cohesion, 378–379
 - indirect nuclear division
 - significance, 375
 - loss of cohesion and, 377
 - mechanism for how DNAs enter the tripartite ring, 383–384
 - ring model discussion, 382–383
 - SCC2/4 complex and cohesin-loading reaction, 384–385
 - sister chromatid cohesion's role in biorientation, 376–377
 - sister separation triggering by cleavage of SCC1 subunit, 379
 - summary, 385
 - tripartite ring model testing, 381–382
 - complex and rings, 391–392
 - condensin mutants' function and, 393
 - connecting of gene expression and chromatin architecture, 230–231
 - recruitment during S phase, 307
- Coilin protein, 313, 314–316, 367–368
- Cot-1 DNA, 353, 354
- Cotranscriptional histone methylations
 - conclusions, 99–100
 - H3K36 methylation and the Set2/RPD3S pathway, 96–97
 - H3K4 dimethylation and the Set1/Set3C pathway, 97–99
 - H3K4 trimethylation at active promoters, 99
 - histone methylations associated with transcription, 95–96
- CPC (chromosomal passenger complex), 419
- Cryptic unstable transcripts (CUTs), 301
- Csm1p, 399
- CTCF, 79–80, 494–495. *See also* Insulator element (IE)
- CTs (chromosome territories), 508
- Cut2*, 377
- CUTs (cryptic unstable transcripts), 301
- C-value paradox, 610–611
- Cyclic adenosine monophosphate (cAMP), 227
- Cyclin-dependent kinase (CDK), 135–136
- D**
- DamID, 518
- DASH/Dam1 complex, 398
- Daxx, 27–28, 29, 30f, 31–32. *See also* Histone H3.3
- dg* and *dh* repeats, 260
- Dicer (*Dcr1*), 260, 263
- DMR1, 494
- DNA methylation
 - barriers against heterochromatin spread, 81–82

chromatin structure and X inactivation, 338

demethylation and epigenetic reprogramming of mouse germ cells, 214–216

demethylation requirement for reprogramming, 197

epigenetic inheritance and, 53

epigenetic reprogramming in plants and, 270

etiology of cancer and, 251–253

nuclear architecture of cancer and conclusions, 512–513

epigenetic deregulation in cancer, 507–508

organization of gene regulation, 508

structural and compositional changes of cancer nuclei, 508–509

structure alterations role, 509–512

X-chromosome inactivation and, 338

DNA replication control

conclusions, 140

control of initiation, 138–139

regulation of origin firing, 139–140

regulation of pre-RC assembly

CDK and, 135–136

implications of redundant inhibitory pathways, 138

inhibitory pathways contributing to preventing rereplication, 136

possible reasons for multiple rereplication-prevention mechanisms, 137–138

two-step system controlling initiation, 135, 136f

DNMT3B, 359–360

Dobzhansky–Muller system, 53

Double-strand DNA breaks (DSBs), 201

DRB sensitivity-inducing factor (DSIF), 2

Drosophila

CBs and HLBs in (*see* Cajal bodies [CBs] and histone locus bodies [HLBs])

discovery that CenH3 nucleosomes are hemisomes, 54–55

heat shock system (*see* Heat-shock-mediated gene transcription)

Zeste protein interaction with PRC1, 66–68

DSBs (double-strand DNA breaks), 201

DSIF (DRB sensitivity-inducing factor), 2

E

E145K, 529

ECM1, 328

EED, 12–13. *See also* Chromatin

eIF4E-bound mRNPs. *See* CBP80-promoted mRNA rearrangements

8E stage in *C. elegans* embryos, 557

Electron spectroscopic imaging (ESI), 245–246

Embryonic stem cells (ESCs)

pluripotency and reprogramming of (*see* Modulation of pluripotency and reprogramming)

transcriptional control of cell state and (*see* Transcriptional control of cell state)

EMR-1/LEM-2, 562

ENCODE data, 325, 326f

Epigenetic inheritance of centromeres

assembly of CenH3 nucleosomes, 54

CenH3 nucleosomes, 51–52

CenH3 nucleosomes induction of positive DNA supercoils, 55–56

conclusions, 58

discovery that *Drosophila* CenH3 nucleosomes are hemisomes, 54–55

epigenetic mode explanation, 52–53

modes of inheritance, 53–54

neocentromeres, 51

right-handed hemisome controversies, 56–58

Epigenetic reprogramming of mouse germ cells

active DNA demethylation

mechanism, 214–215

conclusions, 216–217

establishment of PGCs, 211, 212f

following entry into developing gonads, 214

link among ssDNA breaks, BER, and DNA demethylation, 215–216

maintenance of unipotency, 214

origin of germ cells in mice, 211

PGC specification and initiation of epigenetic reprogramming, 212–213

triggering of BER at time of active DNA demethylation, 216

eRF1 and eRF3, 130–132. *See also* CBP80-promoted mRNA rearrangements

ESCs. *See* Embryonic stem cells

ESI (electron spectroscopic imaging), 245–246

Esp1, 379

Euchromatin, 11–12

Exon-junction complexes (EJCs), 127

EZH2, 12–13. *See also* Chromatin

F

Facultative heterochromatin

ancillary PRC2 enzymatic subunits, 13–14

introduction to MBT domains, 14–16

L3MBTL1 complex, 16–17

L3MBTL2 complex, 17

phosphorylation of PRC2, 14

PRC2, 12–13

PR-Set7 and PCNA during DNA damage, 17

PR-Set7 degradation during DNA damage and the cell cycle, 17–19

PR-Set7 introduction, 17

recruitment of PRC2, 14

SIRT1, 19

FCCS (fluorescence cross-correlation spectroscopy), 119–120

FCS. *See* Fluorescence correlation spectroscopy

FFS (fluorescence fluctuation spectroscopy), 118

FG nups (phenylalanine-glycine), 547, 567. *See also* Nucleocytoplasmic transport

Fission yeast. *See* *Schizosaccharomyces pombe*

FLO11 promoter, 305

Fluorescence correlation spectroscopy (FCS), 114, 118, 120

Fluorescence cross-correlation spectroscopy (FCCS), 119–120

Fluorescence fluctuation spectroscopy (FFS), 118

Fluorescence in situ hybridization (FISH), 122

Fluorescence recovery after photobleaching (FRAP), 113–114

Fluorescence resonance energy transfer (FRET), 114

Fok1, 204–205

Folding, chromatin

conclusions, 470

genome interactomes, 465–466

genome regulation via local chromatin loops, 462–464

hub model, 453

insulator and PcG bodies, 466–467

interchromosomal interactions, 464–465

intranuclear movement of chromatin and nuclear bodies, 468–469

long-range intrachromosomal interactions, 464

mechanisms of nonrandom localization and, 461–462

modeling localization inside the cell nucleus, 469–470

models, 453

motifs, 458–459

nuclear compartments and protein kinetics, 467–468

4C (circular chromosome conformation capture), 464, 496

Fox (forkhead box) DNA-binding domain. *See* Pioneer factors in nuclear chromatin

FRAP. *See* Fluorescence recovery after photobleaching

FRET. *See* Fluorescence resonance energy transfer

G

G₁ CENP-A assembly, 414–415

GAL genes, 299–301

Gene expression

connecting with chromatin

architecture, 230–231

information gained from fluctuations in copy number, 122–123

nuclear lamina and

chromatin density at the NL, 517–518

conclusions and future directions, 522

gene silencing and, 521–522

genome interactions with NPCs, 522

lamina-associated domains, 518–520, 521f

molecular mapping interactions by DamID, 518

nuclear physics and

conclusions, 123

dependence on random collisions of diffusing factors, 113

fluctuation analysis, 118

fluctuation-based measurements of mobility and molecular interactions, 118–120

information gained from fluctuations in mRNA copy number, 122–123

kinetic modeling of enzymatic schemes using FRAP, 113–118

- Gene expression (*continued*)
 methods for observing molecular interactions, 113–114
 search for a global model of nuclear mobility, 120–122
 regulation role of NPC
 chromatin looping, 592–593
 in developmental gene regulation, 590
 functional involvement in gene activation, 590–591
 gene-gating hypothesis, 590
 human disorders and, 590
 interactions with chromatin, 591–592
 molecular roles and mechanisms of physical interactions, 592
 possible model of mechanisms for, 593–594
 transcriptional elongation and variation in, 89–90
- Gene targeting in iPSCs
AAVS1 as a safe-harbor locus in hESCs, 206–207
 conclusions, 207
 mouse embryonic stem cells and, 201–202
 off-target site alterations, 207
 strategies for hESCs, 202–203
 targeting of *OCT4* and *PITX3* loci, 205
 zinc-finger nucleases, 203–205, 206t
- Genetic analysis of nuclear bodies. *See* Cajal bodies (CBs) and histone locus bodies (HLBs)
- Germline reprogramming of heterochromatin in plants
 conclusions, 272
 euchromatin compared to heterochromatin, 269
 in the germline, 270
 of heterochromatin in pollen, epigenetic, 270–271
 RNA silencing and heterochromatic formation in plants, 269–270
 role of siRNAs in inheritance and germ-cell fate, 272
 siRNA silencing in immature oviducts, 271–272
 siRNA silencing in immature seeds, 272
 transposable elements and, 269
gwls4 array, 558–559, 560–562
- H**
- H19* ICR (imprinting control region), 464–465
 broad investigation of, 497–499
 CTCF-binding sites and, 494–495
 long-range function in *trans*, 495–496
 transfer of epigenetic information in *trans*, 496–497
- H2A-pS121, 421
 H2A.Z histone variant, 38–39, 307, 309
 H2B-GFP, 479, 483f, 484f
 H3.3. *See* Histone H3.3
 H3K27me3
 demethylases Jmjd3 and UTX
 conclusions, 47
 described, 43
 gene silencing by PcG proteins, 43
HOX genes regulation by, 45–46
 in human cancers, 46–47
 Jmjd3 role in neuronal commitment, 44–45
 Jmjd3 vs. UTX's role in up-regulation, 45
 overview of transcriptional regulation role, 47f
 in senescence, 46
 UTX's mediation of H3K27me3 demethylation, 45
 lamina-associated domains and, 519
 replication timing and, 147–148
 role in facultative heterochromatin, 12
 X-chromosome inactivation and, 338, 340
 H3K36 methylation, 96–97
 H3K4 dimethylation, 97–99
 H3K4me3 and H4K8ac, 479, 481, 485f
 H3K4 trimethylation, 99
 H3K9me2, 519
 H3K9me3, 95–96, 147–148, 259–260. *See also* Cotranscriptional histone methylations
 H3Y41ph, 24–25
 H4K20me1, 12, 17
 Hairpins as inducers of heterochromatin, 277–278
 Haspin, 421–422
 HAVANA group (Sanger Institute), 326f
Hbb or *Hba* globin genes, 503
 HDACs (histone deacetylases), 19
 HDR (homology-directed repair), 167, 173–174
 Heat-shock-mediated gene transcription
 conclusions and future directions, 6–7
 HSF as the master regulatory protein
 function as an acidic activator, 4
 targeting of HS DNA elements based on chromatin structure, 2–4
 HSF precipitation of nucleosome loss
 chromatin dynamics studies, 5
 compartmentalization of transcription, 5–6
 PARP and changes in chromatin structure, 5
 perspectives and conclusions, 6–7
 polystyrene chromosomes and HS puffs, 4–5
 promoter-proximal pausing
 characterization of paused RNA Pol II, 1–2
 pausing step in the transcription cycle, 2
 release from the pause, 2
 Hemisome model of centromeric nucleosomes, 411–413
 Hemisomes, 54–55
Herpesvirus saimiri (HVS), 321
Herpesvirus saimiri U-rich RNAs (HSURs), 321
 hESC (human embryonic stem cells), 201. *See also* Gene targeting in iPSCs; Human pluripotent cells and gene targeting
 Heterochromatin, 11–12
 assembly in fission yeast
 alternative mechanisms, 262–263
 conclusions, 264–265
 H3K9 methylation and, 259–260
 nucleosome positioning and TGS, 263–264
 Pol II transcription of centromeric repeats, 262
 RNAi-mediated degradation of repeat RNAs, 260–262
 RNA surveillance functions, 264
 spreading mechanisms, 263
 connection at centromeres with RNAi
 conclusions, 280–281
 feedback of H3K9me on RNAi importance, 276–277
 heterochromatin induction by artificial sources of siRNAs, 277–278
 mechanisms contributing to heterochromatin assembly, 275–276
 Stc1 mediation of RNAi-directed heterochromatin formation, 280
 tethering of Ctr4 to DNA, 279–280
 facultative (*see* Facultative heterochromatin)
 at mouse pericentromeres
 centric and pericentric organization, 155–156, 157f
 conclusions, 163
 conservation of centromere organization and structure, 155
 contribution to centromere function, 155
 duplication of domains, 158
 duplication of pericentric heterochromatin, 161–163
 formation during development, 156–158
 replication of pericentric heterochromatin, 158–161
 in plants (*see* Germline reprogramming of heterochromatin in plants)
 Heterokaryons, 193
 Heterospecies partition (HSP) analysis, 120
 HGPS (Hutchinson–Gilford progeria syndrome), 529
 Hi-C method, 494
 HIRA, 27–28, 29, 30f, 265. *See also* Histone H3.3
 HIS-24::mCherry, 557
 Histone deacetylases (HDACs), 19. *See also* Chromatin, compaction
 Histone H3.3
 biochemical fractionation of H3.3-containing complexes, 28–29
 chromatin assembly pathways model
 alternate pathways for deposition, 33
 Daxx and ATRX assembly of chromatin, 31–32
 deposition at regulatory elements, 32–33
 HIRA complex and histone deposition, 31
 conclusions, 33
 functions of histone chaperones, 27
 genetic dissection of complexes, 29
 HIRA and Daxx complexes' binding of, 29, 30f
 identification of Daxx and HIRA, 27–28
 JAK2 kinase phosphorylation of, 24–25
 materials and methods, 28
 predeposition complexes questions, 30
 protein specificity studies, 27
 Histone locus bodies (HLBs). *See* Cajal bodies and histone locus bodies
 Histones
 centromere identity and CENP-A (*see* Centromeres)
 methylations
 cotranscriptional, 95–100

- etiology of cancer and, 251–252
nuclear lamins and, 529
modification
 barriers against heterochromatin spread, 80–81
 histone acetylation and chromatin compaction (*see* Chromatin, compaction)
 mechanisms of efficient reprogramming and, 197
 replication timing and control and, 147–148
modifying enzymes, 35
phosphorylation
 AMPK chromatin-based role, 25
 conclusions and future directions, 25–26
 histone modification, 23
 JAK2 kinase phosphorylation of histone H3, 24–25
 signal transduction into the nucleus via kinase recruitment, 23–24
 variants, 35
HJURP (Holliday junction recognition protein), 409, 410–411, 413–414
HLBs. *See* Cajal bodies and histone locus bodies
Homology-directed repair (HDR), 167, 173–174. *See also* Telomeric shelterin complex
HOX loci, 45–46, 71, 72f
HR (homologous recombination DNA repair pathway), 201. *See also* Gene targeting in iPSCs
HSF (heat shock factor). *See* Heat-shock-mediated gene transcription
HSP (heterospecies partition) analysis, 120
Hsp70. *See* Heat-shock-mediated gene transcription
HSURs (*herpesvirus saimiri* U-rich RNAs), 321
Human embryonic stem cells (hESCs), 201. *See also* Gene targeting in iPSCs; Human pluripotent cells and gene targeting
Human pluripotent cells and gene targeting
 AAVS1 as a safe-harbor locus in hESCs, 206–207
 conclusions, 207
 mouse embryonic stem cells and, 201–202
 off-target site alterations, 207
 strategies for hESCs, 202–203
 targeting of *OCT4* and *PITX3* loci, 205
 zinc-finger nucleases
 function, 203–205
 mediated targeting in human somatic cells, 205, 206f
Hutchinson–Gilford progeria syndrome (HGPS), 529
HVS (*herpesvirus saimiri*), 321
- I**
IC (interchromatin compartment), 476
IF (intermediate filament) proteins. *See* Nuclear lamina (NL)
IME4 gene, 302
IMP β binding to IMP α , 129–130
Induced pluripotent stem cells (iPSCs). *See also* Pluripotency
 gene targeting in
 AAVS1 as a safe-harbor locus in hESCs, 206–207
 conclusions, 207
 mouse embryonic stem cells and, 201–202
 off-target site alterations, 207
 strategies for hESCs, 202–203
 targeting of *OCT4* and *PITX3* loci, 205
 zinc-finger nucleases, 203–205, 206f
Inhibitors of growth (INGs), 99
INO80 family
 description and function, 35–38
 mechanisms for transcriptional regulation role, 39
 regulatory and replicator roles, 39–41
 SWR-C and H2A.Z catalysis, 38–39
Insulator element (IE)
 barriers against heterochromatin spread
 condensed chromatin domain structure, 82, 83f
 DNA methylation, 81–82
 histone modifications, 80–81
 other types of barriers, 82
 conclusions, 84
 defined, 79
 enhancer-blocking role and CTCF, 79–80
Interactomes, chromosome
 chromatin folding and, 465–466
 conclusions, 499
H19 ICR
 broad investigation of, 497–499
 CTCF-binding sites and, 494–495
 long-range function in *trans*, 495–496
 transfer of epigenetic information in *trans*, 496–497
3C method of study, 493–494
Interchromatin compartment (IC), 476
Intermediate filament (IF) proteins. *See* Nuclear lamina (NL)
iPSCs. *See* Induced pluripotent stem cells (iPSCs)
- J**
Jak2 (Janus kinase 2), 24
JARID2, 13–14. *See also* PRC2
Jmjd3 and UTX (H3K27 demethylases)
 conclusions, 47
 described, 43
 gene silencing by PcG proteins, 43
 HOX genes regulation by, 45–46
 in human cancers, 46–47
Jmjd3 role in neuronal commitment, 44–45
Jmjd3 vs. UTX's role in up-regulation, 45
overview of transcriptional regulation role, 47f
in senescence, 46
UTX's mediation of H3K27me3 demethylation, 45
Jumonji C (JmjC) domain, 43
- K**
Klf4 transcription factor, 240–241
K27me, 95–96. *See also* Cotranscriptional histone methylations
Kap β and kap α families, 551
Karyopherins (kaps), 567. *See also* Nucleocytoplasmic transport
KASH domains, 552
Kinetochores
 biorientation problem and, 376
 centromeric platform, 395–397
 conclusions, 399
 function and organization, 395, 396f
 intermediate connections, 399–400
 Ndc80 complex and microtubule attachment, 397–399
 protein Ska3/Ram1 (*see* Ska3/Ram1)
Klf1 (Kruppel-like factor), 503–504
KLF4 transcription factor, 253
- L**
L3MBTL1 complex, 16–17
L3MBTL2 complex, 17
lacO-tagged transgene, 556
Laminopathies, 529, 533, 539
Lamins. *See* Nuclear lamina
LAP2 α , 536–538
LEM-2, 562
Licensing, 135
LIF (leukemia inhibitory factor), 229
LINE-1 elements, 336, 349–351, 353, 354
Linker histone H1. *See* Pioneer factors in nuclear chromatin
LMNA. *See* Nucleoplasmic lamins
Long noncoding RNAs (ncRNAs)
 conclusions, 330
 identifying from ENCODE data, 325, 326f
 regulation in keratinocyte development, 327–328
 RNA-dependent regulation of protein-coding genes, 328–330
 similarity to protein-coding genes, 326–327
 transcriptional enhancers and, 330
 transcriptional silencing role, 325
Loop/scaffold chromatin folding model, 453
Lrs4p, 399
- M**
MBT (malignant brain tumor) domain, 14–17
mCherry, 556. *See also* Chromatin positioning during *C. elegans* development
Mediator, 230–231
MEFs (mouse embryonic fibroblasts), 446
Messenger ribonucleoproteins (mRNPs), 127, 552. *See also* CBP80-promoted mRNP rearrangements
Metaphase II oocytes, 190–192
Methylations. *See* DNA methylation; Histone, methylations
microRNAs (miRNAs), 252, 321–323
MIND complex, 399
Mis18, 408
Mis18:KNL2 proteins, 413–414
Mitotic chromosome structure
 conclusions, 443
 dynamic melted polymer chains, 443
 explanation for EM viewing of 30-nm chromatin fibers, 441–442
 implications of interphase chromatin structure, 442–443

Mitotic chromosome structure (*continued*)
 model of, 442
 nucleosome and 30-nm chromatin fiber, 439–440
 observation of mitotic chromosomes in living cells, 440–441
 polymer melt state, 442
Mix11, 202
 Modulation of pluripotency and reprogramming
 conclusions, 243
 mapping of transcription factor-binding sites, 238
 Oct4, Sox2, and Nanog transcription factors, 237–238
 species-specific differences of Oct4 and Nanog binding, 238–240
 transcription factor reprogramming codes, 240–241
 by transcription factors, 241–243
 Morphogenetic protein 4 (BMP4), 229
 Mouse
 chromatin compaction conservation in, 63–64, 65f
 embryonic fibroblasts, 446
 epigenetic reprogramming of germ cells
 active DNA demethylation mechanism, 214–215
 conclusions, 216–217
 establishment of PGCs, 211, 212f
 following entry into developing gonads, 214
 link among ssDNA breaks, BER, and DNA demethylation, 215–216
 maintenance of unipotency, 214
 origin of germ cells in mice, 211
 PGC specification and initiation of epigenetic reprogramming, 212–213
 triggering of BER at time of active DNA demethylation, 216
 gene targeting in ESCs, 201–202
 heterochromatin at pericentromeres centric and pericentric
 organization, 155–156, 157f
 conclusions, 163
 conservation of centromere organization and structure, 155
 contribution to centromere function, 155
 duplication of domains, 158
 duplication of pericentric heterochromatin, 161–163
 formation during development, 156–158
 replication of pericentric heterochromatin, 158–161
 mRNA
 alternative splicing and (*see* Alternative splicing and chromatin)
 cell-to-cell variability, 87–88
 gene expression information gained from fluctuations in copy number, 122–123
 mRNPs (messenger ribonucleoproteins), 127, 552. *See also* CBP80-promoted mRNP rearrangements
myo-3 promoter, 558

N

Nanog transcription factor, 227–229, 237–

240. *See also* Modulation of pluripotency and reprogramming; Transcriptional control of cell state
 NCAM140 and 180, 106
 ncRNA. *See* Noncoding RNA
 Ndc80 complex, 397–399
 NE (nuclear envelope), 525, 533. *See also* Nuclear lamina (NL)
 NEBD (nuclear envelope breakdown), 527–528
 NEJs (nuclear envelope junctions), 545, 552–553. *See also* Nuclear lamina (NL)
 NELF (negative elongation factor), 2
 NER (nucleotide excision repair), 214
 NHEJ (nonhomologous end joining), 167, 172–173, 201–202. *See also* Telomeric shelterin complex
 NL. *See* Nuclear lamina
 NLS (nuclear localization signal), 525
 NMD (nonsense-mediated messenger RNA [mRNA] decay), 127, 130–132. *See also* CBP80-promoted mRNP rearrangements
nmt1 and *nmt2*, 305–310
 Noggin, 44
 Noncoding RNA (ncRNA)
 affinity of for Xist parent chromosome, 347–348
 connections and yeast
 antisense transcription, 309–310
 conclusions, 310
 transcriptional interference and gene silencing caused by, 301–302, 303–304f, 305
 transcriptional read-through at convergent genes, 306–309
 transcription interference between *GAL* genes, 299–301
 transcription interference in fission yeast, 305–310
 decay induced by viral
 ARE-mediated decay pathway involvement, 322
 conclusions, 323
 HSUR1 and degradation of miR-27, 321–323
 HVS and HSURs in monkeys, 321
 RNA Pol II and, 360–361, 362f
 in sense and antisense orientation
 acetylation's regulation of interaction of TIP5 with pRNA, 358–359
 antisense RNA degradation by the exosome, 362
 antisense transcript's down-regulation of Pol I transcription, 362–363
 conclusions, 363
 epigenetic regulation role, 357
 intergenic transcripts and NoRC-dependent silencing of rRNA genes, 358
 NoRC silencing of a subset of rRNA genes, 357
 pRNA recruitment of DNMT3B to rDNA, 359–360
 rDNA transcription in antisense orientation by RNA Pol II, 360–361, 362f
 transcription compartmentalization and, 504
 Xist ncRNA, 504

Nonhomologous end joining (NHEJ), 167, 172–173, 201–202. *See also* Telomeric shelterin complex
 Nonsense-mediated messenger RNA (mRNA) decay (NMD), 127. *See also* CBP80-promoted mRNP rearrangements
 NoRC silencing of a subset of rRNA genes, 357, 358, 359f
 NPC (nuclear pore complex), 533. *See also* Nuclear lamina (NL)
 NRO (Nuclear run-on) assays, 2
 Nse proteins, 179. *See also* Smc5/6 complex
 NuA3, 99
 Nuclear architecture in cancer epigenetics
 conclusions, 512–513
 epigenetic deregulation in cancer, 507–508
 organization of gene regulation, 508
 structural and compositional changes of cancer nuclei, 508–509
 structure alterations role
 allele heterochromatic compartment associations and, 510
 CTCF's prevention of hypermethylation, 511–512
 epigenetic plasticity and, 512
 gene-centric interactions' role in aberrant silencing, 510–511
 lack of correlation between radial gene position and gene activity, 509–510
 reprogramming of epigenetic information by, 512
 Nuclear envelope (NE), 525, 533. *See also* Nuclear lamina (NL)
 Nuclear envelope-associated structures
 chromatin position and (*see* Chromatin positioning during *C. elegans* development)
 conclusions, 553
 gene gating, 550–551
 identification of lamins A, B, and C, 545–546
 isolation of the NPC-lamina fraction, 545
 nuclear envelope junctions, 552–553
 nucleoporins, 546–548, 549f
 structural observation using atomic resolution, 548–550
 transport factors, 551–552
 Nuclear envelope breakdown (NEBD), 527–528
 Nuclear envelope junctions (NEJs), 545, 552–553. *See also* Nuclear lamina (NL)
 Nuclear lamina (NL)
 biochemical properties, 525–526
 classifications, 533
 in genome organization and gene expression
 chromatin density at the NL, 517–518
 conclusions and future directions, 522
 gene silencing and, 521–522
 genome interactions with NPCs, 522
 lamina-associated domains, 518–520, 521f
 molecular mapping interactions by DamID, 518
 identified as IF proteins, 525

- lamin meshwork disassembly during
NE breakdown, 527–528
- lamin polymerization role during in
vitro assembly, 528–529
- nucleoplasmic
conclusions, 539
functions within the nuclear
interior, 537–539
regulation of, 535–537
role in development of
laminopathies, 539
structure and dynamics, 534–535
- organization, 526–527
- reassembly of lamins, 528–529
- requirement to maintain gene arrays at
the NE, 559–560
- results of mutations of lamin-
interacting factors, 562
- role in chromatin modifications and
epigenetics, 529
- role in chromatin organization, 529
- role in DNA replication, 530
- structure, 533–534
- transcription and, 530
- Nuclear localization signal (NLS), 525
- Nuclear mobility and mitotic chromosome
binding. *See* Pioneer factors in
nuclear chromatin
- Nuclear physics and gene expression
conclusions, 123
dependence on random collisions of
diffusing factors, 113
fluctuation analysis, 118
fluctuation-based measurements of
mobility and molecular
interactions, 118–120
information gained from fluctuations in
mRNA copy number, 122–123
kinetic modeling of enzymatic
schemes using FRAP
making transcription predictions,
115–118
nuclear mobility, 114–115
polymerase observations, 115
transcription kinetics, 115
methods for observing molecular
interactions, 113–114
search for a global model of nuclear
mobility, 120–122
- Nuclear pore complex (NPC)
biogenesis of
fusion of inner and outer nuclear
membranes, 589
interphase NPC assembly, 588–589
molecular mechanisms involved,
585–586
postmitotic NPC assembly steps,
586–588
function and organization, 533, 545,
585, 586f
function of NE and, 517
gene expression regulation role
chromatin looping, 592–593
in developmental gene regulation,
590
functional involvement in gene
activation, 590–591
gene-gating hypothesis, 590
human disorders and, 590
interactions with chromatin, 591–592
molecular roles and mechanisms
of physical interactions, 592
possible model of mechanisms for,
593–594
- interactions with genome, 522
- nucleocytoplasmic transport through
(*see* Nucleocytoplasmic
transport)
- as a scaffold for other processes, 578
- structure connected to the transport
mechanism, 578
- Nuclear reprogramming
cell fusion, 193, 195
conclusions, 198
criteria for the efficiency of, 190
defined, 189
induced pluripotency, 196
mechanisms of efficient
reprogramming, 196–198
nuclear transfer to enucleated eggs,
190–192
nuclear transfer to oocytes in first
meiotic prophase, 192–193, 194f
stability of the differentiated state, 189
transcription-factor-induced lineage
switch, 195
- Nuclear run-on (NRO) assays, 2
- Nuclear topography of transcription and
splicing
chromatin domains functional inter-
actions with perichromatin
region, 481, 484
conclusions and future directions, 488–
489
current knowledge state, 475
function vs. structure in transcription
and DNA replication, 487
interchromatin compartment and
perichromatin region, 476
microscopic methods used, 476–477
perichromatin region and nuclear
matrix, 485–487
perichromatin region functional inter-
actions with interchromatin
compartment, 484–485
polymer melt and, 475–476
Ser5P-RNA Pol II and histone H2B-
GFP, 479, 483f, 484f
- 3D-SIM studies
H3K4me3 and H4K8ac, 479, 481,
485f
nascent RNA, DNA, and Ser2P-
Pol II, 479, 482f
nuclear DNA, 477, 478f
RNA Pol II, 477–478, 480f
splicing speckles and Ser2P-RNA
Pol II, 481, 486f
- Nucleocytoplasmic transport
soluble phase of transport
kap-mediated transport, 567, 568f
kap transport factors, 569
Ran gradient and directionality of
kap-mediated transport, 567–
569
- stationary phase of transport
conclusions, 578
interactions between FG nups and
transport factors, 573–574
interactions between FG repeats,
572–573
measurement of kap-FG nup
binding in vitro, 576
mediation of selective transport by
channels lined with binding
sites, 575
mediation of selective transport by
channels lined with FG nups,
575–576
- nonspecific competition and, 576–
578
- NPC as a scaffold for other
processes, 578
- NPC structure connected to the
transport mechanism, 578
- selective transport through the
NPC, 574–575
- structural nups formation of a
scaffold, 570–571
- structure and composition of FG
nups, 571–572
- structure of the NPC, 569–570
- Nucleoplasmic lamins
conclusions, 539
functions within the nuclear interior
chromatin organization and, 538–539
gene transcription, 537–538
other cellular functions, 539
regulation of, 535–537
role in development of laminopathies,
539
structure and dynamics, 534–535
- Nucleoporins (NUPs). *See also* Nuclear
pore complex; Nucleocyto-
plasmic transport
identification of, 546–547, 585
localization and modular organization
of, 547–548, 549f, 585
- Nucleosomes. *See* Centromeres
- Nucleotide excision repair (NER), 214
- Nucleus summary
advances due to genomic technologies,
611–612
conclusions, 613–614
heterochromatin formation, 608–609
mitotic scaffold, 613
nuclear dynamics, 609–610
observations of interactions among
chromosomes, 612–613
repeats and redundancy, 610–611
reprogramming of differentiated adult
cells, 607–608
- Nup107/160 subcomplex, 585. *See also*
Nuclear pore complex (NPC)
- Nup62, 546–547
- O**
- OCT4* gene, 202, 205
- Oct4 transcription factor, 227–229, 237–
240, 253. *See also* Modulation
of pluripotency and reprogram-
ming; Transcriptional control
of cell state
- Olig2*, 202
- Origin firing, 139–140
- Origin recognition complex (ORC), 135.
See also DNA replication
control
- P**
- p53
aneuploidy and, 449
iPSCs and reprogramming lessons, 253
recruitment of AMPK, 25
- PABPN1 and PABPC1, 129. *See also*
CBP80-promoted mRNP
rearrangements
- PALM (photoactivated localization
microscopy), 477
- PARP (poly[ADP-ribose polymerase], 5,
170

- PCM (pericentriolar material), 425
PCNA (proliferating cellular nuclear antigen), 17, 539
PDS1, 377
Perichromatin region (PR), 476
Perinucleolar compartment (PNC)
 association with malignant phenotypes, 600–601
 conclusions, 604–605
 enrichment with RNA–protein complexes, 601–602
 materials and methods, 602–604
 structure of, 600
PGCs (primordial germ cells), 211. *See also* Epigenetic reprogramming of mouse germ cells
pha-4 transgene. *See also* Chromatin positioning during *C. elegans* development
 copy-number dependency of peripheral attachments, 558
 positions occupied in differentiated tissues, 557–558
 random distribution in early embryos, 556–557
Phenylalanine-glycine (FG) nups, 547, 567. *See also* Nucleocytoplasmic transport
PHF1, 13–14. *See also* PRC2
PHO84 antisense RNA, 302, 304f
Photoactivated localization microscopy (PALM), 477
Pioneer factors in nuclear chromatin
 conclusions, 224–225
 correlation between nucleosome-binding affinity and nuclear mobility, 219–220
 effect of deletions of CTD domain on nuclear mobility, 221–223
 FoxA relationship to linker histones, 220–223
 retention of Fox transcription factors and linker histone in mitotic chromatin, 223–224
 salt elution profiles' relationship with FoxA1 and H1o mobility, 223
PITX3, 205
Plants
 epigenetic reprogramming and DNA methylation, 270
 germline reprogramming of heterochromatin in
 conclusions, 272
 euchromatin compared to heterochromatin, 269
 in the germline, 270
 of heterochromatin in pollen, epigenetic, 270–271
 RNA silencing and heterochromatic formation in plants, 269–270
 role of siRNAs in inheritance and germ-cell fate, 272
 siRNA silencing in immature ovules, 271–272
 siRNA silencing in immature seeds, 272
 transposable elements and, 269
 RNA polymerases IV and V function in, 285–286
Plk4, 428
Pluripotency
 chromatin fiber density and chromosome territories, 245
 conclusions, 249
 electron spectroscopic imaging used to study, 245–246
 global chromatin changes in development, 247–248
 nuclear organization variation between cell types, 246–247
 open chromatin formation, 248–249
 gene targeting in iPSCs
 AAVS1 as a safe-harbor locus in hESCs, 206–207
 conclusions, 207
 mouse embryonic stem cells and, 201–202
 off-target site alterations, 207
 strategies for hESCs, 202–203
 targeting of *OCT4* and *PITX3* loci, 205
 zinc-finger nucleases, 203–205, 206t
 human pluripotent cells and gene targeting, 201–203, 205–207
 induced, in nuclear reprogramming, 196
 reprogramming and modulation of conclusions, 243
 mapping of transcription factor-binding sites, 238
 Oct4, Sox2, and Nanog transcription factors, 237–238
 species-specific differences of Oct4 and Nanog binding, 238–240
 transcription factor reprogramming codes, 240–241
 by transcription factors, 241–243
PNC (perinucleolar compartment)
 association with malignant phenotypes, 600–601
 conclusions, 604–605
 enrichment with RNA–protein complexes, 601–602
 materials and methods, 602–604
 structure of, 600
Pol I. *See* RNA polymerase I
Pol II. *See* RNA polymerase II
Pol IV and V. *See* RNA polymerases IV and V
Poly(ADP-ribose) polymerase (PARP), 5, 170
Polycomb group (PcG) proteins. *See also* Polycomb repressive complex 1; Polycomb repressive complex 2
 chromatin folding and, 462–464
 in facultative heterochromatin, 12
 gene silencing by, 43, 467
 MBT domain proteins and, 15
 role in maintenance of embryonic cell states, 230
 table of selected proteins, 62t
Polycomb repressive complex 1 (PRC1)
 chromatin compaction conservation in mouse, 63–64, 65f
 evolutionary divergence of functions, 65
 interaction with Zeste protein, 66–68
 materials and methods, 63
 organization and function, 61–62
 role in compacting chromatin, 68–69
 table of selected proteins, 62t
Polycomb repressive complex 1-like 3 (PRC1L3), 17
Polycomb repressive complex 2 (PRC2)
 ancillary enzymatic subunits, 13–14
 core components, 12–13
 introduction, 12
 phosphorylation of, 14
 recruitment of, 14
Polymer melt, 442, 475–476
Polypyrimidine tract-binding (PTB)
 protein, 599
Poms, 547
Posttranslational modifications (PTMs), 11
POT1, 168–169. *See also* Telomeric shelterin complex
PPP1R12C, 206
PR (perichromatin region), 476
PRC1. *See* Polycomb repressive complex 1
PRC2. *See* Polycomb repressive complex 2
Prereplicative complexes (pre-RCs), 135. *See also* DNA replication control
Primordial germ cells (PGCs), 211. *See also* Epigenetic reprogramming of mouse germ cells
pRNA, 358–360
Progeria, 529
Progerin, 529
Proliferating cellular nuclear antigen (PCNA), 17, 539
Proteomics of mitotic chromosomes. *See* Ska3/Ramal
PR-Set7, 12, 16–19
PTB (polypyrimidine tract-binding) protein, 599
P-TEFb, 2
PTMs (posttranslational modifications), 11
Puffs, HS inducible, 4–5
- R**
- Rad18. *See* Smc5/6 complex
RanGEF (Ran guanine exchange factor), 568
RanGTP/RanGDP, 551–552, 567–569
RCC1, 568
RDR6, 271–272
Reb1, 302
Replication
 de novo heterochromatin formation and duplication during
 centric and pericentric organization, 155–156, 157f
 conclusions, 163
 conservation of centromere organization and structure, 155
 contribution to centromere function, 155
 duplication of domains, 158
 duplication of pericentric heterochromatin, 161–163
 formation during development, 156–158
 replication of pericentric heterochromatin, 158–161
 timing and control
 biological significance of nuclear compartments, 150–151
 conclusions, 151–152
 developmental control of, 146
 domains and foci, 143–144
 epigenetic distinctions among cell types, 149
 histone modifications' relationship with, 147–148
 late replication as a barrier to reprogramming, 149–150
 link to 3D chromatin architecture, 148–149
 question of order of replication vs. transcription, 147
 relationship with chromatin structure, 144

- 3D organization and replication
decision point, 144–146
transcription and the promoter-specific relationship, 146–147
- Reprogramming. *See* Epigenetic reprogramming of mouse germ cells; Germline reprogramming of heterochromatin in plants; Modulation of pluripotency and reprogramming; Nuclear reprogramming
- Reticulons (Rtns), 589
- Retinoblastoma protein (pRb), 537
- Retinoid X receptor (RXR), 119–120
- RIDGES, 466
- Right-handed hemisomes, 56–58, 413
- Ring1A/1B, 71, 72f. *See also* Chromatin, compaction
- RITS (RNAi-induced transcriptional silencing), 260–262, 263
- RNAi and heterochromatin connection at centromeres
conclusions, 280–281
feedback of H3K9me on RNAi importance, 276–277
heterochromatin induction by artificial sources of siRNAs, 277–278
mechanisms contributing to heterochromatin assembly, 275–276
Stc1 mediation of RNAi-directed heterochromatin formation, 280
tethering of Clr4 to DNA, 279–280
- RNAi-induced transcriptional silencing (RITS), 260–262, 263
- RNA polymerase I (Pol I)
antisense transcript's down-regulation of transcription, 362–363
chromatin folding and, 468
- RNA polymerase II (Pol II)
characterization of paused, 1–2
chromatin folding and, 468
chromatin studies and, 11
compartmentalization of transcription, 5–6
cotranscriptional histone methylations and, 96
evolution of HSF's relationship with pausing, 4
heterochromatin assembly in fission yeast and, 260
ncRNA and, 360–361, 362f
pausing during elongation, 90
rDNA transcription and, 360–361, 362f
role in alternative splicing and chromatin, 104
- Ser5P-RNA Pol II and histone H2B-GFP, 479, 483f, 484f
- transcription and splicing and
chromatin domains functional interactions with perichromatin region, 481, 484
conclusions and future directions, 488–489
current knowledge state, 475
function vs. structure in transcription and DNA replication, 487
interchromatin compartment and perichromatin region, 476
microscopic methods used, 476–477
perichromatin region and nuclear matrix, 485–487
perichromatin region functional interactions with
interchromatin compartment, 484–485
polymer melt and, 475–476
Ser5P-RNA Pol II and histone H2B-GFP, 479, 483f, 484f
3D-SIM studies, 477–482, 485f, 486f
transcription of centromeric repeats, 262
- RNA polymerases IV and V (Pol IV and V)
conclusions regarding history and function of, 293–295
conservation of fifth-largest subunit gene structure, 292–293
functional divergence of fifth-largest subunit genes, 291–292
functional divergence of fourth-largest subunit genes, 291
function in plants, 285–286
origin of seventh-largest subunit genes, 291
phylogenetic analyses methods, 286–287, 288–289t
seventh-largest subunits encoding, 287, 290f, 291
siRNAs and Pol IV, 272
timing of divergence of specific seventh-largest subunits, 291
- Robertsonian translocations, 53
- ROSA26*, 202
- Rpd3L complex, 99
- RTL*, 302
- Rtns (reticulons), 589
- RXR (retinoid X receptor), 119–120
- S**
- Saccharomyces cerevisiae*
in DNA replication control studies (*see* DNA replication control)
gene clustering in, 487
kinetochore molecular structure and interactions (*see* Kinetochores)
ncRNA connections in (*see* Noncoding RNA, connections and yeast)
transcriptional silencing in, 19
- SALM (spectrally assigned localization microscopy), 477
- SATB1, 334–335, 512
- Scaffold/matrix attachment regions (S/MARs), 485–487
- SCC1, 379
- SCC2/4 complex, 384–385
- SCE-1, 203
- Schizosaccharomyces pombe*
centromeric heterochromatin assembly (*see* RNAi and heterochromatin connection at centromeres)
heterochromatin assembly in (*see* Heterochromatin, assembly in fission yeast)
kinetochore intermediate connections and, 399
ncRNA connections in (*see* Noncoding RNA, connections and yeast)
- Sec13, 547
- Securins, 377–378
- Separase, 428
- SER3* gene, 302, 303f
- Ser5P-RNA Pol II, 479, 483f, 484f
- Set1/Set3C pathway, 97–99
- Set2/RPD3S pathway, 96–97
- SetDB1, 230
- Sgo1 and Sgo2, 419–420. *See also* Aurora B kinase
- SGS3, 271–272
- Shelterin complex. *See* Telomeric shelterin complex
- SHREC (Snf2/HDAC repressor complex), 262, 263, 264
- Shugoshin, 419–421. *See also* Aurora B kinase
- SILAC (stable isotope labeling with amino acid in cell culture), 433
- siRNA, 271–272
- SIRT1, 19
- Sister chromatid
cohesins' role in cohesion, 378–379
cohesion's role in biorientation, 376–377
disfunction and APC/C, 379
linkages and yeast chromosome segregation
cohesin and condensin mutants' functions, 393
cohesin complex and rings, 391–392
conclusions, 393
decatenation completion by Topo II, 392–393
functional role for DNA linkages in chromosome segregation, 392
origin and resolution of catenation, 389–391
process of chromosome resolution, 389
resolution of recombination-mediated chromosomal linkages, 391
separation triggering by cleavage of SCC1 subunit, 379
- Ska3/Ramal
bulk composition of isolated mitotic chromosomes, 434–435
conclusions, 437
identification of proteome of isolated mitotic chromosomes, 434
identification of Ska3/Ramal/C13orf3, 435–437
materials and methods, 433–434
Sklp1p:Ctf13p heterodimer, 397
- Small nuclear ribonucleoprotein (snRNP), 365–367
- S/MARs (scaffold/matrix attachment regions), 485–487
- Smc1 and Smc3 NBDs, 380–381
- Smc5/6 complex (structural maintenance of chromosomes)
chromosome topology and, 183–185
components and structure, 179–180
described, 391, 613
nonrepair function, 183
repair function, 180–183
- SMG1, 127, 130–132. *See also* CBP80-promoted mRNP rearrangements
- SMN (survival motor neuron), 365–368. *See also* Cajal bodies (CBs) and histone locus bodies (HLBs)
- SNAP-tag, 407
- Snf2/HDAC repressor complex (SHREC), 262, 263, 264
- snRNP (small nuclear ribonucleoprotein), 365–367
- Sox2 transcription factor, 227–229, 237–238, 240, 253. *See also* Modulation of pluripotency and reprogramming; Transcriptional control of cell state

SPDM (spectral precision distance/position determination microscopy), 477, 479, 483f, 484f
 Spectrally assigned localization microscopy (SALM), 477
 Splitting of the nucleus. *See* Biorientation problem
 Stable isotope labeling with amino acids in cell culture (SILAC), 433
 Stc1, 262, 280
 Structural maintenance of chromosome (SMC) protein complex. *See* Smc5/6 complex
 SUN domain, 552
 Super-registration microscopy, 114
 SURF, 127. *See also* CBP80-promoted mRNP rearrangements
 Survival motor neuron (SMN), 365–368. *See also* Cajal bodies (CBs) and histone locus bodies (HLBs)
 SUZ12, 12–13. *See also* Chromatin
 Swi6, 264, 265
 Swr1, 35. *See also* INO80 family
 SWR-C complexes
 description and function, 36–38
 H2A.Z catalysis and, 38–39

T

Telomeric shelterin complex
 accessory proteins, 169–170
 composition, 168–169
 directing HDR, 173–174
 DNA-damage response study using, 174
 muting ATM and ATR, 170–172
 pathways defining the end-protection problem, 167–168
 pausing NHEJ, 172–173
 TEV cleavage sites, 379–380
 TF-binding sites (TFBSs), 4
 TGS (transcriptional gene silencing), 263–264
 TGS-AS pathway, 108
 30-nm chromatin structure. *See* Mitotic chromosome structure
 3C (chromosome conformation capture), 461, 462, 493–494
 3D-SIM (three-dimensional structured illumination microscopy), 477
 TIP5, 358–359
 Topo II (type-II topoisomerase), 389–393
 Topo III (topoisomerase III), 391
 TPR (translocated promoter region), 548, 549f
 TRAMP, 301
 Transcriptional control of cell state
 chromatin structure and, 230
 conclusions, 231
 key concepts, 228
 mediator and cohesin connecting of gene expression and chromatin architecture, 230–231
 signal transduction and ESCs, 229–230
 transcription factors and ESCs, 227–229
 Transcriptional gene silencing (TGS), 263–264
 Transcriptional regulation
 correlations with folding of interphase chromosomes, 453–454
 demethylases Jmjd3 and UTX role, 47f
 inducible heat shock genes in *D. melanogaster* and (*see* Heat-

 shock-mediated gene transcription)
 INO80 family and, 39
 via histone phosphorylation
 AMPK chromatin-based role, 25
 conclusions and future directions, 25–26
 histone modification, 23
 JAK2 kinase phosphorylation of histone H3, 24–25
 signal transduction into the nucleus via kinase recruitment, 23–24
 Transcription factories and nuclear organization
 conclusions, 504
 dynamic association of genes with transcription factors, 502–503
 factory concept, 612
 Klf1 organization of the erythroid genome, 504
 limitations of in vitro studies, 501–502
 ncRNAs and transcription
 compartmentalization, 504
 preferential transcription factory associations, 503
 specialized transcription factories, 503–504
 transcriptional behavior of genes, 502
 Transcription factors. *See* Modulation of pluripotency and reprogramming
 Transdetermination, 189–190
 Translocated promoter region (TPR), 548, 549f
 TRF1/TRF2/TIN2/Rap1 core, 168–169. *See also* Telomeric shelterin complex
 Tripartite ring model, 381–382, 383–384
 Triton X-100, 545
 Type-II topoisomerase (Topo II), 389–393

U

UPF1, 127, 130–132. *See also* CBP80-promoted mRNP rearrangements
ura4⁺, 277–278, 305–310
 UTX. *See* Jmjd3 and UTX (H3K27 demethylases)

V

Vezf1, 81–82. *See also* Insulator element (IE)

X

X-chromosome inactivation (XCI)
 architecture of (*see* XIST RNA)
 chromatin structure and
 chromatin composition of inactive X chromosome, 337
 DNA methylation, 338
 heterogeneity of the inactive X chromosome's heterochromatin, 337–338
 nuclear organization and high-order chromatin conformation, 338–339
 cofactors for Xist-RNA-mediated chromatin modifications and silencing, 334–336
 heterogeneity in establishment of Xist-

 RNA-mediated silencing, 336–337
 hierarchy in induction of chromatin changes during, 340–341
 importance of chromatin modifications in the establishment or maintenance of, 341
 transcriptional silencing by Xist, 333
 Xist-mediated regulation of transcription and chromatin structure, 333–334
 Xist RNA's role in altering chromatin states, 339–340
Xenopus, 144
 CBs and HLBs in (*see* Cajal bodies [CBs] and histone locus bodies [HLBs])
Xist ncRNA, 504
 XIST RNA (X inactive-specific transcript)
 affinity of long ncRNA for its parent chromosome, 347–348
 AURKB regulation of, 347f, 348
 binding and silencing of one X chromosome, 346–347
 conclusions, 354–355
 Cot-1 RNA assays and chromosome silencing, 354
 function, 345
 impact on chromosome architecture, 352–353
 inactive X chromosome and, 345–346
 organization of the Xi, 351–352
 repeat elements in chromosome silencing and escape, 349–351
 repression of autosomal chromatin, 349
 role of repeat RNA expression and silencing in chromosome regulation, 354
 roles for tandem repeats within, 348

Y

Yeast
 centromeric heterochromatin assembly (*see* RNAi and heterochromatin connection at centromeres)
 chromosome segregation (*see* Sister chromatid, linkages and yeast chromosome segregation)
 in DNA replication control studies (*see* DNA replication control)
 gene clustering in, 487
 heterochromatin assembly in (*see* Heterochromatin, assembly in fission yeast)
 kinetochore intermediate connections and, 399
 ncRNA connections in (*see* Noncoding RNA, connections and yeast)
 SWR-C function and genetics, 39
 transcriptional silencing in, 19
 YY-1 zinc-finger DNA-binding transcription factor, 38

Z

Zeste protein, 66–68
 Zinc-finger nucleases (ZFNs), 203–205, 206t

Cold Spring Harbor Symposia on Quantitative Biology

Subject Index

Cold Spring Harb Symp Quant Biol 2010 75: 619-630

Access the most recent version at doi:[10.1101/s75/subjindex](https://doi.org/10.1101/s75/subjindex)

License

Email Alerting Service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or [click here](#).

To subscribe to *Cold Spring Harbor Symposia on Quantitative Biology* go to:
<http://symposium.cshlp.org/subscriptions>