Subject Index

A

Acf1, 283–284
 Amygdala
 memory engram cell studies, 61–64
 Pavlovian threat conditioning studies
 aversive action control by
 amygdala, 14–17
 central amygdala control of
 behavioral and physiological
 reactions, 13–14
 lateral amygdala acquisition and
 storage of Pavlovian
 memory, 11–13
 medial amygdala role, 17
 Pavlovian to instrumental
 transfer, 16
 Anderson, David, conversation with,
 253–254
 Angelaki, Dora, conversation with,
 254–257
 ASDs. *See* Autism spectrum disorders
 Attention. *See* Visual attention
 Autism spectrum disorders (ASDs), social
 cognition versus social
 motivation theories, 222
 Awake replay. *See* Hippocampus
 Axel, Richard, conversation with,
 258–259

B

Bargmann, Cori, conversation with,
 259–262
 Bayesian learning. *See* Representation
 learning
 Behavior. *See* Social behavior
 BRAIN initiative, 240–241, 261–262
 Brainstem oscillator. *See* Whisking

C

Central performance drop (CPD), texture
 segmentation, 154–156
 Churchland, Patricia, conversation with,
 263–265
 CLARITY, 266–267
 Cognitive process, definition, 48
 Conditioned stimulus (CS), conditioned
 threat stimuli
 aversive action control by amygdala,
 14–17
 central amygdala control of behavioral
 and physiological reactions,
 13–14
 lateral amygdala acquisition and storage
 of Pavlovian memory,
 11–13
 medial amygdala role, 17
 Pavlovian to instrumental transfer, 16
 Confidence judgment. *See* Decision-
 making
 CPD. *See* Central performance drop
 CS. *See* Conditioned stimulus

D

Decision-making
 behavioral decision-making. *See* Social
 behavior
 confidence judgments
 bounded evidence accumulation,
 187–189
 causal testing in monkeys,
 189–191
 elapsed decision time effects,
 191–192
 history of study, 186
 information for generating, 185
 overview, 185–186
 postdecision wagering, 189, 191,
 194
 prospects for study, 192–194
 sequential analysis models,
 186–187
 signal-detection theory, 186–187,
 191
 efficient coding, 170
 hippocampal awake replay, 54
 history of study, 169–170
 information theory, 170
 normalization models
 choice behavior in normalization
 networks, 175–176
 Heeger normalization model of
 neuron firing rate, 170–171
 Heeger–Simoncelli model,
 171–172, 174
 network representation, 173–174
 neuronal dynamics of networks,
 174–175
 sensorimotor control
 Bayesian decision theory, 96
 bidirectional interplay of decisions
 and control, 96–97
 overview, 95–96
 spontaneous decisions and free will
 integration-to-bound model, 180,
 183
 Libet experiments, 177–178,
 182–183
 overview, 177–178
 philosophical considerations
 all or nothing relevance of
 cases, 183
 dual theories of decision-
 making, 183
 Libet's readiness potential, 182
 neuroscience and free will,
 181–182
 rodent free will, 182
 waiting tasks versus rational
 decisions, 182
 spontaneous action features from
 rodents to humans, 179–181
 Deisseroth, Keith, conversation with,
 266–268
 Dentate gyrus (DG), memory engram cell
 studies, 60–64

Depression, heredity, 283
 Desimone, Robert, conversation with,
 269–270
 DG. *See* Dentate gyrus
 DiCarlo, James, conversation with,
 271–274
 Dorcas Cummings Lecture, 245–249
 Dorsal medial superior temporal area
 (MSTd), multisensory
 heading perception role,
 144–146
Drosophila
 behavior. *See* Social behavior
 motion vision. *See* Hassenstein–
 Reichardt detector

E

EFT. *See* Escape from threat
 Engram theory of memory. *See* Memory
 engram cell
 Escape from threat (EFT), amygdala role,
 15–16
 Esr1⁺ neuron
 genetic identification as aggression
 neurons in mice, 204–205
 male–female interaction regulation,
 205–207
 male–male interaction regulation, 205
 scaleable control of social behavior,
 205

F

Face recognition. *See* Object recognition
 False memory. *See* Memory engram cell
 FEF. *See* Frontal eye fields
 Fish social behavior. *See* Social behavior
 fMRI. *See* Functional magnetic resonance
 imaging
 Forelimb movement. *See* Reaching tasks
 Frontal eye fields (FEF)
 modulation of visual cortical fields, 128
 multisensory heading perception role,
 144–145
 saccadic suppression studies, 126–127,
 129
 Functional magnetic resonance imaging
 (fMRI)
 covert attention effects on spatial
 resolution studies, 157
 macaque face patch system studies,
 109–111
 magnetoencephalography combination,
 269
 origins, 237–238

G

GABApre neuron, smooth forelimb
 movement through sensory
 gain control, 82–86
 Gad2, smooth forelimb movement through
 sensory gain control
 studies, 82–83

Gaze control
 frontal eye fields and modulation of
 visual cortical fields, 128
 prospects for study, 128–129
 saccades and visual perception,
 123–124
 saccadic suppression
 anatomic constraints on possible
 mechanisms, 127–128
 neural responses to visual stimuli,
 124–127
 overview, 123
 psychophysical evidence for central
 source, 123–124
 Gazzzaley, Adam, conversation with,
 275–276
 GnRH. *See* Gonadotropin-releasing
 hormone
 Gonadotropin-releasing hormone (GnRH),
 Astatotilapia burtoni social
 hierarchy studies, 230–231
 Graybiel, Ann, conversation with,
 277–278

H

Hassenstein–Reichart detector
 columnar neurons of *Drosophila* optic
 lobe, 133
 input elements, 134
 lobula plate cells, 131–132
 local directionally selective neurons,
 135
 motion opponency implementation,
 136
 neural implementation, 132, 134
 overview, 131–132
 parallel motion pathways, 134–135
 photoreceptor recordings, 132
 prospects for study, 137
 transmedulla neurons, 132, 137
 transmedulla Y neurons, 132
 HCNN. *See* Hierarchical convolutional
 neural network
 Heading perception. *See* Motion
 perception
 Heeger normalization model. *See*
 Decision-making
 Hierarchical convolutional neural network
 (HCNN), object recognition
 modeling, 103–105
 Hierarchical Modular Optimization
 (HMO), object recognition
 modeling, 104–105
 Hippocampus
 circuitry, 52
 learning
 awake replay
 during learning, 53
 retrieval, deliberation, and
 decision-making, 54
 cognitive mapping, 55
 information processing dynamic
 role, 55–56
 overview, 51–52
 place cell representation changes
 with experience, 52–53
 reactivation modulation, 53
 sharp-wave ripple, 51, 53–54, 56
 local field potential recordings, 41
 navigation system
 hippocampal–entorhinal cortex, 44
 overview, 44

self-organized activation, 45–47
 sensory-driven activity, 45
 HMO. *See* Hierarchical Modular
 Optimization

I

iIPFC. *See* Infralimbic prefrontal cortex
 Inferior temporal cortex (IT)
 macaque face patch system, 109,
 113–114
 object recognition role, 99–106
 Infralimbic prefrontal cortex (iIPFC),
 escape from threat
 modulation, 16
 Integration-to-bound model. *See*
 Decision-making
 IT. *See* Inferior temporal cortex

J

jPCA modeling. *See* Reaching tasks

L

Language learning
 infant learning timing, 213
 phoneme learning, 212–213
 phonetic learning
 brain mechanisms, 217–218
 computational solution, 213–214
 second language critical period for
 learning, 212
 social factor gating
 mechanisms, 216–217
 neurobiological foundations of
 social learning, 218
 overview, 211
 social context effects on speech
 learning, 213–216
 Lateral geniculate nucleus (LGN), saccadic
 suppression role, 124–127
 Lateral intraparietal area (LIP)
 decision-making studies, 171–172, 187
 saccadic suppression role, 124, 126
 Lateral reticular nucleus (LRN), internal
 feedback for rapid motor
 updating in reaching,
 86–89
 Learning. *See* Hippocampus; Language
 learning; Motor memory;
 Representation learning
 LeDoux, Joseph, conversation with,
 279–281
 LFP. *See* Local field potential
 LGN. *See* Lateral geniculate nucleus
 LIP. *See* Lateral intraparietal area
 Local field potential (LFP), hippocampus
 recordings, 41
 Locomotion, visual cortex VI response in
 mouse
 disinhibitory circuit enhancement
 of responses, 5–8
 gain increase, 1
 midbrain locomotor region activation,
 4–5
 plasticity, 1, 3–4, 7–8
 LRN. *See* Lateral reticular nucleus

M

Macaque face patch system. *See* Object
 recognition

Magnetoencephalography (MEG)
 functional magnetic resonance imaging
 combination, 269
 phonetic learning studies, 211,
 217–218
 Master clock. *See* Whisking
 Medial temporal lobe (MTL), episodic
 memory storage, 59
 MEG. *See* Magnetoencephalography
 Memory engram cell
 engram theory of memory origins, 59
 false memory generation, 61–62
 medial temporal lobe episodic memory
 storage, 59
 memory valence changing, 62–64
 optogenic activation to induce memory
 recall, 60–61
 Midbrain locomotor region (MLR),
 activation by locomotion,
 4–5
 MLR. *See* Midbrain locomotor region
 Motion perception
 Drosophila motion vision. *See*
 Hassenstein–Reichart
 detector
 multisensory heading perception
 accuracy and precision overview,
 142
 biases in presence of
 eye and head movements, 144
 moving objects, 143–144
 cues, 141–142
 multisensory calibration and
 perceptual accuracy
 improvement, 143
 multisensory integration and
 perceptual precision
 improvement, 142–143
 neural correlates, 144–146
 Motor memory
 contextual rules
 overview, 93–94
 structural learning, 94
 tool use, 94–95
 decision-making and sensorimotor
 control
 Bayesian decision theory, 96
 bidirectional interplay of decisions
 and control, 96–97
 overview, 95–96
 online control
 optimal feedback control, 95
 rapid motor responses, 95
 risk sensitivity, 95
 velocity-dependent curl field, 93
 MSTd. *See* Dorsal medial superior
 temporal area
 MTL. *See* Medial temporal lobe

N

N-methyl-D-aspartate receptor (NMDAR),
 lateral amygdala acquisition
 and storage of Pavlovian
 memory, 12–13
 NAc. *See* Nucleus accumbens
 Navigation. *See* Hippocampus; Motion
 perception
 NE. *See* Norepinephrine
 Nestler, Eric, conversation with,
 282–284
 Neural predictivity, object recognition
 modeling, 103–104

SUBJECT INDEX

307

- Neuroscience
 advancement of techniques, 237–240
 prospects for 2025, 240–241
 NMDAR. *See* *N*-methyl-D-aspartate receptor
 Norepinephrine (NE), lateral amygdala
 acquisition and storage of
 Pavlovian memory role, 13
 Nucleus accumbens (NAc), dopaminergic
 dynamics of social
 behavior, 221–225
- O**
- Object recognition
 core object recognition behavior, 100
 encoding and decoding processes,
 99–100
 inferior temporal cortex role, 99–106,
 109, 113–114
 macaque face patch system
 computational architecture,
 111–113
 connectivity of patches, 111
 functional architecture, 111
 overview, 109–111
 prospects for study, 113–114
 neuronal population activity modeling
 decoding model
 establishment with correlative
 methods, 100–102
 testing with causal methods,
 102–103
 from images to neuronal population
 activity patterns, 103–106
 predictive linking model, 101
 Optic tectum (OT), saccadic suppression
 role, 127–128
 OT. *See* Optic tectum
- P**
- Parieto-insular vestibular cortex (PIVC),
 multisensory heading
 perception role, 144
 Pavlovian threat conditioning (PTC)
 aversive action control by amygdala,
 14–17
 central amygdala control of behavioral
 and physiological reactions,
 13–14
 lateral amygdala acquisition and storage
 of Pavlovian memory,
 11–13
 medial amygdala role, 17
 Pavlovian to instrumental transfer, 16
 PFC. *See* Prefrontal cortex
 PIVC. *See* Parieto-insular vestibular cortex
 Place cell
 firing in episodic and semantic
 memory, 47
 representation changes with experience,
 52–53
 Plasticity, visual cortex VI locomotion
 response in mouse, 1, 3–4,
 7–8
 PN. *See* Propriospinal neuron
 Population peristimulus time histogram.
See Reaching tasks
 Posttraumatic stress disorder (PTSD), 64,
 276, 280, 296
 Pouget, Alexandre, conversation with,
 285–287
 Prefrontal cortex (PFC), integration of
 motivational and cognitive
 control of social behavior,
 225–226
 Propriospinal neuron (PN), internal
 feedback for rapid motor
 updating in reaching,
 86–89
 PTC. *See* Pavlovian threat conditioning
 PTSD. *See* Posttraumatic stress disorder
 Pulvinar nucleus, saccadic suppression
 role, 124–125
 Pyloric rhythm. *See* Stomatogastric
 ganglion
- R**
- Reaching tasks
 internal feedback control
 merging with external feedback,
 89–90
 rapid motor updating, 86–89
 models of neural activity during reach
 generation
 dynamical model
 basis set for muscle activity,
 68–70
 mechanistic hypothesis
 development, 77–78
 neural response prediction,
 69–70
 overview, 68–69
 population response
 predictions, 70–72
 prospects for study, 78
 rotation motif in population
 response, 71–73
 simplified models, 67–69
 traditional versus dynamical
 models
 population peristimulus time
 histogram pitfalls, 75–77
 projections of the population, 75
 represented parameter interpre-
 tation, 73
 tuning changes with time, 75
 tuning variation with other
 factors, 73–75
 motor cortex study principles, 67
 sensory feedback delays, 81–82
 smooth movement through sensory gain
 control, 82–86
 Receptive field. *See* Spatial resolution
 Representation learning
 causal model comparison to test for
 Bayesian learning
 findings, 165–167
 modeling
 Bayesian model, 163–164
 model fitting, 164
 reinforcement-learning model,
 164
 participants, 162
 real-time manipulation, 164–165
 task, 162–163
 overview, 161–162
 Rushworth, Matthew, conversation with,
 288–290
- S**
- Saccadic suppression. *See* Gaze control
 SC. *See* Superior colliculus
 Self-organization
 attractors of directional sense, 43–44
 hippocampal navigation system
 activation, 45–47
 memory and optimization of behavior,
 48–49
 simple versus complex brains, 42
 Sensorimotor learning. *See* Motor memory
 Shadlen, Michael, conversation with,
 291–292
 Sharp-wave ripple (SWR), hippocampus
 and learning, 51, 53–54, 56
 Snf2h, 283
 Social behavior
 cognitive skills needed in *Astatotilapia*
burtoni social hierarchies
 attention hierarchies, 231
 deception in males, 231–233
 genomic consequences of female
 mate choice, 234–235
 model system features, 229–230
 overview, 229
 status consequences, 230–231
 transitive inference by males,
 233–234
 decision-making
 aggression control in mice
 genetic identification of ag-
 gression neurons, 204–205
 male–female interaction
 regulation by aggression
 neurons, 205–207
 male–male interaction
 regulation by aggression
 neurons, 205
 overview, 202–203
 scaleable control of social
 behavior by aggression
 neurons, 205
 ventromedial hypothalamus
 locus identification, 203,
 204
 overview, 199–200
 rheostat versus switch controls,
 207–208
 state-dependent control in
Drosophila
 aggression arousal control by
 tachykinin, 200–202
 persistent behavior control by
 P1 neurons, 202
 Tinbergen's hierarchical model,
 199–200
 dopaminergic dynamics in humans
 autism spectrum disorders, social
 cognition versus social
 motivation theories, 222
 circuit-based approach to social
 motivation, 222–225
 integration of motivational
 and cognitive control,
 225–226
 ventral tegmental area and nucleus
 accumbens, 221–225
 Somatostatin (SST), disinhibitory circuit
 enhancement of visual
 cortex responses during
 locomotion, 5–8
 Spatial resolution
 covert attention
 endogenous versus exogenous,
 149–150
 spatial resolution effects
 acuity, 152–153
 crowding, 152
 neurophysiology linking with
 behavior, 156–157
 overview, 151–152

Spatial resolution (*Continued*)
 texture segmentation, 153–156
 visual search, 151–152
 receptive field size, 150–151, 157
 Speech. *See* Language learning
 SST. *See* Somatostatin
 STG. *See* Stomatogastric ganglion
 Stomatogastric ganglion (STG)
 history of study, 21
 pyloric rhythm
 descending neuromodulatory
 input removal effects,
 22–23
 neuromodulation of conductance
 expression, 24–26
 range of normal rhythms, 21–22
 variability origins between
 animals, 23–24
 Superior colliculus (SC), saccadic
 suppression role, 124–128
 Svoboda, Karel, conversation with,
 293–294
 SWR. *See* Sharp-wave ripple

T

Tachykinin, *Drosophila* aggression arousal
 control, 200–202
 Texture. *See* Spatial resolution; Visual
 cortex
 Threat. *See* Pavlovian threat conditioning
 Tonegawa, Susumu, conversation with,
 295–296

V

Vasoactive intestinal peptide (VIP),
 disinhibitory circuit
 enhancement of visual
 cortex responses during
 locomotion, 5–8
 Ventral intraparietal area (VIP),
 multisensory heading
 perception role, 144–145
 Ventral tegmental area (VTA),
 dopaminergic dynamics of
 social behavior, 221–225
 Ventromedial hypothalamus (VMH)

aggression locus identification in mice,
 203, 204
 Esr1⁺ neurons in mice
 genetic identification of
 aggression neurons,
 204–205
 male–female interaction
 regulation, 205–207
 male–male interaction regulation,
 205
 scaleable control of social
 behavior, 205
 Vibrissia zone of the intermediate
 band of the reticular
 formation (vIRt), whisking
 measurements, 32–33,
 35–38
 VIP. *See* Vasoactive intestinal peptide;
 Ventral intraparietal area
 vIRt. *See* Vibrissia zone of the
 intermediate band of the
 reticular formation
 Visual attention
 covert attention
 endogenous versus exogenous,
 149–150
 spatial resolution effects
 acuity, 152–153
 crowding, 152
 neurophysiology linking with
 behavior, 156–157
 overview, 151–152
 texture segmentation,
 153–156
 visual search, 151–152
 selective attention, 149
 Visual cortex. *See also* Object recognition
 face recognition. *See* Object
 recognition
 naturalistic image structure
 representation in primates
 cascaded visual processing, 115
 prospects for study, 120–121
 texture
 human cortical unit
 responses to naturalistic
 texture and natural images,
 119–120

macaque cortical unit responses
 to naturalistic texture,
 118–119
 models and human perception,
 115–117
 saccadic suppression. *See* Gaze
 control
 visual cortex V1 locomotion response
 in mouse
 disinhibitory circuit enhancement
 of responses, 5–8
 gain increase, 1
 midbrain locomotor region
 activation, 4–5
 plasticity, 1, 3–4, 7–8
 Visual object recognition. *See* Object
 recognition
 Visual posterior sylvian (VPS),
 multisensory
 heading perception role,
 144–146
 VMH. *See* Ventromedial hypothalamus
 VPS. *See* Visual posterior sylvian
 VTA. *See* Ventral tegmental area

W

Whisking
 brainstem oscillator, 29–30, 32–33,
 35–38
 breathing cycle as master clock,
 29–30, 34
 cognition role of master clock, 38
 kainic acid microinjection studies, 33
 mathematical modeling, 38
 motor circuitry, 29–31
 sniffing correlation, 30
 vibrissia zone of the intermediate
 band of the reticular
 formation measurements,
 32–33, 35–38
 Wolpert, Daniel, conversation with,
 297–298

Z

Zador, Tony, conversation with,
 299–301

Cold Spring Harbor Symposia on Quantitative Biology

Subject Index

Cold Spring Harb Symp Quant Biol 2014 79: 305-308

Access the most recent version at doi:[10.1101/sqb.2014.79.SI](https://doi.org/10.1101/sqb.2014.79.SI)

License

Email Alerting Service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article or [click here](#).

To subscribe to *Cold Spring Harbor Symposia on Quantitative Biology* go to:
<http://symposium.cshlp.org/subscriptions>